

Countdown Equity Analyses by country - 2014

This is a supplementary file to the Countdown 2014 Report, containing detailed equity profiles for each Countdown country with available information. For each country we present the coverage of selected maternal and child health indicators, according to wealth quintiles, maternal education, sex, area of residence, and country region. In addition, the slope index of inequality and the concentration index for each of the health indicators are presented. Four figures summarize the information presented in the table: (1) the coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care; (2) coverage levels in the five wealth quintiles for these interventions; (3) the co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile; (4) the composite coverage index of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Methods

Our overall approach to the study of inequalities is outlined in a recent article [1]. The primary data sources include the Demographic and Health Surveys (DHS) (<http://www.measuredhs.com/aboutsurveys/dhs/start.cfm>) and Multiple Indicator Cluster Surveys (MICS) (<http://www.childinfo.org/>). The analyses include phases 3 (2005 to 2007) and 4 (2009 to 2011) MICS surveys and DHS-3 and later, starting from 1993. Older versions of these surveys, such as MICS 1 and 2, and DHS 1 and 2, were carried out two decades ago and are not included because of lack of information on wealth quintiles, absence of data on most indicators studied, or both reasons. When the number of mothers or children in a specific subgroup (e.g. wealth quintile) was less than 25, results were omitted. Results based on samples of 25 to 50 children or mothers are highlighted in the table to signal their poor precision.

Stratifiers

The indicators studied were disaggregated by five stratifiers that are relevant for equity analysis: wealth quintiles, maternal education, sex, area of residence, and country region. Region of the country and urban or rural area of residence relate to where the household is located, following the classification used in the original surveys. Breakdowns by sex of the child are shown for relevant indicators, such as antenatal care, breastfeeding and vaccination, but not for others such as contraception and improved drinking water. Maternal education is based on the reported completed level of education of the mother, and classified as none, primary or secondary plus, according to each country's educational structure.

Wealth quintiles were derived from asset indices [1-3]. These are based on presence of household possessions (radio, television, refrigerator, etc.) and characteristics of the house (building materials, toilet, electricity, etc.). These variables are subjected to principal component analysis, a data reduction technique that produces linear combinations of the variables, the components. The first component, or factor, is extracted in a way that retains as much variability as possible from all of the variables [4] from which a continuous score is derived. Each household is then assigned a score that can be broken down into quintiles or other equal-sized groups of household. By convention, Q1 refers to the poorest and Q5 to the wealthiest quintile. Women and children are then classified into these quintiles on the basis of the wealth status of the household to which they belong. Because fertility is usually higher in the poorest households, the actual number of children for analyses tends to be higher in the poorer than in the richer quintiles.

Coverage Indicators

The sets of indicators presented include coverage of preventive interventions along the reproductive, maternal, newborn and child (RMNCH) continuum of care. Coverage indicators related to gestation and birth from DHS surveys are usually estimated from information on children born in the five years before the survey. However, some DHS surveys collected information only on children born in the previous three years. In contrast, MICS surveys collect data for such indicators for the children born in the two years before the surveys. The full definition of each indicator is presented in the last page of this document.

Data quality control (QC)

Data quality checks were carried out in order to ensure the quality of our estimates:

- Data reconciliation against published estimates: whenever possible, our national level estimates were validated against a set of published estimates in order to identify discrepant results. These comparisons were carried out using available data from DHS (www.statcompiler.com) and MICS (www.micscompiler.org) webpages and printed country reports. All discrepancies were investigated and corrected if applicable.
- Face validity: national and stratified estimates were checked individually to assess if they reflect the levels and inequality trends that one would expect. If not, the results were double-checked to ensure that there were no mistakes in the analyses or preparation of the tables and figures.

Analyses

This set of profiles was prepared by the International Center for Equity in Health (www.equidade.org), based at the Federal University of Pelotas, Brazil.

References

1. Barros, A.J. and C.G. Victora, *Measuring Coverage in MNCH: Determining and Interpreting Inequalities in Coverage of Maternal, Newborn, and Child Health Interventions*. PLoS Med, 2013. **10**(5): p. e1001390.
2. Filmer, D. and L. Pritchett, *Estimating wealth effects without expenditure data - or tears : with an application to educational enrollments in states of India*, in *Policy Research Working Paper1988*, The World Bank. p. 38.
3. Rutstein, S.O. and K. Johnson, *The DHS Wealth Index*, in *DHS Comparative Reports2004*, ORC Macro: Calverton, Maryland.
4. Jolliffe, I.T., *Principal Component Analysis*. Springer Series in Statistics. 2002, New York: Springer.

The first page provides guidance on how the profiles should be interpreted. The next pages present results for 62 Countdown countries. These countries are those for which at least one standard DHS or MICS survey is available, including information on wealth score.

These are the health indicators for which estimates are presented in this set of profiles. Detailed definitions are available in the last page of this document.

EXAMPLE PROFILE: BOLIVIA DHS 2008

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Demand for family planning	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	75.0	60.6	85.8	72.1	71.1	18.6	63.8	33.0	76.4	98.4	85.8	85.8	24.6	29.0	34.9	50.9	NO	85.5	2.9	63.5	70.7
Wealth quintiles																					
Q1		46.2	65.7	50.3	38.0	4.7	66.7	31.2	51.3	97.8	85.7	87.7	26.6	28.1	30.6	40.4	NO	55.7	6.4	34.8	58.4
Q2		44.8	82.8	66.9	66.0	9.9	69.7	38.5	74.4	98.3	84.4	84.8	25.8	27.8	34.8	49.0	NO	82.3	3.4	58.5	67.9
Q3			92.1	76.0	81.2	15.7	65.4	31.1	83.4	98.3	87.1	82.7	23.1	32.9	36.7	53.9	NO	93.8		72.7	73.9
Q4			96.2	83.2	92.1	30.7	59.7	25.9	91.0	99.5	85.9	86.5	23.3	27.6	40.3	54.5	NO	96.2			76.9
Q5			96.8	90.9	98.7	48.2	54.8	ND	96.6	98.6					35.1	70.3	NO				81.1
Equity indicators																					
ratio Q5/Q1	1.5				2.6	10.2	0.8	NO								1.7	NO				1.4
difference Q5 - Q1	24.6				58.0	43.5	-11.9	NO								9.1	NO				22.7
Concentration index	8.1					42.8	-4.0	5.6									NO				6.1
SII	36.0					48.6	-15.3	4.9									NO				27.0
Maternal education																					
none						2	71.7	23.8								0.4	NO	NA		37.1	59.5
primary							66.6	33.9	68.3							45.9	NO	NA	4.4	53.9	66.2
secondary+							59.6	35.3	89.1	99.5					57.2	59.6	NO	NA	0.5	80.3	77.9
Child's sex																					
male							63.0	35.0	76.4	98.6	86.9	84.6	25.2	27.5	33.7	50.1	NO	NA	2.5	64.0	NA
female							64.6	30.8	76.4	98.1	84.5	87.2	24.0	30.6	36.3	51.7	NO	NA	3.3	62.9	NA
Area of residence																					
urban							61.2	30.9	88.3	98.7	84.7	84.9	23.4	28.2	38.4	59.6	NO	94.1	1.3	77.7	76.3
rural							67.4	33.5	62.0	98.1	86.7	86.7	26.2	29.7	31.5	42.7	NO	72.9			52.7
Country region																					
01 chuquisaca							74.2	31.6	77.7	99.5	84.4	84.4	30.7	45.6	38.7	53.5	NO	79.5			64.3
02 la paz	71.7						64.1	23.2	77.7	99.5	84.4	84.4	23.6	29.4	27.0	37.0	NO	86.0			60.1
03 cochabamba	68.1						71.7	28.7	77.7	99.5	84.4	84.4	22.3	28.5	35.4	40.9	NO	79.9			60.1
04 oruro	67.4						70.8	46.4	77.7	99.5	84.4	84.4	30.9	38.6	23.0	46.5	NO	84.8			60.1
05 potosi	62.5						7.1	66.1	77.7	99.5	84.4	84.4	28.8	30.6	34.4	53.5	NO	85.4	1.4	77.7	60.1
06 tarija	83.6						23.1	67.9	77.7	99.5	84.4	84.4	28.0	31.8	31.8	53.5	NO	92.0	0.4	81.7	80.1
07 santa cruz	83.2						36.1	55.5	92.9	99.5	84.4	84.4	21.1	21.1	21.1	53.5	NO	95.3	0.5	81.7	78.5
08 beni	76.9						15.7	76.1	77.7	99.5	84.4	84.4	28.2	28.2	28.2	53.5	NO	77.7	1.5	64.6	75.3
09 pando	75.1						61.3	ND	86.9	100.0	80.3	92.1	26.2	26.2	26.2	53.5	NO	1.4	71.2	74.8	

Wealth quintiles: Q1 = poorest 20% Q5 = richest 20%

Each row presents a specific maternal or child health indicator estimate, according five different stratifiers - wealth quintile, maternal education, child's sex, region of residence and country region. Additionally, the wealth quintile ratio or difference for these estimates (wealthiest quintile divided by or minus the poorest quintile), as well as the concentration index and the slope index of inequality, are presented.

ND = no data available to estimate this cell, or estimates were omitted because the denominator was less than 25 unweighted observations.

NO = no observations for this variable as it was not collected in this survey

NA: this stratification is not applicable for the indicator

Cells painted yellow: the denominator of the estimate was 25-49 unweighted observations

Trends in coverage of key interventions are presented if two surveys were available, with a minimum interval of five years





Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.





Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Interventions taken into account for the co-coverage analysis: (1) antenatal care, (2) mother immunized against tetanus, (3) skilled birth attendant, (4) BCG immunization, (5) 3 doses of DTP, (6) measles immunization, (7) vitamin A, (8) insecticide-treated bednet (for countries with endemic malaria), (9) household with improved drinking water source.

Composite coverage is a weighted mean of eight interventions selected to cover four domains: contraception, pregnancy and delivery, immunization and care of common childhood diseases. It was created to present an overall picture of intervention coverage for a given country. Please see details of the calculation in the last page of this annex.

Afghanistan MICS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	NO	21.2	47.9	14.7	38.7	3.7	53.9	NO	NO	64.2	NO	NO	50.4	47.4	53.3	60.5	NO	56.9	46.2	8.5	NO
Wealth quintiles																					
Q1	NO	15.2	26.2	6.0	15.6	0.9	52.9	NO	NO	54.3	NO	NO	43.5	50.5	56.2	45.2	NO	30.2	63.2	2.9	NO
Q2	NO	13.9	37.7	8.0	24.6	1.6	55.6	NO	NO	63.9	NO	NO	48.5	42.6	50.0	60.3	NO	43.7	52.1	5.2	NO
Q3	NO	18.6	42.6	10.5	31.4	2.7	54.5	NO	NO	59.3	NO	NO	48.9	49.0	53.6	66.3	NO	56.8	47.0	6.1	NO
Q4	NO	22.7	55.4	17.2	46.9	4.3	51.7	NO	NO	67.2	NO	NO	51.3	52.1	55.3	62.9	NO	66.7	39.3	10.1	NO
Q5	NO	36.9	78.3	32.3	75.9	9.2	54.8	NO	NO	78.7	NO	NO	62.4	40.8	50.4	65.6	NO	86.7	23.3	21.4	NO
Equity indicators																					
ratio Q5/Q1	NO	2.4	3.0	5.3	4.9	10.2	1.0	NO	NO	1.4	NO	NO	1.4	0.8	0.9	1.5	NO	2.9	0.4	7.4	NO
difference Q5 - Q1	NO	21.7	52.2	26.2	60.3	8.3	1.9	NO	NO	24.4	NO	NO	18.8	-9.7	-5.9	20.5	NO	56.5	-39.9	18.5	NO
Concentration index	NO	20.2	21.1	35.4	30.5	43.0	0.2	NO	NO	6.5	NO	NO	6.3	-1.0	-0.9	5.4	NO	20.2	-16.3	37.4	NO
SII	NO	25.6	57.0	31.3	65.9	10.7	-0.2	NO	NO	24.8	NO	NO	18.9	-2.7	-2.2	19.9	NO	63.3	-43.4	20.6	NO
Maternal education																					
none	NO	19.9	43.8	11.9	34.2	3.2	53.3	NO	NO	62.5	NO	NO	49.3	48.2	53.7	59.5	NO	NA	48.3	7.4	NO
primary	NO	27.2	76.0	27.6	63.9	6.4	64.0	NO	NO	79.2	NO	NO	59.4	37.2	44.9	70.4	NO	NA	24.8	19.0	NO
secondary+	NO	37.7	82.9	44.8	82.3	8.8	53.4	NO	NO	84.1	NO	NO	65.5	39.9	52.6	71.1	NO	NA	17.3	23.7	NO
Child's sex																					
male	NO	NA	ND	ND	ND	ND	ND	NO	NO	64.3	NO	NO	51.0	48.3	55.8	62.3	NO	NA	45.4	8.7	NO
female	NO	NA	ND	ND	ND	ND	ND	NO	NO	64.0	NO	NO	49.8	46.5	50.6	58.8	NO	NA	47.0	8.3	NO
Area of residence																					
urban	NO	37.7	77.4	33.2	74.7	8.9	58.5	NO	NO	78.6	NO	NO	63.7	39.7	47.8	67.0	NO	82.3	23.8	20.5	NO
rural	NO	17.9	41.2	10.5	30.5	2.5	52.9	NO	NO	61.1	NO	NO	47.9	48.7	54.2	59.3	NO	51.4	50.2	6.3	NO
Country region																					
01 Region C	NO	34.4	74.3	33.5	68.4	7.9	57.4	NO	NO	77.7	NO	NO	75.8	42.3	46.6	65.8	NO	69.2	21.5	19.4	NO
02 Region CH	NO	15.7	44.7	13.3	27.3	1.9	45.9	NO	NO	56.7	NO	NO	52.8	31.2	36.3	40.1	NO	25.4	53.0	7.0	NO
03 Region E	NO	16.9	44.1	11.3	37.9	1.5	52.7	NO	NO	75.5	NO	NO	47.8	46.8	57.5	73.5	NO	62.2	36.3	7.8	NO
04 Region N	NO	13.5	42.6	12.5	24.9	2.7	53.3	NO	NO	61.3	NO	NO	54.2	38.2	48.4	54.5	NO	45.5	52.5	4.9	NO
05 Region NE	NO	12.8	53.9	14.1	43.4	3.0	71.0	NO	NO	70.4	NO	NO	59.3	34.2	37.3	54.1	NO	44.6	35.6	11.7	NO
06 Region S	NO	32.7	30.7	11.4	20.5	0.8	23.4	NO	NO	35.5	NO	NO	19.6	68.3	73.7	63.1	NO	60.0	78.3	1.3	NO
07 Region SE	NO	18.0	37.2	3.3	37.3	5.3	38.1	NO	NO	63.8	NO	NO	52.6	59.8	60.0	70.9	NO	66.9	40.7	8.3	NO
08 Region W	NO	22.4	37.9	11.6	26.4	2.4	64.6	NO	NO	58.5	NO	NO	34.3	54.1	63.8	43.7	NO	60.0	61.6	4.6	NO

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Azerbaijan DHS 2006

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	69.4	51.1	76.6	45.2	88.6	4.7	31.9	16.8	NO	81.3	70.8	74.4	8.5	31.4	21.1	32.5	NO	78.4	9.8	43.0	65.0
Wealth quintiles																					
Q1	71.3	55.2	53.2	19.7	77.8	2.8	42.2	15.6	NO	69.2	59.8	63.4	4.9	27.2	23.4	ND	NO	68.9	20.6	25.0	ND
Q2	65.5	48.0	68.9	32.7	84.4	5.6	37.0	9.9	NO	79.4	70.4	73.0	3.9	27.9	11.4	ND	NO	68.7	12.0	28.5	ND
Q3	65.9	47.0	81.5	46.1	89.8	4.9	30.2	18.1	NO	84.1	76.1	76.1	4.4	41.6	29.6	ND	NO	74.8	6.7	43.2	ND
Q4	65.6	48.4	91.3	63.7	97.3	6.4	28.2	ND	NO	79.6	66.5	65.3	11.3	35.2	10.2	ND	NO	84.2	4.6	56.4	ND
Q5	78.4	57.2	95.3	74.0	99.6	4.1	16.4	ND	NO	98.5	83.4	97.0	22.9	ND	ND	ND	NO	95.6	0.0	76.0	ND
Equity indicators																					
ratio Q5/Q1	1.1	1.0	1.8	3.7	1.3	1.5	0.4	ND	NO	1.4	1.4	1.5	4.7	ND	ND	ND	NO	1.4	0.0	3.0	ND
difference Q5 - Q1	7.1	2.0	42.1	54.3	21.8	1.3	-25.9	ND	NO	29.2	23.5	33.7	18.1	ND	ND	ND	NO	26.7	-20.6	51.0	ND
Concentration index	2.1	1.3	11.5	24.9	5.2	8.1	-14.3	16.4	NO	6.5	5.4	6.8	36.5	3.5	3.8	ND	NO	7.3	-43.0	23.6	ND
SII	7.6	2.9	53.3	63.8	30.2	2.2	-28.6	15.9	NO	30.6	23.2	29.6	20.0	8.0	4.7	ND	NO	34.3	-27.8	58.1	ND
Maternal education																					
none	67.6	51.4	ND	ND	83.4	0.0	ND	ND	NO	ND	ND	ND	17.7	ND	ND	ND	NO	NA	28.6	38.8	ND
primary	39.8	25.0	51.7	14.6	89.5	7.0	45.1	ND	NO	ND	ND	ND	12.2	ND	ND	ND	NO	NA	25.7	17.5	ND
secondary+	69.6	51.4	77.3	45.8	88.7	4.7	31.7	17.6	NO	82.4	71.1	75.1	8.3	31.3	21.0	32.5	NO	NA	9.2	43.6	65.3
Child's sex																					
male	NA	NA	77.7	47.3	88.8	5.6	32.0	24.3	NO	87.2	75.7	79.0	8.6	32.8	26.9	36.2	NO	NA	9.2	43.1	NA
female	NA	NA	75.2	42.5	88.4	3.6	31.7	5.7	NO	74.4	65.0	69.1	8.5	29.3	13.0	24.4	NO	NA	10.6	42.9	NA
Area of residence																					
urban	70.5	51.8	89.7	59.9	96.6	5.1	23.3	30.1	NO	89.8	77.0	82.7	12.9	21.3	26.9	26.6	NO	86.4	2.8	58.8	67.7
rural	68.0	50.3	62.8	29.7	80.7	4.3	40.5	13.4	NO	73.3	65.0	66.6	4.1	40.5	15.8	37.4	NO	68.7	17.0	26.9	62.1
Country region																					
01 baku	77.0	55.9	95.6	70.0	98.3	3.5	15.1	ND	NO	96.5	82.7	92.8	20.5	30.4	26.7	ND	NO	91.0	0.4	75.6	ND
02 absheron	56.1	41.2	91.3	69.4	95.0	8.5	22.7	ND	NO	95.2	72.4	86.6	2.8	ND	ND	ND	NO	96.9	1.3	55.2	ND
03 ganja gazakh	64.5	49.7	78.1	41.9	90.8	7.0	33.6	ND	NO	84.9	60.5	65.0	4.5	33.3	32.3	ND	NO	68.2	9.7	35.0	ND
04 shakhi zaqatala	70.3	53.6	75.4	33.8	93.4	2.5	5.4	ND	NO	96.1	79.9	87.0	11.8	ND	ND	ND	NO	88.5	1.5	55.2	ND
05 lankaran	67.1	47.2	64.0	31.1	78.3	1.6	34.4	10.3	NO	76.5	67.8	72.7	3.6	ND	ND	ND	NO	79.7	15.8	26.4	ND
06 guba khachmaz	76.1	57.0	64.3	31.9	95.8	0.8	9.7	ND	NO	98.2	96.1	98.2	1.3	ND	ND	ND	NO	95.1	2.7	61.5	ND
07 aran	66.3	49.0	63.2	32.4	80.4	4.9	58.2	18.5	NO	58.3	64.5	56.7	5.0	22.7	15.0	ND	NO	56.0	20.8	19.6	ND
08 yukhari karabakh	77.4	52.3	75.5	30.1	89.9	15.5	43.7	ND	NO	73.9	61.8	64.8	3.1	ND	ND	ND	NO	93.2	11.1	41.6	ND
09 dakhlik shirvan	65.3	47.6	58.5	19.6	76.0	0.6	21.7	ND	NO	77.1	51.0	67.6	6.5	41.4	5.7	ND	NO	77.4	11.4	23.5	ND

Note: the maximum number of interventions for the co-coverage indicator for this survey is 7




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Bangladesh DHS 2011

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	82.0	61.2	51.8	23.8	27.7	14.0	46.4	21.0	41.6	97.8	93.4	87.5	62.1	75.5	77.6	35.4	NO	98.4	3.2	57.9	68.4
Wealth quintiles																					
Q1	81.6	61.5	27.6	9.0	9.4	2.4	46.9	18.5	25.4	95.7	90.3	79.2	57.4	77.4	81.2	24.7	NO	97.8	7.0	38.3	60.6
Q2	83.5	62.9	35.6	13.2	15.1	6.7	48.0	18.0	29.5	96.4	90.1	87.5	58.2	76.6	83.4	30.3	NO	98.3	4.2	46.9	64.3
Q3	82.1	61.4	50.1	19.4	23.7	11.0	50.3	17.3	36.3	99.2	93.2	88.1	64.1	71.8	71.2	29.1	NO	98.3	2.1	56.9	66.8
Q4	79.7	59.5	65.0	28.3	37.3	18.1	44.9	29.8	53.7	98.2	96.3	90.4	66.5	72.7	67.6	46.2	NO	98.9	1.1	68.5	72.5
Q5	82.9	60.8	85.6	52.9	61.1	37.2	41.6	27.5	67.3	100.0	97.8	93.6	66.0	79.3	82.3	58.7	NO	98.8	0.2	86.5	81.2
Equity indicators																					
ratio Q5/Q1	1.0	1.0	3.1	5.9	6.5	15.2	0.9	1.5	2.7	1.0	1.1	1.2	1.2	1.0	1.0	2.4	NO	1.0	0.0	2.3	1.3
difference Q5 - Q1	1.2	-0.6	58.0	43.9	51.7	34.8	-5.4	9.0	42.0	4.3	7.5	14.3	8.6	1.9	1.0	34.0	NO	1.1	-6.8	48.1	20.6
Concentration index	0.0	-0.4	23.7	35.5	37.3	47.4	-2.5	10.6	22.0	0.9	1.7	3.0	3.6	-0.2	-1.5	17.6	NO	0.2	-45.8	17.0	5.7
SII	-0.7	-2.4	66.6	49.8	58.5	41.4	-6.4	12.4	50.9	6.0	10.9	16.2	13.1	-2.1	-9.2	38.3	NO	1.4	-10.3	55.5	24.5
Maternal education																					
none	83.6	61.4	25.0	7.6	9.8	3.4	44.8	15.2	24.7	93.0	85.2	78.3	53.9	72.2	78.7	25.4	NO	NA	9.1	35.9	59.3
primary	82.8	62.4	38.4	15.1	17.2	7.4	48.4	19.9	33.8	97.0	91.8	81.0	60.9	78.3	78.0	29.7	NO	NA	3.3	50.3	64.4
secondary+	80.4	60.3	69.9	35.2	41.7	22.6	45.9	24.5	51.3	99.8	96.9	94.2	66.3	74.1	76.5	44.8	NO	NA	0.5	72.3	73.8
Child's sex																					
male	NA	NA	51.8	24.3	28.3	14.8	47.3	21.6	42.6	98.1	94.6	88.3	61.9	78.1	82.2	38.8	NO	NA	2.6	58.3	NA
female	NA	NA	51.7	23.4	27.1	13.3	45.5	20.3	40.6	97.6	92.3	86.8	62.2	72.4	71.9	30.7	NO	NA	3.7	57.4	NA
Area of residence																					
urban	85.3	64.0	72.3	43.2	49.9	25.6	43.9	25.2	59.4	98.8	94.0	87.5	60.8	81.4	84.4	55.0	NO	99.2	1.2	73.4	77.8
rural	80.8	60.3	45.5	17.9	21.3	10.7	47.2	20.1	36.4	97.5	93.2	87.6	62.5	74.2	76.1	31.0	NO	98.2	3.7	53.4	65.8
Country region																					
01 barisal	84.2	64.7	46.9	24.7	23.2	9.7	47.7	14.5	33.8	98.5	91.4	86.1	73.7	70.1	72.6	40.1	NO	95.6	2.2	63.6	67.7
02 chittagong	71.3	51.4	53.0	18.7	25.5	11.5	44.8	18.3	35.8	96.9	90.9	83.9	67.9	70.5	77.4	26.3	NO	99.4	4.9	59.5	63.2
03 dhaka	82.4	61.0	51.0	25.6	28.3	16.7	42.9	21.0	43.4	98.4	93.9	86.6	52.4	88.2	87.6	36.5	NO	99.7	2.7	54.4	70.2
04 khulna	87.5	66.7	60.9	28.4	43.2	22.4	42.4	28.1	60.0	99.1	97.2	94.2	59.5	67.0	67.0	45.4	NO	94.4	1.5	62.3	74.5
05 rajshahi	85.9	67.3	53.2	21.0	27.0	13.7	51.8	19.7	39.3	97.4	95.3	90.7	67.9	61.8	56.0	31.1	NO	99.4	3.1	63.1	67.6
06 rangpur	87.8	69.4	48.5	33.4	25.2	9.5	51.1	29.9	46.6	98.4	96.1	92.9	60.2	78.8	80.8	46.6	NO	99.9	1.1	59.2	71.4
07 sylhet	72.1	44.8	44.8	15.7	21.9	11.1	54.0	18.2	33.0	96.0	89.1	82.9	71.3	79.0	84.7	43.2	NO	93.9	5.8	47.1	64.5

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8



Source: Bangladesh (DHS 1999 & DHS 2011)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Bangladesh (DHS 1999 & DHS 2011)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Bangladesh DHS 2011

The maximum number of interventions for this survey is 8.



Source: Bangladesh DHS 2011

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Benin DHS 2006

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	36.3	17.0	88.0	60.5	77.7	3.6	54.4	NO	NO	88.3	67.2	61.1	60.7	41.7	23.3	35.7	20.7	68.5	10.1	65.8	57.4	
Wealth quintiles																						
Q1	20.3	7.7	73.9	39.5	55.8	1.4	49.8	NO	NO	76.3	49.6	48.2	50.2	40.1	15.4	28.1	9.5	49.3	23.7	41.6	44.2	
Q2	27.7	11.5	83.7	50.1	70.4	2.3	51.4	NO	NO	84.8	60.5	56.5	55.0	43.5	23.1	31.2	15.8	61.2	13.7	56.4	52.1	
Q3	30.4	13.6	89.4	58.4	79.5	1.9	54.6	NO	NO	91.1	69.1	63.7	60.2	38.3	25.9	38.7	20.8	65.4	7.1	67.2	56.9	
Q4	37.7	19.0	95.9	70.9	91.2	3.8	59.8	NO	NO	94.1	73.4	63.2	66.3	42.3	26.5	37.9	26.6	76.0	2.8	77.5	62.0	
Q5	55.9	33.6	98.7	87.5	97.4	9.9	56.7	NO	NO	97.0	86.8	76.4	75.2	47.1	31.9	48.3	34.1	90.6	0.4	93.5	72.2	
Equity indicators																						
ratio Q5/Q1	2.8	4.4	1.3	2.2	1.7	7.1	1.1	NO	NO	1.3	1.7	1.6	1.5	1.2	2.1	1.7	3.6	1.8	0.0	2.2	1.6	
difference Q5 - Q1	35.6	25.9	24.8	48.0	41.6	8.5	6.9	NO	NO	20.6	37.1	28.3	25.0	7.0	16.5	20.1	24.6	41.3	-23.4	51.9	28.0	
Concentration index	19.8	28.8	5.9	15.9	11.2	39.7	3.5	NO	NO	4.9	10.7	8.7	8.1	1.5	14.2	10.7	24.2	12.0	-48.1	15.7	9.2	
SII	41.7	29.6	33.3	54.5	52.0	9.2	11.4	NO	NO	26.8	42.0	30.6	29.5	4.1	17.8	22.1	29.4	47.3	-33.0	58.6	32.4	
Maternal education																						
none	29.1	12.4	84.3	53.7	72.1	2.2	53.6	NO	NO	85.0	62.0	56.5	56.8	41.3	21.6	33.0	17.1	NA	13.0	58.9	53.0	
primary	44.6	25.3	97.4	76.3	92.7	6.2	56.7	NO	NO	97.4	78.1	70.1	69.8	39.8	25.5	41.6	29.3	NA	1.7	83.7	65.3	
secondary+	61.7	39.3	99.7	85.1	98.3	11.2	56.7	NO	NO	97.6	90.6	82.4	78.0	54.7	39.7	43.8	36.2	NA	0.5	94.8	75.1	
Child's sex																						
male	NA	NA	87.7	60.9	78.1	3.8	54.2	NO	NO	87.5	66.0	60.2	61.2	44.1	25.0	33.7	21.2	NA	9.9	66.3	NA	
female	NA	NA	88.3	60.2	77.3	3.4	54.6	NO	NO	89.2	68.5	61.9	60.2	39.0	21.3	37.8	20.2	NA	10.4	65.3	NA	
Area of residence																						
urban	45.7	24.4	92.7	71.3	85.6	6.0	56.4	NO	NO	93.9	76.9	68.2	67.9	43.4	26.8	36.1	25.6	79.2	6.3	77.5	63.5	
rural	29.6	12.8	85.4	54.6	73.5	2.3	53.3	NO	NO	85.3	61.9	57.2	56.9	41.0	21.7	35.5	18.1	62.0	12.2	59.6	53.8	
Country region																						
01 alibori	14.4	4.3	61.4	34.9	41.4	1.3	58.9	NO	NO	70.2	55.2	54.6	64.5	66.4	26.3	45.3	5.0	56.9	27.8	39.8	45.5	
02 atacora	18.5	5.9	75.6	35.1	46.7	1.6	49.5	NO	NO	80.1	67.9	64.2	55.3	39.7	22.5	26.4	14.9	46.9	21.6	46.6	46.0	
03 atlantique	51.2	30.6	98.9	73.7	97.2	4.5	65.9	NO	NO	95.9	69.0	59.9	65.7	29.8	20.0	32.9	13.6	71.2	0.9	76.1	63.2	
04 Borgou	28.6	10.0	68.5	51.9	52.6	2.6	47.1	NO	NO	75.7	56.6	61.7	45.5	43.0	16.2	38.6	13.3	67.6	25.4	51.4	48.2	
05 collines	41.7	26.3	94.8	62.2	84.2	2.6	43.8	NO	NO	93.1	74.9	74.2	84.8	48.5	30.5	44.1	24.6	76.4	4.1	76.2	64.4	
06 couffo	33.6	13.6	88.4	52.0	71.5	2.1	47.3	NO	NO	86.5	61.5	53.4	59.9	44.4	25.1	32.0	26.8	68.3	9.8	61.3	54.7	
07 Donga	20.6	6.6	82.3	52.5	68.0	2.4	43.5	NO	NO	86.5	76.4	64.8	68.9	50.7	21.3	46.3	21.9	41.7	15.4	61.6	55.4	
08 littoral	54.4	33.8	99.3	89.5	97.1	10.5	54.0	NO	NO	96.8	82.7	73.7	74.6	44.5	21.1	33.7	28.9	99.2	0.0	94.1	69.0	
09 mono	20.0	10.1	95.3	56.2	87.8	3.2	66.4	NO	NO	95.4	75.2	70.0	70.3	24.7	18.9	33.5	22.0	63.1	4.4	77.9	55.1	
10 quémé	43.7	24.3	97.6	72.3	97.2	5.2	56.7	NO	NO	92.2	70.2	57.8	53.4	37.8	30.6	46.4	31.1	69.0	2.0	71.8	64.0	
11 plateau	16.8	6.6	88.1	59.5	82.0	3.0	39.7	NO	NO	83.7	47.7	42.3	41.8	36.2	37.8	48.5	20.6	75.6	12.1	56.1	50.4	
12 zou	29.6	13.5	97.5	69.5	94.0	3.0	62.9	NO	NO	94.7	71.7	59.4	56.7	37.7	19.8	31.0	25.8	70.4	3.4	74.8	58.5	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Bolivia DHS 2008

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	75.0	60.6	85.8	72.1	71.1	18.6	63.8	33.0	76.4	98.4	85.8	85.8	24.6	29.0	34.9	50.9	NO	85.5	2.9	63.5	70.7	
Wealth quintiles																						
Q1	57.4	46.2	65.7	50.3	38.0	4.7	66.7	31.2	51.3	97.8	85.7	87.7	26.6	28.1	30.6	40.4	NO	55.7	6.4	34.8	58.4	
Q2	69.0	54.8	82.8	66.9	66.0	9.9	69.7	38.5	74.4	98.3	84.4	84.8	25.8	27.8	34.8	49.0	NO	82.3	3.4	58.5	67.9	
Q3	75.7	62.2	92.1	76.0	81.2	15.7	65.4	31.1	83.4	98.3	87.1	82.7	23.1	32.9	36.7	53.9	NO	93.8	2.1	72.7	73.9	
Q4	82.3	67.3	96.2	83.2	92.1	30.7	59.7	25.9	91.0	99.5	85.9	86.5	23.3	27.6	40.3	54.5	NO	96.9	0.5	79.5	76.9	
Q5	88.2	70.8	96.8	90.9	98.7	48.2	54.8	ND	96.6	98.6	86.1	88.1	23.6	26.5	35.1	70.3	NO	98.8	0.1	87.0	81.1	
Equity indicators																						
ratio Q5/Q1	1.5	1.5	1.5	1.8	2.6	10.2	0.8	ND	1.9	1.0	1.0	1.0	0.9	0.9	1.1	1.7	NO	1.8	0.0	2.5	1.4	
difference Q5 - Q1	30.8	24.6	31.1	40.6	60.7	43.5	-11.9	ND	45.2	0.8	0.4	0.4	-3.0	-1.6	4.5	29.9	NO	43.2	-6.3	52.1	22.7	
Concentration index	8.1	8.3	7.7	11.2	18.3	42.8	-4.0	5.6	12.3	0.3	0.4	0.0	-3.3	1.4	4.7	9.8	NO	10.0	-48.2	17.2	6.1	
SII	36.0	29.7	42.4	47.7	72.4	48.6	-15.3	4.9	55.3	1.7	1.3	-0.8	-4.6	0.7	9.9	29.8	NO	56.7	-9.8	61.2	27.0	
Maternal education																						
none	60.2	42.0	62.9	49.0	39.6	8.2	71.7	23.8	50.2	98.5	85.3	89.3	19.7	27.3	33.3	40.4	NO	NA	4.8	37.1	59.5	
primary	70.1	56.1	80.4	63.5	59.8	10.4	66.6	33.9	68.3	97.7	82.9	84.9	24.5	28.4	33.7	45.9	NO	NA	4.4	53.9	66.2	
secondary+	82.6	68.9	94.8	84.8	90.9	31.0	59.6	35.3	89.1	99.4	89.9	86.5	25.5	30.1	37.2	59.6	NO	NA	0.5	80.3	77.9	
Child's sex																						
male	NA	NA	86.9	72.7	71.8	19.0	63.0	35.0	76.4	98.6	86.9	84.6	25.2	27.5	33.7	50.1	NO	NA	2.5	64.0	NA	
female	NA	NA	84.6	71.4	70.4	18.2	64.6	30.8	76.4	98.1	84.5	87.2	24.0	30.6	36.3	51.7	NO	NA	3.3	62.9	NA	
Area of residence																						
urban	80.8	65.7	94.5	81.3	88.3	27.8	61.2	30.9	88.3	98.7	84.7	84.9	23.4	28.2	38.4	59.6	NO	94.1	1.3	75.8	76.3	
rural	65.7	52.6	73.9	59.5	50.9	7.8	67.4	33.5	62.0	98.1	87.1	86.7	26.2	29.7	31.5	42.7	NO	72.9	4.8	48.6	63.7	
Country region																						
01 chuquisaca	68.7	55.9	87.9	82.3	75.3	10.2	74.2	31.6	79.8	100.0	97.8	96.4	30.7	45.6	38.7	53.5	NO	79.5	0.9	68.7	74.3	
02 la paz	77.1	62.5	79.4	63.9	61.6	13.4	64.1	23.2	66.9	97.1	76.5	74.6	23.6	29.4	27.0	37.0	NO	86.0	6.0	52.9	65.7	
03 cohabamba	68.7	53.7	88.3	68.8	67.1	18.2	71.7	28.7	74.3	97.7	86.6	87.1	22.3	28.5	35.4	40.9	NO	79.9	4.1	59.0	67.8	
04 oruro	67.4	52.9	88.7	67.3	64.2	11.8	70.8	46.4	74.6	99.6	89.5	86.6	30.9	38.6	23.0	46.5	NO	84.8	1.6	59.8	69.8	
05 potosi	62.5	48.4	70.5	64.8	54.9	7.1	66.1	44.8	66.4	99.5	88.7	92.9	28.8	30.6	34.4	50.0	NO	85.4	1.1	53.6	64.3	
06 tarja	83.6	69.7	92.8	82.5	84.8	23.1	67.9	42.2	90.7	99.5	95.0	95.4	28.0	31.8	38.2	67.9	NO	92.0	0.4	81.7	80.1	
07 santa cruz	83.2	70.1	96.1	84.3	93.2	36.1	48.8	55.5	92.9	99.0	87.5	88.2	21.1	22.2	44.5	66.9	NO	95.3	0.5	81.7	78.5	
08 beni	76.9	60.9	92.3	76.6	77.2	15.7	76.1	25.5	76.4	98.1	94.9	92.1	28.2	22.0	42.3	66.7	NO	58.7	1.5	64.6	75.3	
09 pando	75.1	61.2	96.9	85.2	80.3	25.7	61.3	ND	86.9	100.0	80.3	92.1	26.2	31.0	39.0	62.7	NO	53.8	1.4	71.2	74.8	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Brazil DHS 2006

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	NO	80.6	NO	90.4	NO	44.5	36.8	NO	NO	NO	NO	NO	32.6	26.9	22.3	47.4	NO	75.5	ND	ND	NO	
Wealth quintiles																						
Q1	NO	78.5	NO	84.3	NO	28.5	42.5	NO	NO	NO	NO	NO	36.7	21.8	31.5	41.5	NO	ND	ND	ND	NO	
Q2	NO	80.3	NO	87.9	NO	35.0	40.4	NO	NO	NO	NO	NO	35.4	17.7	17.2	49.3	NO	ND	ND	ND	NO	
Q3	NO	80.9	NO	87.9	NO	42.0	38.3	NO	NO	NO	NO	NO	26.2	36.9	30.2	48.7	NO	ND	ND	ND	NO	
Q4	NO	80.0	NO	96.5	NO	54.1	34.0	NO	NO	NO	NO	NO	31.2	41.0	12.1	44.9	NO	ND	ND	ND	NO	
Q5	NO	84.3	NO	96.6	NO	73.4	26.8	NO	NO	NO	NO	NO	35.8	25.2	7.5	53.0	NO	ND	ND	ND	NO	
Equity indicators																						
ratio Q5/Q1	NO	1.1	NO	1.1	NO	2.6	0.6	NO	NO	NO	NO	NO	1.0	1.2	0.2	1.3	NO	ND	ND	ND	NO	
difference Q5 - Q1	NO	5.8	NO	12.3	NO	44.9	-15.7	NO	NO	NO	NO	NO	-1.0	3.4	-24.0	11.5	NO	ND	ND	ND	NO	
Concentration index	NO	0.5	NO	2.2	NO	12.2	-5.3	NO	NO	NO	NO	NO	-2.7	6.4	-13.8	4.1	NO	ND	ND	ND	NO	
SII	NO	2.2	NO	12.2	NO	33.8	-13.4	NO	NO	NO	NO	NO	-4.5	12.8	-19.8	9.4	NO	ND	ND	ND	NO	
Maternal education																						
none	NO	78.8	NO	ND	NO	14.1	ND	NO	NO	NO	NO	NO	51.5	ND	ND	65.3	NO	NA	ND	ND	NO	
primary	NO	79.7	NO	85.6	NO	35.9	39.8	NO	NO	NO	NO	NO	29.6	23.3	21.6	46.7	NO	NA	ND	ND	NO	
secondary+	NO	81.9	NO	94.1	NO	54.0	33.9	NO	NO	NO	NO	NO	35.4	34.1	24.2	50.1	NO	NA	ND	ND	NO	
Child's sex																						
male	NO	NA	NO	91.8	NO	45.0	37.2	NO	NO	NO	NO	NO	31.6	24.8	21.4	44.2	NO	NA	ND	ND	NO	
female	NO	NA	NO	89.2	NO	44.0	36.4	NO	NO	NO	NO	NO	33.7	29.7	23.5	50.8	NO	NA	ND	ND	NO	
Area of residence																						
urban	NO	81.0	NO	92.8	NO	46.7	35.5	NO	NO	NO	NO	NO	31.8	32.2	23.6	46.3	NO	83.7	ND	ND	NO	
rural	NO	79.0	NO	79.6	NO	35.5	42.7	NO	NO	NO	NO	NO	36.1	11.5	18.5	51.7	NO	34.5	ND	ND	NO	
Country region																						
01 norte	NO	78.4	NO	79.5	NO	35.1	44.6	NO	NO	NO	NO	NO	20.9	33.9	20.0	50.2	NO	49.2	ND	ND	NO	
02 nordeste	NO	80.3	NO	84.7	NO	32.6	42.9	NO	NO	NO	NO	NO	50.9	21.7	28.8	48.4	NO	69.6	ND	ND	NO	
03 sudeste	NO	80.1	NO	95.6	NO	51.8	34.6	NO	NO	NO	NO	NO	31.9	33.0	8.2	41.6	NO	85.9	ND	ND	NO	
04 sul	NO	82.0	NO	91.5	NO	52.2	26.8	NO	NO	NO	NO	NO	16.2	19.9	16.7	61.3	NO	71.1	ND	ND	NO	
05 centro-oeste	NO	83.5	NO	92.0	NO	48.0	34.9	NO	NO	NO	NO	NO	15.6	35.1	42.9	46.6	NO	74.4	ND	ND	NO	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 2



Source: Brazil (DHS 1996 & DHS 2006)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Brazil (DHS 1996 & DHS 2006)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Brazil DHS 2006

Cocoverage not estimated due to lack of information on 7 out of 9 key interventions.



Source: Brazil DHS 2006

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Burkina Faso DHS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	39.8	16.2	94.9	33.7	67.1	1.9	42.6	12.4	26.3	96.5	89.5	87.3	63.0	32.6	21.2	55.5	47.5	76.4	3.3	82.7	64.6	
Wealth quintiles																						
Q1	23.2	7.4	89.8	24.0	46.6	0.8	41.0	9.6	22.8	91.6	83.4	78.1	53.8	25.1	12.6	35.7	41.8	62.6	8.3	68.9	52.1	
Q2	25.6	9.0	93.4	27.9	57.4	1.0	41.7	10.1	23.2	94.9	87.9	86.0	59.9	24.3	15.4	43.4	46.2	67.0	4.0	77.8	57.0	
Q3	28.0	10.2	95.2	33.4	68.4	0.9	42.4	13.6	28.7	98.2	91.6	89.3	67.3	33.6	21.1	62.8	49.6	74.7	2.3	84.4	63.4	
Q4	40.8	17.1	97.5	37.9	77.8	2.2	42.0	22.5	28.5	99.5	92.5	91.7	68.9	36.4	25.6	56.0	51.3	82.1	1.0	90.0	67.9	
Q5	64.5	37.4	99.1	46.7	93.3	6.0	46.4	16.9	29.1	98.5	92.9	92.5	65.2	44.1	31.2	70.0	48.4	95.7	0.4	95.0	78.3	
Equity indicators																						
ratio Q5/Q1	2.8	5.0	1.1	1.9	2.0	7.5	1.1	1.8	1.3	1.1	1.1	1.2	1.2	1.8	2.5	2.0	1.2	1.5	0.0	1.4	1.5	
difference Q5 - Q1	41.3	30.0	9.3	22.7	46.7	5.2	5.4	7.4	6.3	6.9	9.5	14.4	11.5	19.0	18.6	34.3	6.6	33.1	-7.9	26.1	26.2	
Concentration index	23.6	35.1	1.9	13.4	13.3	44.7	2.2	15.6	5.8	1.5	2.1	3.2	4.6	12.2	18.0	11.3	3.3	8.7	-46.5	6.3	8.0	
SII	53.1	34.6	12.0	26.4	52.0	5.6	5.1	12.5	9.0	10.8	12.0	17.4	16.7	24.0	23.0	37.2	9.7	40.4	-11.0	31.8	31.3	
Maternal education																						
none	32.0	11.8	94.1	30.9	62.9	1.4	42.1	12.0	25.9	95.9	88.8	86.0	62.0	29.9	19.8	52.5	46.9	NA	3.9	80.6	61.2	
primary	51.4	27.0	98.7	41.5	87.1	3.6	41.1	17.1	27.9	99.2	93.6	92.2	66.6	40.6	25.1	66.8	49.2	NA	0.5	90.9	73.4	
secondary+	76.7	50.5	99.3	56.6	96.7	7.9	51.3	ND	29.0	99.1	91.8	96.3	70.1	52.8	31.3	ND	52.3	NA	0.2	97.6	ND	
Child's sex																						
male	NA	NA	94.8	34.8	67.7	2.0	41.5	10.9	26.8	97.0	90.3	87.4	63.0	34.0	21.3	51.7	47.9	NA	3.2	83.1	NA	
female	NA	NA	95.1	32.5	66.6	1.9	43.7	13.8	25.8	96.0	88.8	87.3	62.9	31.1	21.0	60.4	47.0	NA	3.4	82.2	NA	
Area of residence																						
urban	61.1	34.3	98.3	45.0	93.9	6.4	46.1	9.8	31.3	98.5	91.5	91.3	66.2	45.9	30.6	65.2	45.4	94.3	0.6	94.0	76.8	
rural	31.0	11.3	94.1	31.0	61.8	1.0	41.7	12.5	25.3	96.0	89.1	86.5	62.3	29.5	18.9	52.0	47.9	71.3	3.9	80.2	60.7	
Country region																						
01 boucle de mouhoun	26.9	12.1	93.6	30.1	65.2	1.6	36.5	13.2	27.3	99.2	96.6	89.6	76.8	22.9	14.1	ND	46.6	61.1	2.2	84.5	ND	
02 cascades	46.3	19.1	94.1	29.6	76.4	1.1	46.1	16.5	28.2	99.2	75.4	91.4	46.2	31.5	27.1	ND	57.4	91.8	1.5	84.6	ND	
03 centre	62.0	36.1	98.6	52.3	96.6	8.2	54.6	ND	28.6	98.1	88.8	94.4	58.6	54.6	31.3	54.3	33.2	97.3	0.7	94.7	76.8	
04 centre-est	25.1	9.1	99.6	51.9	84.5	1.2	27.9	25.0	38.1	99.7	98.1	95.2	80.8	38.2	33.4	ND	37.9	86.0	0.5	95.6	ND	
05 centre-nord	29.3	9.5	96.0	29.8	69.8	0.6	41.5	12.0	25.2	99.4	97.8	95.2	83.4	38.7	33.2	ND	33.1	87.5	0.9	90.3	ND	
06 centre-ouest	29.1	11.1	95.0	29.6	60.2	1.5	30.0	8.1	27.5	98.9	91.2	85.9	38.9	21.6	13.8	ND	50.9	68.9	3.0	73.9	ND	
07 centre-sud	36.4	16.8	99.4	47.5	87.7	2.5	48.3	34.0	34.0	99.3	96.7	95.0	90.5	41.6	27.2	58.8	43.3	86.1	0.0	97.1	69.6	
08 est	29.7	10.9	92.3	29.2	53.6	0.9	54.6	12.7	38.6	90.0	82.1	74.1	46.5	32.8	18.1	40.3	52.2	65.5	8.1	67.8	56.1	
09 hauts basins	55.5	27.9	96.4	29.9	74.9	2.7	38.5	14.2	12.7	95.5	88.1	88.8	65.1	31.3	23.8	58.4	39.1	78.2	2.6	83.5	69.5	
10 nord	31.0	10.9	94.9	27.5	62.7	1.6	45.6	18.6	28.0	98.1	93.0	89.5	70.8	18.6	12.5	73.6	73.6	69.5	1.3	86.7	63.4	
11 plateau central	42.8	16.3	98.8	40.6	81.2	1.8	68.2	14.3	28.9	100.0	91.6	95.5	67.4	32.9	16.5	ND	80.8	93.3	0.1	98.0	ND	
12 sahel	26.8	7.0	86.3	13.3	35.9	0.2	35.2	2.9	8.5	88.1	74.0	70.4	36.2	21.7	10.1	ND	40.6	60.3	11.9	58.8	ND	
13 sud-ouest	40.0	10.5	90.8	35.0	42.7	0.7	37.6	17.0	23.4	95.4	89.3	84.3	66.0	47.8	18.8	ND	56.0	51.9	5.2	76.4	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Burundi DHS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	40.3	21.9	98.9	33.4	60.3	4.0	72.7	4.5	7.5	98.9	95.7	94.3	80.7	42.5	37.8	54.7	44.9	75.4	0.4	86.8	66.8	
Wealth quintiles																						
Q1	35.1	17.3	98.6	34.2	50.7	3.0	70.5	5.1	6.3	98.1	94.4	91.2	80.9	39.1	35.4	51.7	32.7	70.4	0.7	80.1	63.0	
Q2	31.3	17.5	98.8	33.3	53.6	3.3	73.9	4.7	6.6	98.5	96.1	94.1	79.2	39.3	36.8	53.0	41.2	71.5	0.5	86.1	63.2	
Q3	41.6	21.8	99.0	32.7	57.6	3.1	73.2	2.6	4.9	98.9	96.9	94.7	78.9	43.2	41.3	58.9	45.9	73.0	0.3	87.5	67.8	
Q4	40.4	21.1	98.9	29.7	61.4	2.6	73.0	2.5	8.9	99.6	96.9	95.8	80.2	45.7	34.7	52.9	49.1	76.6	0.2	88.1	67.4	
Q5	52.5	32.6	99.0	37.2	80.8	8.3	73.2	9.9	11.6	99.8	94.2	96.2	85.1	46.9	41.8	57.8	56.9	85.7	0.0	92.7	73.0	
Equity indicators																						
ratio Q5/Q1	1.5	1.9	1.0	1.1	1.6	2.7	1.0	2.0	1.8	1.0	1.0	1.1	1.1	1.2	1.2	1.1	1.7	1.2	0.0	1.2	1.2	
difference Q5 - Q1	17.4	15.3	0.4	3.0	30.2	5.3	2.7	4.9	5.3	1.7	-0.2	5.0	4.2	7.8	6.5	6.0	24.2	15.4	-0.7	12.7	10.0	
Concentration index	9.6	12.4	0.1	0.1	9.1	20.7	1.0	4.9	13.0	0.4	0.1	1.0	0.9	4.3	2.3	1.5	10.4	4.1	-38.2	2.6	2.9	
SII	22.4	16.4	0.4	0.6	31.9	4.5	2.4	0.2	6.1	2.4	0.7	6.1	4.4	10.8	4.9	6.0	27.2	17.9	-0.9	13.4	12.1	
Maternal education																						
none	34.0	17.5	98.5	32.1	51.8	2.8	70.9	3.8	7.0	99.3	95.5	93.6	79.7	39.9	36.7	52.1	41.1	NA	0.5	83.5	63.5	
primary	44.1	24.7	99.4	33.1	66.3	4.4	74.7	5.2	7.2	98.4	96.5	94.6	80.6	45.9	39.3	56.5	46.9	NA	0.3	89.4	69.2	
secondary+	62.1	41.1	98.2	45.9	91.2	10.8	76.0	ND	13.9	100.0	92.8	98.3	90.7	40.1	35.9	71.7	62.4	NA	0.0	97.0	77.1	
Child's sex																						
male	NA	NA	99.2	34.0	61.5	3.8	73.8	4.6	7.9	99.1	95.9	94.9	81.4	39.6	37.2	55.9	45.7	NA	0.4	87.4	NA	
female	NA	NA	98.6	32.8	59.0	4.2	71.6	4.3	7.2	98.8	95.6	93.7	80.1	45.5	38.3	53.6	44.1	NA	0.4	86.2	NA	
Area of residence																						
urban	57.9	35.4	99.0	39.2	87.9	12.1	68.8	14.6	12.5	99.9	91.1	94.7	88.7	34.9	32.8	60.0	60.9	85.8	0.0	94.7	73.6	
rural	38.4	20.6	98.9	32.8	57.8	3.2	73.1	4.2	7.1	98.8	96.2	94.3	80.0	43.1	38.1	54.3	43.4	74.3	0.4	86.1	66.1	
Country region																						
01 bujumbura	60.8	37.3	98.5	43.5	90.1	12.9	68.3	ND	13.1	100.0	91.6	93.7	93.3	31.7	32.0	60.9	58.4	90.1	0.0	95.6	74.2	
02 north	50.6	30.5	99.2	33.1	55.2	3.6	66.8	1.1	4.5	98.4	96.5	93.3	83.8	43.7	37.4	60.4	34.0	81.9	0.4	87.5	69.7	
03 centre-east	37.0	19.3	98.8	32.3	54.8	4.0	83.0	4.3	6.8	98.3	94.1	93.4	80.7	40.8	39.7	49.8	44.7	78.8	0.3	85.8	64.2	
04 west	28.4	15.2	98.7	28.6	65.9	3.2	74.1	5.5	6.3	99.7	96.6	95.8	72.4	42.0	37.5	54.9	64.0	64.5	0.3	86.5	64.7	
05 south	30.4	14.2	98.6	37.3	61.6	3.0	68.6	9.3	12.6	99.5	97.2	95.6	81.2	45.6	37.6	47.6	39.0	67.9	0.4	85.2	64.2	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9





Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.





Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Cambodia DHS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	75.6	50.5	89.1	59.4	71.0	3.0	65.2	14.9	30.0	94.3	84.8	81.9	70.9	48.0	34.1	76.7	NO	NO	6.3	63.4	76.9	
Wealth quintiles																						
Q1	69.2	45.2	78.8	42.8	48.7	1.1	62.3	11.0	20.5	91.1	73.5	69.4	64.2	49.7	31.8	75.1	NO	NO	13.7	44.7	69.2	
Q2	71.3	47.5	85.6	51.4	63.7	1.9	63.6	14.9	25.1	91.9	82.9	80.8	71.1	38.8	32.8	73.0	NO	NO	7.9	56.7	72.7	
Q3	76.0	51.3	92.1	57.9	74.5	1.3	66.8	13.9	26.9	96.0	88.6	85.9	74.1	56.4	39.0	83.5	NO	NO	3.6	66.8	80.6	
Q4	78.3	52.6	95.1	70.6	86.5	2.7	67.9	25.0	31.9	97.7	90.7	87.4	76.8	52.0	34.5	68.0	NO	NO	1.3	77.2	80.6	
Q5	82.7	56.0	98.5	82.5	96.7	9.6	66.7	24.8	52.8	96.3	92.6	90.4	71.1	42.9	34.3	90.6	NO	NO	1.1	82.3	85.1	
Equity indicators																						
ratio Q5/Q1	1.2	1.2	1.2	1.9	2.0	8.4	1.1	2.3	2.6	1.1	1.3	1.3	1.1	0.9	1.1	1.2	NO	NO	0.1	1.8	1.2	
difference Q5 - Q1	13.5	10.8	19.6	39.6	48.0	8.4	4.4	13.8	32.3	5.2	19.1	21.0	6.9	-6.7	2.6	15.5	NO	NO	-12.6	37.6	15.8	
Concentration index	3.8	4.4	4.9	14.3	14.5	45.3	1.7	14.1	18.7	1.6	5.0	5.6	2.8	0.2	2.9	3.1	NO	NO	-46.6	13.5	4.1	
SI	17.0	13.4	27.3	47.1	58.9	8.9	7.0	14.5	33.1	8.7	25.0	26.4	11.7	1.0	5.4	7.5	NO	NO	-19.7	47.8	19.7	
Maternal education																						
none	71.3	42.5	76.7	40.0	46.9	1.2	62.8	8.9	18.4	83.5	66.7	65.2	59.7	46.0	30.6	64.3	NO	NO	15.9	38.8	65.8	
primary	74.1	50.2	89.0	56.8	70.4	2.1	64.8	15.6	28.3	95.7	86.2	82.5	72.5	49.1	35.2	80.2	NO	NO	5.5	63.2	77.3	
secondary+	81.4	57.3	97.5	77.7	90.5	6.3	67.6	24.3	41.0	97.7	92.2	89.9	75.2	46.6	34.4	78.7	NO	NO	1.2	81.8	83.1	
Child's sex																						
male	NA	NA	88.3	58.6	70.9	2.9	64.3	14.6	29.7	94.5	84.6	80.5	69.3	48.6	33.6	76.1	NO	NO	6.5	62.8	NA	
female	NA	NA	89.9	60.2	71.2	3.0	66.1	15.2	30.3	94.1	85.1	83.2	72.6	47.2	34.6	77.4	NO	NO	6.1	64.1	NA	
Area of residence																						
urban	82.8	54.8	97.0	80.3	94.7	8.2	65.0	24.3	48.8	97.1	90.4	86.5	69.8	45.3	33.0	89.1	NO	NO	1.4	79.1	84.3	
rural	74.1	49.6	87.6	55.3	66.6	2.0	65.2	14.4	26.4	93.8	83.7	80.9	71.1	48.3	34.2	75.6	NO	NO	7.3	60.4	75.6	
Country region																						
01 banteay mean chey	76.9	51.4	88.3	61.8	69.0	2.7	71.1	3.0	1.7	100.0	95.6	95.1	84.6	42.8	34.7	ND	NO	NO	1.9	75.3	ND	
02 kampong cham	76.4	51.8	88.1	55.2	67.9	2.9	45.4	0.0	3.5	95.6	89.9	87.9	77.0	39.7	17.0	68.1	NO	NO	3.5	64.5	76.1	
03 kampong chhnang	65.1	39.7	89.6	59.2	59.8	1.5	42.9	16.1	70.1	95.5	81.7	78.5	74.9	43.7	30.1	ND	NO	NO	4.0	59.5	ND	
04 kampong speu	77.7	53.3	90.3	67.5	68.2	1.1	71.9	64.1	79.4	94.7	91.9	89.1	72.6	58.6	34.4	ND	NO	NO	2.9	66.0	ND	
05 kampong thom	76.4	52.0	85.4	44.3	47.7	2.0	69.6	7.2	4.8	95.3	76.7	77.9	68.5	53.6	27.4	ND	NO	NO	9.8	51.6	ND	
06 kandal	82.5	61.8	89.0	62.0	87.0	3.2	64.0	14.9	15.4	99.5	85.9	80.4	83.9	49.9	35.2	ND	NO	NO	1.6	74.9	ND	
07 kratie	64.6	39.6	65.2	27.1	44.4	1.5	76.1	0.8	2.6	84.5	73.9	79.9	58.2	41.6	33.3	82.3	NO	NO	21.9	42.6	64.8	
08 phnom penh	85.6	56.4	99.1	85.8	98.8	9.9	64.3	ND	66.7	96.6	90.2	84.2	66.1	46.8	37.7	ND	NO	NO	0.7	81.2	ND	
09 prey veng	74.9	48.5	92.1	52.6	59.2	4.7	71.5	12.0	20.0	90.3	84.7	76.2	57.5	38.9	34.7	ND	NO	NO	7.1	58.1	ND	
10 pursat	65.6	40.6	90.2	59.6	73.9	2.1	90.5	5.8	8.0	95.2	79.5	83.8	81.0	75.8	61.0	80.9	NO	NO	9.1	69.6	78.1	
11 siem reap	70.5	44.7	92.9	73.1	72.7	1.7	63.1	ND	60.1	96.7	94.2	90.5	73.0	60.3	45.5	ND	NO	NO	3.3	66.5	ND	
12 svay rieng	81.6	50.5	93.3	63.2	89.6	1.4	76.7	25.5	22.1	92.9	82.3	81.3	68.1	57.1	39.7	91.6	NO	NO	8.1	65.6	83.7	
13 takeo	63.8	47.2	96.7	59.1	85.4	0.8	68.8	24.7	37.2	97.1	90.7	87.0	69.9	55.8	36.6	ND	NO	NO	3.3	71.2	ND	
14 ot dar mean chey	73.8	47.2	91.1	61.6	64.4	2.2	82.8	3.0	24.5	93.5	88.1	83.3	68.0	58.0	63.6	ND	NO	NO	7.2	61.8	ND	
15 battambang & pailin	80.1	50.9	91.1	69.9	78.1	3.0	74.8	15.2	34.3	94.0	85.1	82.5	75.5	35.5	32.8	77.6	NO	NO	4.3	65.3	77.7	
16 kampot & kep	74.7	52.8	86.0	42.9	66.5	1.8	54.2	27.5	39.3	87.7	64.3	65.0	58.0	32.6	20.3	76.6	NO	NO	20.0	40.2	69.8	
17 preah sihanouk & kaoh kong	75.2	51.2	88.1	54.0	79.2	4.4	65.5	23.3	31.9	92.2	77.5	80.4	68.5	56.6	44.5	83.5	NO	NO	5.9	63.0	78.6	
18 preah vihear & steung treng	62.4	37.3	66.9	33.0	28.2	0.9	79.9	0.2	0.6	93.5	77.0	70.6	59.9	28.7	24.0	ND	NO	NO	17.9	37.3	ND	
19 mondul kiri & ratanak kiri	69.6	43.1	61.8	28.0	38.4	2.5	50.6	1.6	4.8	68.9	40.0	44.3	37.4	49.1	43.0	81.0	NO	NO	33.0	18.8	58.9	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 7



Source: Cambodia (DHS 2000 & DHS 2010)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Cambodia (DHS 2000 & DHS 2010)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.


Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Cambodia DHS 2010

The maximum number of interventions for this survey is 7.

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Cambodia DHS 2010

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Cameroon DHS 2011

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	49.9	23.4	84.7	62.2	63.6	3.8	42.9	3.8	NO	87.1	68.8	70.6	55.3	46.5	17.2	29.9	11.0	68.5	9.8	63.4	59.2	
Wealth quintiles																						
Q1	10.2	2.9	57.2	33.4	19.1	0.6	35.4	2.1	NO	68.0	44.6	51.6	60.6	39.7	7.7	9.3	7.0	38.5	27.7	27.2	31.2	
Q2	37.3	14.4	82.0	54.8	54.5	1.4	43.8	3.5	NO	86.1	66.3	66.0	55.9	47.4	12.9	37.9	10.7	49.1	10.7	55.1	55.1	
Q3	47.5	22.8	92.2	63.8	75.3	3.4	46.9	6.3	NO	93.1	74.0	75.8	55.4	49.9	20.5	41.0	11.0	68.7	4.5	70.5	64.2	
Q4	59.6	34.5	96.3	77.0	89.5	5.3	44.6	13.6	NO	93.1	77.9	78.4	52.0	51.5	27.1	34.6	12.6	89.6	1.6	83.8	69.6	
Q5	68.6	41.2	98.5	85.9	96.8	10.8	44.6	ND	NO	99.4	87.6	86.3	51.2	53.6	36.2	39.1	14.9	96.6	0.3	90.8	75.8	
Equity indicators																						
ratio Q5/Q1	6.7	14.0	1.7	2.6	5.1	19.1	1.3	ND	NO	1.5	2.0	1.7	0.8	1.4	4.7	4.2	2.1	2.5	0.0	3.3	2.4	
difference Q5 - Q1	58.4	38.3	41.3	52.5	77.7	10.2	9.2	ND	NO	31.3	43.0	34.7	-9.4	13.9	28.5	29.8	7.9	58.0	-27.4	63.7	44.7	
Concentration index	20.6	34.4	9.7	17.1	25.7	48.1	3.8	37.1	NO	7.0	12.1	9.8	-3.5	6.5	31.8	20.2	13.3	19.2	-58.1	20.9	14.0	
SII	58.2	48.3	53.7	59.9	85.4	13.1	10.1	8.5	NO	39.0	47.8	40.4	-11.5	18.0	32.5	34.9	8.8	72.5	-40.0	72.7	49.9	
Maternal education																						
none	14.7	4.1	60.2	35.0	22.9	1.1	36.6	2.1	NO	71.1	45.5	51.3	60.7	40.4	10.8	16.0	5.7	NA	25.7	32.0	34.6	
primary	45.3	21.6	89.1	62.4	69.2	2.7	44.3	5.4	NO	87.6	70.1	70.1	54.7	45.3	15.4	33.7	12.5	NA	6.4	66.3	59.5	
secondary+	66.2	40.2	98.2	82.1	93.1	7.7	46.3	8.7	NO	97.6	83.5	84.4	51.7	59.1	31.0	37.6	13.6	NA	0.7	86.2	74.5	
Child's sex																						
male	NA	NA	85.2	62.7	64.8	4.1	43.7	3.4	NO	86.6	68.5	70.0	55.5	44.5	16.6	31.6	11.2	NA	10.2	63.1	NA	
female	NA	NA	84.1	61.7	62.4	3.6	42.2	4.1	NO	87.5	69.0	71.1	55.2	48.6	17.8	28.3	10.8	NA	9.5	63.6	NA	
Area of residence																						
urban	59.8	33.4	95.6	76.6	86.7	7.0	44.1	6.8	NO	94.9	79.9	79.9	51.3	50.1	26.5	35.6	12.5	89.6	2.1	81.5	69.5	
rural	37.1	14.4	75.6	50.2	46.7	1.5	42.0	3.2	NO	81.4	60.7	63.8	58.4	44.5	11.8	26.1	9.9	49.6	15.7	49.6	50.3	
Country region																						
01 adamaoua	33.6	11.1	87.8	53.6	47.4	2.2	55.7	8.0	NO	89.4	70.4	64.0	76.8	30.8	19.5	42.6	14.0	68.9	6.9	61.1	53.2	
02 centre	52.7	33.6	92.8	67.8	78.5	2.5	54.8	6.4	NO	92.6	76.0	73.0	40.7	55.1	14.4	28.8	11.3	72.1	3.3	69.3	65.2	
03 douala	69.8	40.7	99.2	89.4	98.8	6.3	34.4	ND	NO	98.1	84.1	84.8	50.4	59.8	25.6	21.0	19.4	98.7	0.1	93.9	74.3	
04 est	28.6	12.5	85.4	48.5	48.9	2.6	69.2	5.7	NO	91.0	69.1	74.4	52.3	59.8	24.4	ND	11.9	55.8	6.7	57.0	ND	
05 extrême-nord	13.6	3.7	59.0	35.0	25.1	0.5	35.3	1.5	NO	69.6	45.2	52.4	72.3	36.3	8.1	20.6	2.9	54.7	24.3	34.4	34.3	
06 littoral	50.3	29.7	97.4	75.2	94.2	4.0	48.3	ND	NO	98.3	81.8	85.6	60.5	46.5	31.1	ND	17.0	71.3	0.2	83.6	ND	
07 nord	13.4	4.9	71.7	46.2	32.9	2.5	26.4	4.0	NO	74.8	50.0	51.7	44.5	44.4	12.7	13.0	8.9	52.9	21.0	38.6	37.7	
08 nord-ouest	68.2	38.1	97.6	82.7	93.6	5.9	57.6	ND	NO	98.3	95.4	93.1	53.8	62.3	42.0	62.2	22.1	64.3	1.3	89.5	80.6	
09 ouest	67.7	33.7	98.9	76.1	95.8	4.4	37.1	ND	NO	95.9	75.5	79.8	59.9	58.9	24.9	22.4	10.2	66.7	1.3	80.1	71.9	
10 sud	60.4	32.4	94.2	56.7	82.2	3.8	65.4	5.8	NO	91.1	57.6	69.5	33.3	45.6	24.5	ND	9.9	71.0	5.2	61.5	ND	
11 sud-ouest	68.5	40.0	91.3	67.9	80.1	6.0	41.2	10.4	NO	95.4	88.7	82.6	48.7	67.9	30.8	37.9	14.6	67.3	6.4	76.7	74.2	
12 yaoundé	60.4	37.3	97.6	84.2	92.9	11.5	48.6	ND	NO	93.6	79.3	78.6	39.4	54.0	30.6	41.8	10.6	97.8	1.2	81.4	71.7	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Central African Republic MICS 2010


Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	36.3	15.2	68.2	38.1	53.8	4.5	43.5	NO	NO	73.9	32.1	55.8	78.0	37.5	15.6	29.8	36.2	64.1	18.0	30.6	44.9	
Wealth quintiles																						
Q1	25.7	8.7	53.4	25.9	33.1	2.0	42.4	NO	NO	57.7	17.8	41.6	67.4	34.7	11.3	19.9	36.2	42.2	33.9	17.0	32.5	
Q2	23.0	7.8	59.2	26.9	39.1	3.2	45.1	NO	NO	64.3	21.0	48.7	76.0	35.8	10.5	19.6	37.3	52.6	23.5	23.0	34.6	
Q3	26.7	10.4	65.6	35.5	49.9	3.6	46.6	NO	NO	78.5	28.0	59.6	77.9	31.4	12.9	24.9	38.1	57.7	16.5	30.8	40.3	
Q4	40.1	19.1	80.0	47.8	70.1	6.0	42.7	NO	NO	84.0	45.2	63.0	86.0	45.6	19.8	39.7	33.9	76.5	7.8	39.2	54.3	
Q5	54.1	29.7	90.0	61.6	87.2	8.7	39.8	NO	NO	93.9	59.6	73.8	85.2	41.4	27.9	56.4	34.9	91.6	3.9	47.7	65.8	
Equity indicators																						
ratio Q5/Q1	2.1	3.4	1.7	2.4	2.6	4.3	0.9	NO	NO	1.6	3.3	1.8	1.3	1.2	2.5	2.8	1.0	2.2	0.1	2.8	2.0	
difference Q5 - Q1	28.4	21.0	36.6	35.7	54.0	6.6	-2.7	NO	NO	36.2	41.7	32.2	17.8	6.7	16.5	36.5	-1.3	49.4	-30.0	30.7	33.3	
Concentration index	19.0	29.4	11.2	19.3	20.5	29.7	-1.4	NO	NO	10.2	25.7	11.4	5.0	4.7	19.0	21.4	-1.2	15.9	-35.0	20.4	15.2	
SII	40.0	27.2	43.9	42.3	62.3	7.9	-2.9	NO	NO	44.4	48.5	37.5	22.9	11.2	18.9	40.2	-2.8	57.9	-38.1	37.0	41.9	
Maternal education																						
none	22.0	7.1	54.3	28.0	37.3	2.9	45.8	NO	NO	65.0	23.1	48.0	73.2	34.2	12.0	22.5	37.6	NA	27.5	21.5	34.0	
primary	35.3	15.4	72.8	38.7	57.2	3.9	42.0	NO	NO	76.1	31.4	57.9	79.8	38.8	16.8	27.8	35.6	NA	13.7	34.4	45.7	
secondary+	55.1	32.8	92.9	64.0	88.8	10.4	41.8	NO	NO	92.8	60.2	71.6	85.9	42.4	22.0	52.4	33.9	NA	3.9	44.6	66.1	
Child's sex																						
male	NA	NA	ND	ND	ND	ND	ND	NO	NO	72.0	33.1	55.5	76.9	36.2	14.7	27.9	36.5	NA	18.7	29.3	NA	
female	NA	NA	ND	ND	ND	ND	ND	NO	NO	75.8	31.1	56.0	79.0	38.9	16.6	31.8	35.9	NA	17.3	31.8	NA	
Area of residence																						
urban	48.4	26.0	88.3	54.2	82.9	8.3	39.8	NO	NO	89.3	51.0	66.8	85.9	41.7	22.8	42.0	33.1	83.5	5.5	44.7	60.1	
rural	24.4	8.4	57.4	29.5	38.1	2.4	45.5	NO	NO	65.8	22.2	50.0	73.7	35.1	11.6	23.5	37.9	51.8	24.9	22.8	35.4	
Country region																						
01 Ombella Mpoko	44.2	18.7	72.8	39.8	56.1	7.6	49.3	NO	NO	83.6	30.7	63.5	83.9	45.8	11.9	23.4	18.2	62.9	15.9	30.1	48.8	
02 Lobaye	33.9	15.8	67.9	35.3	56.2	2.4	45.0	NO	NO	76.8	26.0	61.1	81.6	32.8	18.5	26.5	30.8	65.5	14.7	35.9	43.3	
03 Mambere Kadel	13.4	5.1	60.8	31.5	44.8	2.2	54.7	NO	NO	81.2	27.0	55.8	82.4	35.5	8.9	25.8	31.1	49.5	16.8	23.1	36.1	
04 Nana Mambéré	35.2	13.6	60.7	36.8	38.0	0.0	32.3	NO	NO	80.5	18.6	61.5	90.1	19.2	7.8	24.6	25.6	51.5	15.1	21.8	37.8	
05 Sangha Mbaere	22.5	10.8	71.2	45.0	55.1	2.6	47.8	NO	NO	85.5	36.6	69.2	80.0	25.4	12.1	40.1	30.3	45.3	13.7	33.7	43.8	
06 Ouham Pende	20.1	6.1	64.8	41.2	45.8	2.2	41.2	NO	NO	55.8	24.8	38.9	62.8	32.1	19.0	32.1	46.5	77.3	29.8	21.8	35.9	
07 Ouham	35.3	11.5	63.6	25.8	36.8	4.6	40.6	NO	NO	54.2	18.8	44.8	61.2	37.8	18.8	22.5	55.6	68.0	31.6	26.2	37.4	
08 Kémo	32.7	12.4	63.4	35.4	46.6	6.1	51.7	NO	NO	84.1	27.0	62.3	84.1	49.2	6.5	19.6	28.7	56.8	12.2	33.3	43.1	
09 Nana Grebizi	27.2	10.9	78.7	45.3	65.2	7.7	53.1	NO	NO	82.9	52.1	67.4	81.1	48.9	28.4	26.4	39.3	78.3	9.0	43.2	50.1	
10 Ouaka	21.7	7.0	61.7	27.5	38.7	1.5	39.2	NO	NO	71.6	35.9	47.5	72.7	25.6	2.0	19.6	41.6	40.3	23.6	29.9	35.5	
11 Haute-Kotto	33.2	15.0	63.6	35.7	59.2	10.8	52.4	NO	NO	76.9	27.1	63.5	88.1	50.3	13.1	28.0	29.0	56.7	10.0	37.8	45.6	
12 Baminigui Bangoran	29.7	10.5	78.7	39.2	71.0	5.1	43.9	NO	NO	74.3	29.8	61.9	68.8	36.9	35.5	ND	30.3	69.9	17.2	36.0	ND	
13 Vakaga	ND	13.8	ND	ND	ND	ND	ND	NO	NO	ND	ND	ND	86.2	ND	ND	ND	31.4	59.8	5.1	33.7	ND	
14 Basse Kotto	19.4	5.9	43.4	19.9	23.6	1.1	42.5	NO	NO	53.8	13.9	45.5	74.2	37.8	4.9	7.3	49.5	24.6	28.6	14.6	26.8	
15 Mbomou	16.3	5.5	67.2	27.1	56.5	3.6	41.1	NO	NO	64.5	23.7	44.8	80.4	36.2	7.0	31.0	34.0	30.6	24.5	24.4	37.7	
16 Haut Mbomou	21.2	7.8	75.9	51.4	66.2	8.1	29.0	NO	NO	62.5	24.0	49.2	73.4	33.1	19.3	ND	36.0	42.3	24.7	33.8	ND	
17 Bangui	56.3	34.4	91.0	59.9	93.3	8.8	37.4	NO	NO	92.9	64.6	70.6	86.5	45.3	27.4	62.6	35.0	96.0	2.3	48.6	68.9	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Source: Central African Republic (DHS 1994 & MICS 2010)
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.



Source: Central African Republic (DHS 1994 & MICS 2010)
The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Central African Republic MICS 2010
The maximum number of interventions for this survey is 9.

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Central African Republic MICS 2010

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Chad DHS 2004

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	11.8	2.8	42.6	17.8	20.7	0.4	34.6	NO	NO	40.2	20.4	22.8	34.3	27.4	15.1	9.6	NO	36.3	58.2	13.6	22.3	
Wealth quintiles																						
Q1	0.0	0.0	9.2	2.2	3.6	0.0	43.7	NO	NO	13.8	4.7	8.2	33.7	10.1	0.9	7.4	NO	21.0	90.9	2.6	6.0	
Q2	1.7	0.4	30.4	11.7	12.5	0.0	27.9	NO	NO	34.2	14.2	16.3	30.4	29.1	10.2	4.9	NO	27.8	64.8	6.2	15.0	
Q3	7.6	1.8	43.2	11.9	13.8	0.5	33.6	NO	NO	41.8	17.3	28.2	23.0	24.1	13.2	6.4	NO	38.4	62.3	8.7	20.0	
Q4	10.3	2.2	53.7	20.6	19.6	0.3	34.0	NO	NO	43.3	22.8	23.6	33.1	29.9	18.2	9.4	NO	37.8	51.2	11.2	23.7	
Q5	29.8	10.3	77.4	43.7	55.4	1.5	35.8	NO	NO	67.8	43.1	38.1	53.4	37.8	30.7	20.3	NO	57.5	21.3	41.9	43.3	
Equity indicators																						
ratio Q5/Q1	ND	ND	8.4	19.8	15.2	ND	0.8	NO	NO	4.9	9.1	4.7	1.6	3.7	33.1	2.7	NO	2.7	0.2	16.4	7.3	
difference Q5 - Q1	29.8	10.3	68.2	41.5	51.8	1.5	-7.9	NO	NO	54.0	38.3	29.9	19.6	27.7	29.7	12.9	NO	36.5	-69.6	39.3	37.3	
Concentration index	55.4	66.1	29.9	41.6	43.7	61.5	-2.4	NO	NO	22.5	33.5	22.6	10.8	14.2	34.3	31.7	NO	19.2	-21.1	49.7	30.9	
SII	44.0	15.4	70.1	44.3	52.0	2.1	-3.8	NO	NO	53.1	40.8	31.6	20.3	21.9	31.2	16.5	NO	40.4	-67.0	42.6	41.7	
Maternal education																						
none	5.4	1.1	32.3	13.2	13.4	0.3	37.4	NO	NO	32.2	15.4	18.2	31.7	24.4	12.5	7.4	NO	NA	66.6	9.3	16.4	
primary	15.2	5.0	73.5	27.1	38.0	0.5	24.9	NO	NO	59.6	30.1	31.6	38.7	34.0	17.6	15.7	NO	NA	32.1	22.5	33.3	
secondary+	49.9	25.1	92.0	56.5	73.6	3.5	26.3	NO	NO	78.2	53.3	53.7	63.3	50.6	47.7	15.5	NO	NA	15.2	57.5	56.4	
Child's sex																						
male	NA	NA	43.9	17.8	22.3	0.5	35.4	NO	NO	40.2	20.0	22.6	34.7	27.8	16.1	6.4	NO	NA	57.7	13.9	NA	
female	NA	NA	41.3	17.7	19.0	0.4	33.9	NO	NO	40.1	20.7	23.0	34.0	27.1	14.2	12.2	NO	NA	58.7	13.4	NA	
Area of residence																						
urban	29.0	9.9	80.5	43.7	58.0	1.4	34.5	NO	NO	68.2	41.9	37.5	55.4	38.6	31.2	20.2	NO	59.2	19.3	43.7	43.9	
rural	5.6	1.2	33.8	11.7	12.1	0.2	34.7	NO	NO	33.3	15.1	19.2	29.2	25.0	11.6	7.0	NO	30.4	67.4	6.6	16.6	
Country region																						
01 bar azoum	1.4	0.3	11.8	2.8	4.5	0.0	48.2	NO	NO	37.1	10.0	12.7	55.8	9.4	4.3	17.9	NO	39.0	85.3	6.6	10.3	
02 b. e. t.	5.3	1.1	38.5	12.6	7.2	0.0	61.8	NO	NO	50.1	20.5	21.8	10.4	11.1	12.9	0.0	NO	55.2	64.2	11.7	15.8	
03 centre est	0.9	0.2	27.0	9.8	10.6	0.3	38.8	NO	NO	27.4	12.5	17.9	41.9	13.2	6.3	5.6	NO	19.9	69.3	9.6	11.7	
04 chari baguirmi	1.4	0.2	19.5	9.7	5.5	0.1	50.9	NO	NO	10.2	2.0	6.3	28.5	33.5	12.5	5.6	NO	61.0	80.6	3.4	9.8	
05 logone occidentale	16.4	3.7	51.0	23.8	22.9	0.3	21.0	NO	NO	49.8	15.4	19.6	25.4	21.0	13.6	9.7	NO	20.0	55.9	7.0	23.9	
06 mayo kebbi	9.6	1.8	57.2	19.1	19.0	0.2	27.0	NO	NO	61.3	43.9	42.0	46.5	47.6	16.4	ND	NO	43.2	35.9	18.0	ND	
07 moyen chari	12.9	4.5	60.3	15.1	39.9	1.2	18.8	NO	NO	36.3	33.4	31.5	40.1	44.5	17.3	10.1	NO	24.5	38.9	21.3	30.8	
08 ouaddai est	2.0	0.3	12.0	4.6	9.9	0.0	27.1	NO	NO	7.5	4.2	9.7	33.4	16.9	8.2	1.0	NO	18.7	88.2	6.8	7.2	
09 n'djaména	33.8	14.2	87.0	57.7	67.9	2.5	33.0	NO	NO	78.3	46.3	47.8	63.9	45.7	39.8	24.5	NO	63.1	13.1	55.1	50.3	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Comoros DHS 1996

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	37.7	21.0	83.9	51.7	51.6	5.3	23.3	NO	NO	90.8	68.6	63.4	NO	23.8	29.1	48.9	NO	95.4	7.7	45.0	53.7	
Wealth quintiles																						
Q1	23.6	14.4	67.0	28.4	26.2	2.6	19.3	NO	NO	85.2	58.0	51.1	NO	24.2	19.4	36.9	NO	87.3	13.8	25.2	41.0	
Q2	34.3	20.1	81.8	42.1	40.1	3.9	28.3	NO	NO	83.2	60.0	55.8	NO	30.0	30.0	55.4	NO	95.1	13.1	33.3	50.7	
Q3	35.2	18.6	85.8	58.5	54.6	5.0	18.7	NO	NO	94.5	67.3	65.5	NO	18.6	18.6	57.5	NO	97.0	7.6	44.1	54.3	
Q4	38.9	20.4	95.7	66.8	67.1	4.4	27.5	NO	NO	98.8	76.5	70.4	NO	16.7	47.6	44.2	NO	98.6	0.0	57.5	57.8	
Q5	59.8	31.9	95.0	72.9	84.8	13.5	22.3	NO	NO	98.0	92.0	86.0	NO	27.0	35.1	58.1	NO	99.4	1.0	77.6	71.1	
Equity indicators																						
ratio Q5/Q1	2.5	2.2	1.4	2.6	3.2	5.2	1.2	NO	NO	1.1	1.6	1.7	NO	1.1	1.8	1.6	NO	1.1	0.1	3.1	1.7	
difference Q5 - Q1	36.2	17.5	28.0	44.5	58.6	10.9	3.0	NO	NO	12.8	34.0	34.9	NO	2.8	15.8	21.1	NO	12.1	-12.8	52.4	30.1	
Concentration index	16.6	13.2	7.2	18.8	23.5	30.6	1.4	NO	NO	3.9	10.0	10.3	NO	-3.3	15.1	7.2	NO	2.5	-43.4	22.8	9.8	
SII	37.0	17.2	37.7	54.6	65.0	10.0	3.5	NO	NO	22.9	38.0	38.4	NO	-5.3	24.3	18.4	NO	16.9	-21.9	57.6	33.1	
Maternal education																						
none	30.7	16.8	78.3	43.4	40.9	4.3	23.0	NO	NO	88.1	64.3	58.7	NO	23.5	27.7	47.7	NO	NA	10.6	34.5	48.7	
primary	43.1	25.9	91.9	63.0	62.3	5.2	20.4	NO	NO	92.6	71.6	69.1	NO	27.7	27.7	52.2	NO	NA	4.2	57.7	59.1	
secondary+	64.8	35.1	96.2	70.7	82.9	10.4	29.1	NO	NO	100.0	83.0	75.5	NO	19.4	38.7	50.0	NO	NA	0.0	72.0	68.6	
Child's sex																						
male	NA	NA	82.6	53.8	50.8	4.8	24.5	NO	NO	89.5	68.0	63.0	NO	27.6	31.7	48.8	NO	NA	8.3	43.6	NA	
female	NA	NA	85.3	49.6	52.5	5.9	22.0	NO	NO	92.3	69.2	63.9	NO	19.8	26.4	49.1	NO	NA	7.1	46.5	NA	
Area of residence																						
urban	44.7	25.7	91.7	61.8	79.0	9.2	24.8	NO	NO	90.2	68.5	63.0	NO	20.0	31.4	51.8	NO	96.9	3.0	61.7	59.6	
rural	35.3	19.4	81.4	48.4	43.1	4.1	22.8	NO	NO	91.0	68.6	63.5	NO	25.3	28.2	48.0	NO	94.9	9.3	39.4	51.8	
Country region																						
01 grande comore	43.8	21.8	92.4	70.6	65.3	8.0	22.5	NO	NO	97.0	81.4	70.7	NO	15.7	36.0	53.1	NO	99.7	1.3	56.3	59.9	
02 moheli	43.9	27.4	82.9	32.9	40.6	0.0	11.8	NO	NO	96.2	84.6	65.4	NO	14.8	11.1	ND	NO	83.3	1.9	46.3	ND	
03 anjouan	29.9	18.8	74.4	33.3	39.4	3.5	26.1	NO	NO	84.1	54.0	56.3	NO	31.3	28.1	46.2	NO	91.5	15.5	32.9	46.9	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 7





Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.





Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Congo DHS 2011

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	70.9	44.7	92.6	78.9	93.6	5.8	24.5	12.6	28.1	93.9	69.1	74.9	64.9	48.4	28.0	52.1	29.8	74.5	2.9	78.7	72.8	
Wealth quintiles																						
Q1	66.0	39.1	83.5	63.8	80.8	1.9	26.9	6.6	24.2	86.8	54.6	58.8	60.6	38.7	22.1	40.5	42.4	25.9	9.5	56.0	62.9	
Q2	65.0	41.1	89.8	74.3	95.0	3.3	24.6	11.2	28.8	92.7	61.9	70.1	64.7	48.8	30.0	48.9	35.3	68.4	2.8	77.1	69.5	
Q3	74.6	46.0	94.8	79.8	97.6	7.0	22.4	ND	26.5	96.0	73.4	80.1	62.4	49.4	23.9	41.1	24.6	92.7	0.1	84.1	74.2	
Q4	70.0	46.8	97.1	87.3	98.3	5.9	22.9	ND	28.3	99.0	81.1	84.9	64.1	53.2	27.1	65.5	21.7	95.9	0.0	91.2	78.5	
Q5	78.3	50.3	99.2	92.3	99.5	13.2	25.8	ND	34.5	97.5	81.6	87.1	75.0	51.4	37.3	70.5	19.5	89.9	0.0	93.3	81.4	
Equity indicators																						
ratio Q5/Q1	1.2	1.3	1.2	1.4	1.2	7.1	1.0	ND	1.4	1.1	1.5	1.5	1.2	1.3	1.7	1.7	0.5	3.5	0.0	1.7	1.3	
difference Q5 - Q1	12.3	11.2	15.7	28.6	18.7	11.4	-1.1	ND	10.2	10.7	27.0	28.3	14.4	12.7	15.2	30.1	-22.9	64.0	-9.5	37.3	18.5	
Concentration index	3.5	4.9	3.6	7.5	4.0	34.3	-1.7	39.9	6.0	2.9	9.3	8.5	3.8	5.2	8.5	11.8	-17.1	17.3	-74.3	10.2	5.0	
SII	14.3	13.9	21.5	34.8	27.5	12.5	-2.6	34.8	8.9	16.3	36.6	36.4	12.6	14.3	12.0	36.1	-30.4	74.2	-19.9	46.6	22.9	
Maternal education																						
none	57.4	33.6	72.7	57.3	76.8	3.1	25.9	4.0	24.2	86.1	60.8	57.8	58.4	44.3	21.3	31.0	30.9	NA	12.2	54.4	58.9	
primary	67.8	43.1	87.4	70.6	89.4	3.8	26.6	12.7	27.6	90.3	60.1	64.8	61.3	52.5	21.1	45.9	34.8	NA	5.1	68.7	68.7	
secondary+	73.5	46.6	96.9	84.8	97.6	7.0	23.4	20.8	28.8	97.0	75.2	82.7	67.4	47.0	31.4	57.6	27.2	NA	0.6	86.7	76.4	
Child's sex																						
male	NA	NA	93.1	79.5	93.5	7.0	24.6	16.2	29.8	94.5	70.8	74.5	65.1	49.1	29.3	46.7	31.2	NA	2.8	79.9	NA	
female	NA	NA	92.0	78.3	93.6	4.6	24.5	9.8	26.4	93.4	67.5	75.3	64.6	47.7	26.7	56.6	28.5	NA	3.0	77.5	NA	
Area of residence																						
urban	72.2	46.3	95.9	84.9	98.2	7.9	23.4	35.0	28.3	97.4	76.5	83.6	67.2	51.9	30.7	57.3	21.9	92.9	0.1	88.1	76.9	
rural	68.4	41.9	86.8	68.5	86.4	2.5	26.3	8.0	27.8	88.6	57.6	61.3	61.3	40.6	22.1	44.0	42.0	41.7	7.1	64.4	65.9	
Country region																						
01 kouilou	49.0	27.9	84.0	56.0	85.3	2.9	16.4	28.9	80.3	91.0	52.8	70.3	72.0	57.7	13.3	41.4	30.3	36.1	3.8	61.0	62.4	
02 niari	80.9	52.8	89.0	76.9	84.6	3.9	37.9	8.9	12.5	98.5	83.5	80.5	76.2	44.5	17.4	24.6	33.2	51.9	1.7	78.3	72.3	
03 lekoumou	69.9	46.2	80.2	71.9	77.4	4.0	17.8	3.0	2.4	92.1	65.4	63.1	78.2	21.5	7.6	32.1	29.3	46.1	9.2	69.4	61.3	
04 bouenza	76.4	51.1	80.7	61.4	87.1	4.0	14.6	1.7	23.4	90.8	61.1	51.1	59.7	47.2	17.5	ND	26.6	56.0	6.6	68.1	ND	
05 pool	78.9	45.7	95.3	83.0	94.9	2.6	60.0	ND	39.9	91.8	78.7	79.5	78.7	42.8	30.6	ND	70.9	43.8	3.5	82.7	ND	
06 plateau	58.3	38.1	86.7	61.7	86.9	0.6	12.0	16.8	20.4	72.8	26.6	41.9	43.5	34.8	15.0	38.6	38.4	44.6	13.7	45.7	55.9	
07 cuvette	60.6	36.1	94.4	77.2	91.4	3.4	26.6	6.4	21.6	96.0	61.1	75.4	59.8	41.9	23.8	45.9	40.9	60.2	3.3	71.9	67.7	
08 cuvette - ouest	51.6	30.1	92.3	83.7	87.1	2.3	12.7	33.2	46.2	91.6	43.1	64.2	60.2	50.5	26.7	47.7	35.5	19.8	7.9	59.9	62.7	
09 sangha	79.4	48.6	84.0	61.1	81.4	2.8	4.4	0.0	19.3	93.5	48.9	52.0	64.6	50.9	31.0	ND	30.8	51.1	10.6	63.9	ND	
10 likouala	68.6	42.2	89.3	72.0	88.5	1.9	7.0	5.0	12.2	78.4	47.2	57.0	37.2	42.4	30.7	60.7	53.1	53.4	8.5	55.5	66.5	
11 brazzaville	64.9	41.2	95.7	84.7	99.4	9.3	19.6	ND	25.0	96.6	73.8	81.3	63.7	59.8	41.0	ND	23.2	93.2	0.0	84.7	ND	
12 pointe-noire	78.3	49.5	97.9	87.2	97.9	6.7	31.5	ND	35.4	98.9	79.7	88.7	70.6	42.9	23.1	67.3	17.0	93.4	0.0	93.3	79.7	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Côte d'Ivoire DHS 2011


Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	40.1	18.2	90.6	44.2	59.4	2.7	32.1	29.9	34.5	83.4	63.8	64.5	60.8	36.3	17.2	38.2	36.3	78.3	8.5	64.5	55.5
Wealth quintiles																					
Q1	27.7	11.7	83.0	26.2	35.0	0.5	29.1	22.5	26.3	73.2	52.1	53.9	50.3	40.2	6.4	17.9	43.4	56.6	15.5	46.9	43.7
Q2	34.5	16.0	91.0	37.1	51.8	1.6	34.1	35.8	34.8	76.1	60.4	56.8	60.0	35.4	19.2	29.6	39.4	71.9	9.1	60.7	50.8
Q3	34.7	14.6	88.2	37.3	54.5	1.7	33.2	33.2	38.0	83.9	58.1	65.0	53.8	34.6	14.2	49.9	35.0	76.3	9.9	59.9	53.7
Q4	44.3	21.4	95.9	56.7	78.9	4.8	30.3	34.6	36.7	91.3	73.9	69.0	70.0	35.3	25.6	47.8	33.1	88.9	3.5	77.6	62.7
Q5	58.5	28.0	97.3	71.8	91.2	6.6	34.6	37.0	39.4	97.0	80.7	83.1	76.7	35.6	23.9	41.8	26.5	97.9	0.9	87.4	69.3
Equity indicators																					
ratio Q5/Q1	2.1	2.4	1.2	2.7	2.6	12.7	1.2	1.6	1.5	1.3	1.5	1.5	1.5	0.9	3.8	2.3	0.6	1.7	0.1	1.9	1.6
difference Q5 - Q1	30.8	16.3	14.2	45.5	56.2	6.1	5.5	14.5	13.1	23.9	28.6	29.2	26.5	-4.6	17.5	23.9	-16.9	41.3	-14.6	40.5	25.6
Concentration index	15.5	17.9	3.1	20.3	19.3	44.9	1.8	11.6	7.6	6.2	9.2	8.5	8.1	-3.4	18.8	12.5	-8.4	10.7	-33.9	12.5	9.0
SII	35.3	18.8	17.3	51.0	62.9	8.1	3.6	18.2	15.1	31.5	33.9	33.2	29.0	-5.1	20.8	31.7	-19.3	49.8	-18.1	45.6	31.2
Maternal education																					
none	31.7	13.0	87.7	34.6	52.1	1.8	32.3	28.5	34.3	78.7	55.8	57.0	57.1	35.0	12.1	37.2	37.7	NA	11.2	57.1	50.0
primary	47.1	25.8	94.6	54.1	67.9	3.5	32.2	33.2	33.6	89.5	74.2	72.7	65.2	38.5	24.8	37.5	35.2	NA	4.6	73.9	61.4
secondary+	62.1	30.3	97.2	72.7	84.0	6.9	31.1	36.8	37.5	94.9	84.5	87.0	72.7	36.6	22.0	44.2	30.5	NA	1.1	87.5	70.0
Child's sex																					
male	NA	NA	91.7	45.1	59.2	2.8	30.7	30.0	34.6	84.7	66.3	65.6	60.9	38.9	17.8	35.0	36.7	NA	7.5	64.9	NA
female	NA	NA	89.5	43.3	59.6	2.7	33.6	29.8	34.4	82.1	61.5	63.4	60.7	33.4	16.6	40.9	35.8	NA	9.4	64.1	NA
Area of residence																					
urban	48.3	23.1	96.7	61.1	84.4	5.3	33.9	30.6	37.0	94.2	76.0	75.9	70.6	36.3	21.6	49.3	30.0	92.2	2.2	81.3	65.6
rural	33.7	14.7	86.5	32.9	44.5	1.2	31.0	29.7	32.9	76.1	55.7	56.9	54.8	36.2	14.4	31.0	40.1	67.1	12.3	54.3	48.8
Country region																					
01 Centre	22.7	10.5	90.5	29.4	42.3	1.8	17.5	39.9	42.5	83.7	63.8	72.7	54.2	30.5	16.4	ND	34.7	83.2	9.3	61.3	ND
02 Centre-Est	43.4	22.3	95.4	53.6	70.0	3.3	19.3	31.3	36.1	96.0	90.9	77.7	65.8	37.8	28.8	ND	44.5	83.0	4.1	81.3	ND
03 Centre-Nord	35.6	15.4	96.3	36.7	56.3	2.2	49.6	37.3	50.1	88.5	77.7	69.8	72.7	25.9	10.3	ND	47.5	86.4	4.0	77.9	ND
04 Centre-Ouest	40.2	19.3	91.5	31.4	57.0	1.1	59.1	35.0	36.3	74.5	61.5	53.2	63.0	32.0	15.1	41.5	47.6	71.7	7.6	63.4	53.3
05 Nord	45.8	17.8	81.8	35.5	50.8	1.2	29.1	52.5	63.8	73.9	50.2	61.7	70.9	42.1	21.3	ND	31.0	86.1	12.3	57.7	ND
06 Nord-est	29.4	13.3	92.0	49.7	62.2	1.6	15.6	10.3	17.1	82.8	63.0	61.2	71.5	28.1	5.2	ND	51.9	79.1	5.9	70.4	ND
07 Nord-Ouest	27.2	8.6	74.5	24.7	26.7	1.3	19.4	33.6	43.2	71.2	46.2	50.4	42.8	32.5	12.1	23.9	35.7	78.9	18.3	38.8	40.4
08 Ouest	33.2	14.5	93.2	44.4	48.9	1.7	19.0	18.3	31.6	83.1	54.0	58.5	51.4	43.1	19.6	ND	29.3	65.3	7.9	56.7	ND
09 Sud sans Abidjan	43.4	21.1	93.8	52.6	75.1	4.3	38.5	28.9	18.6	95.3	62.8	72.2	70.0	37.8	26.2	ND	34.1	75.3	3.5	72.3	ND
10 Sud-ouest	26.5	10.0	76.7	32.2	41.1	1.3	15.4	13.7	12.9	57.6	39.3	36.6	28.3	49.0	10.2	ND	35.3	47.4	28.7	32.1	ND
11 Ville d'Abidjan	56.2	29.2	97.3	71.7	92.0	7.1	30.6	ND	38.9	96.3	85.3	84.0	73.2	35.3	18.3	51.2	23.6	99.1	0.8	87.1	70.6

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Source: Côte d'Ivoire (DHS 1998 & DHS 2011)
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Côte d'Ivoire (DHS 1998 & DHS 2011)
The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Côte d'Ivoire DHS 2011
The maximum number of interventions for this survey is 9.



Source: Côte d'Ivoire DHS 2011

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Democratic Republic of the Congo MICS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	37.5	17.7	87.3	43.8	74.2	7.2	42.5	NO	NO	85.4	62.1	72.0	82.1	39.3	26.6	40.3	37.3	46.5	11.6	45.6	57.1
Wealth quintiles																					
Q1	40.1	16.6	82.6	38.1	59.8	3.7	43.2	NO	NO	74.8	48.0	61.4	77.5	40.0	28.1	32.4	31.4	10.0	19.7	30.0	51.4
Q2	31.3	13.0	82.7	40.3	67.5	5.2	40.2	NO	NO	81.0	54.6	66.3	80.8	39.3	24.9	48.1	35.7	27.3	14.4	37.8	53.5
Q3	28.2	12.6	87.7	38.6	69.0	6.1	39.2	NO	NO	85.7	60.3	72.5	82.6	36.9	26.6	38.5	34.6	38.5	12.6	43.2	53.5
Q4	33.5	16.6	91.8	44.8	85.1	11.7	42.7	NO	NO	91.2	73.2	78.1	84.3	39.1	26.8	40.0	39.9	64.4	6.0	56.1	60.1
Q5	51.8	31.6	93.7	61.9	96.2	10.7	48.3	NO	NO	97.9	79.5	85.3	86.3	42.3	26.2	44.7	47.4	92.3	2.7	66.1	69.0
Equity indicators																					
ratio Q5/Q1	1.3	1.9	1.1	1.6	1.6	2.9	1.1	NO	NO	1.3	1.7	1.4	1.1	1.1	0.9	1.4	1.5	9.2	0.1	2.2	1.3
difference Q5 - Q1	11.8	15.0	11.1	23.8	36.4	7.0	5.1	NO	NO	23.1	31.5	24.0	8.8	2.3	-1.9	12.2	15.9	82.3	-17.0	36.1	17.6
Concentration index	7.3	14.3	2.9	8.9	9.8	23.1	1.8	NO	NO	5.4	10.7	6.8	2.1	-0.2	-1.4	3.3	7.7	36.1	-29.7	16.1	5.8
SII	15.6	15.1	15.5	22.8	42.8	10.4	5.0	NO	NO	29.2	39.5	29.3	10.5	1.1	-1.3	8.6	17.0	85.7	-21.9	42.8	20.7
Maternal education																					
none	32.4	12.9	80.8	33.4	59.9	6.8	45.0	NO	NO	77.6	53.7	64.0	77.8	34.8	27.6	37.4	28.9	NA	17.8	33.8	50.3
primary	31.1	13.8	86.5	40.7	71.5	6.7	41.3	NO	NO	83.1	58.4	67.2	81.2	39.9	21.9	40.8	36.8	NA	12.5	43.2	54.3
secondary+	46.7	26.2	93.0	55.7	88.1	8.2	42.2	NO	NO	93.7	72.6	83.8	86.4	42.4	33.2	42.1	44.4	NA	5.8	57.6	65.0
Child's sex																					
male	NA	NA	ND	ND	ND	ND	ND	NO	NO	85.5	63.1	73.4	81.7	39.3	27.0	36.9	36.7	NA	11.7	45.0	NA
female	NA	NA	ND	ND	ND	ND	ND	NO	NO	85.2	61.1	70.7	82.5	39.4	26.3	44.6	38.0	NA	11.5	46.1	NA
Area of residence																					
urban	45.9	25.2	92.0	57.1	94.0	9.8	46.4	NO	NO	93.3	76.5	79.4	85.1	37.1	25.7	41.4	42.7	82.8	4.7	60.6	64.9
rural	33.6	14.9	85.7	39.3	67.4	6.3	41.1	NO	NO	82.5	57.0	69.3	81.0	40.1	26.9	40.0	35.3	30.7	14.1	40.0	54.2
Country region																					
01 Kinshasa	49.8	31.1	94.7	70.8	96.0	7.4	48.7	NO	NO	96.3	82.3	87.7	84.1	37.1	22.0	48.9	50.3	88.7	2.8	65.3	68.8
02 Bas congo	32.9	20.7	95.8	39.4	94.4	8.9	44.3	NO	NO	94.8	71.4	84.7	92.2	57.0	26.2	39.6	34.9	53.7	4.3	53.6	64.2
03 Bandundu	38.9	19.6	89.0	41.1	81.6	2.5	42.5	NO	NO	96.9	87.1	92.1	92.9	59.5	53.6	33.6	41.0	19.3	3.4	53.1	65.4
04 Equateur	58.3	29.0	82.9	43.9	43.9	2.3	41.1	NO	NO	68.6	42.2	57.6	72.0	37.4	27.6	43.3	50.9	12.1	21.8	27.0	53.7
05 Province Orientale	33.2	16.3	90.3	53.2	79.8	7.6	40.4	NO	NO	75.4	45.9	62.2	85.4	35.9	26.8	12.0	49.6	45.8	17.7	37.9	49.9
06 Nord Kivu	22.8	11.5	95.3	45.4	95.4	16.3	41.5	NO	NO	98.5	86.7	91.7	89.4	42.4	33.5	48.8	32.0	77.3	2.9	62.6	63.7
07 Maniema	47.8	21.4	72.2	26.4	62.1	5.5	44.7	NO	NO	66.2	28.2	51.1	67.4	38.3	37.9	40.4	55.5	39.5	27.2	29.3	49.5
08 Sud Kivu	29.3	11.5	87.7	25.5	81.7	18.2	39.9	NO	NO	91.0	54.1	60.5	81.4	31.4	23.5	33.4	34.9	60.9	7.4	52.3	52.9
09 Katanga	22.8	9.0	84.4	38.9	60.3	4.7	37.9	NO	NO	86.6	65.2	72.7	77.2	35.5	11.3	45.8	32.5	47.9	10.6	44.1	52.0
10 Kasai Oriental	36.0	13.4	81.3	45.5	72.6	7.5	41.3	NO	NO	78.8	43.8	60.0	82.6	37.4	20.0	43.4	13.7	43.0	15.6	36.2	52.5
11 Kasai Occidental	33.6	11.3	80.6	41.6	69.1	3.2	55.3	NO	NO	73.5	48.1	54.2	72.2	29.1	21.7	44.7	19.7	12.4	26.6	30.1	50.3

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9



Source: Democratic Republic of the Congo MICS 2010

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Democratic Republic of the Congo MICS 2010


The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Democratic Republic of the Congo MICS 2010
The maximum number of interventions for this survey is 9.



Source: Democratic Republic of the Congo MICS 2010

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Djibouti MICS 2006

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	44.6	17.8	92.3	NO	92.9	NO	54.9	NO	NO	87.5	60.4	72.1	17.9	32.6	61.6	62.1	1.3	93.5	28.1	25.6	63.7	
Wealth quintiles																						
Q1	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Q2	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Q3	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Q4	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Q5	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Equity indicators																						
ratio Q5/Q1	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
difference Q5 - Q1	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Concentration index	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
SII	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Maternal education																						
none	35.9	12.6	90.2	NO	91.6	NO	56.2	NO	NO	87.5	57.6	69.9	16.0	40.5	70.9	59.8	1.3	NA	30.1	24.0	61.3	
primary	44.6	20.8	94.0	NO	93.6	NO	60.8	NO	NO	86.3	60.9	75.9	16.0	ND	ND	ND	0.8	NA	24.6	23.3	ND	
secondary+	65.5	33.0	95.7	NO	95.9	NO	44.1	NO	NO	90.4	67.1	74.4	24.4	ND	ND	ND	1.7	NA	26.4	33.2	ND	
Child's sex																						
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	88.5	61.2	70.2	18.3	27.8	61.5	61.0	1.2	NA	28.3	26.9	NA	
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	86.4	59.4	74.3	17.4	39.1	61.7	63.3	1.4	NA	27.9	24.1	NA	
Area of residence																						
urban	45.5	18.4	93.9	NO	94.7	NO	54.4	NO	NO	88.0	61.0	72.7	18.3	31.5	61.5	62.4	1.3	95.2	26.4	26.6	64.4	
rural	16.1	4.9	47.0	NO	40.3	NO	70.1	NO	NO	74.7	43.6	54.1	7.0	ND	ND	ND	0.7	52.2	65.2	5.2	ND	
Country region																						
01 djibouti	46.8	19.2	94.3	NO	95.1	NO	53.9	NO	NO	88.8	62.8	72.5	18.8	31.4	61.4	60.1	1.1	95.5	24.7	28.4	64.7	
02 autres districts	30.7	10.6	76.5	NO	74.6	NO	63.0	NO	NO	77.5	42.6	69.1	12.4	42.3	62.8	82.7	2.2	82.9	46.9	10.4	56.7	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Egypt DHS 2008

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	87.0	60.3	74.2	66.5	78.9	27.6	55.9	2.9	8.1	99.0	97.8	98.3	12.5	17.6	28.4	73.3	NO	98.0	0.1	69.4	77.3	
Wealth quintiles																						
Q1	81.5	55.4	54.1	41.7	55.2	13.6	60.1	3.2	5.8	97.8	97.1	97.5	10.6	18.7	34.0	69.6	NO	94.9	0.3	45.3	70.1	
Q2	84.8	57.1	64.5	55.9	70.1	19.2	59.0	3.9	6.4	99.1	96.2	98.0	11.3	22.4	32.7	70.8	NO	97.2	0.2	58.9	74.7	
Q3	87.0	61.2	74.0	64.5	82.8	26.2	56.9	1.4	5.6	99.1	97.8	98.0	12.6	20.0	26.7	66.4	NO	98.5	0.1	70.1	77.4	
Q4	88.8	61.4	85.6	80.5	90.7	35.8	56.1	2.7	9.0	99.8	98.8	99.0	12.8	11.9	23.5	79.2	NO	99.6	0.0	83.8	80.5	
Q5	91.5	65.4	92.4	89.4	96.9	44.9	47.3	2.1	14.1	99.1	98.9	99.2	15.3	12.8	22.8	81.5	NO	99.8	0.0	91.3	83.2	
Equity indicators																						
ratio Q5/Q1	1.1	1.2	1.7	2.1	1.8	3.3	0.8	0.7	2.4	1.0	1.0	1.0	1.4	0.7	0.7	1.2	NO	1.1	0.0	2.0	1.2	
difference Q5 - Q1	10.0	10.0	38.2	47.7	41.8	31.2	-12.7	-1.1	8.3	1.3	1.8	1.7	4.7	-5.9	-11.1	11.9	NO	4.9	-0.3	46.0	13.1	
Concentration index	2.2	3.3	10.9	14.9	10.9	23.6	-4.3	-9.0	20.4	0.3	0.5	0.4	8.0	-9.1	-8.8	3.3	NO	1.0	-49.8	14.1	3.3	
SII	11.9	11.9	47.4	56.6	51.9	38.3	-13.9	-1.6	9.6	1.8	3.1	2.3	5.4	-10.3	-15.7	15.8	NO	7.5	-0.5	55.9	16.0	
Maternal education																						
none	84.3	57.7	55.4	45.7	59.7	17.8	60.2	2.9	5.3	99.5	97.2	97.7	10.5	21.8	34.0	70.8	NO	NA	0.3	49.4	72.3	
primary	87.0	61.8	69.2	59.2	74.9	19.4	61.3	1.6	7.0	96.8	93.8	96.3	11.4	15.5	24.4	73.1	NO	NA	0.3	61.7	75.2	
secondary+	88.3	61.4	82.4	75.9	87.3	33.0	53.3	3.3	9.3	99.1	98.6	98.9	13.5	16.5	27.3	74.5	NO	NA	0.0	79.3	79.6	
Child's sex																						
male	NA	NA	74.0	66.4	79.9	29.2	55.2	2.3	8.4	99.2	97.2	98.0	12.6	20.4	30.5	77.3	NO	NA	0.1	71.0	NA	
female	NA	NA	74.4	66.7	77.8	26.1	56.7	3.6	7.8	98.7	98.4	98.7	12.4	14.3	26.0	68.6	NO	NA	0.2	67.7	NA	
Area of residence																						
urban	90.7	64.3	85.1	80.5	90.2	37.1	51.3	3.1	11.4	99.5	98.5	98.3	14.1	15.8	27.6	78.4	NO	99.8	0.1	83.3	81.3	
rural	84.3	57.5	67.5	57.9	72.2	22.0	58.7	2.9	6.1	98.6	97.3	98.3	11.6	18.7	28.9	69.5	NO	96.7	0.2	61.2	74.6	
Country region																						
01 urban governorates	91.7	65.2	90.1	85.6	92.3	38.5	46.1	2.2	9.6	99.6	98.7	97.9	16.1	17.7	31.5	83.9	NO	99.9	0.1	87.7	83.3	
02 lower egypt urban	91.1	65.5	81.7	78.5	92.0	43.2	53.3	0.0	7.4	99.4	98.8	99.4	13.9	5.8	9.2	74.0	NO	99.8	0.2	82.8	79.2	
03 lower egypt rural	89.3	63.9	72.6	63.9	83.4	27.4	58.5	1.1	5.1	98.8	98.1	99.1	12.1	16.2	25.5	74.0	NO	97.9	0.1	70.6	78.2	
04 upper egypt urban	88.8	62.4	81.7	75.6	85.6	30.9	57.3	5.5	17.7	99.6	98.2	98.3	11.4	16.8	29.7	73.7	NO	100.0	0.0	78.2	79.6	
05 upper egypt rural	76.1	48.4	61.0	50.3	59.2	15.8	58.9	4.0	7.4	98.5	96.5	97.4	10.9	20.5	31.5	66.6	NO	95.5	0.1	50.7	70.1	
06 frontier governorates	84.1	52.3	72.5	65.8	79.1	20.0	56.2	1.3	5.8	98.2	93.3	96.7	13.1	29.3	31.1	84.2	NO	86.7	2.2	61.5	78.0	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8



Source: Egypt (DHS 1995 & DHS 2008)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Egypt (DHS 1995 & DHS 2008)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Egypt DHS 2008

The maximum number of interventions for this survey is 8.



Source: Egypt DHS 2008

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Ethiopia DHS 2011


Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	52.1	28.6	33.8	19.1	10.8	1.5	52.3	0.4	NO	66.3	37.0	55.7	53.1	25.1	26.3	27.0	NO	50.8	38.0	16.4	37.4
Wealth quintiles																					
Q1	29.5	13.3	17.0	8.3	2.1	0.1	49.6	0.1	NO	58.0	26.0	45.3	45.2	24.0	18.0	15.5	NO	23.0	55.5	5.3	24.4
Q2	44.6	22.2	23.7	11.7	3.8	0.6	52.8	0.0	NO	65.8	29.4	52.0	53.2	17.9	22.4	25.2	NO	38.5	44.1	9.2	31.0
Q3	45.6	24.4	26.8	13.8	4.1	0.6	49.7	0.0	NO	61.8	31.4	52.0	51.4	25.3	27.0	22.1	NO	45.9	39.6	9.8	32.2
Q4	53.0	31.7	35.4	21.5	8.5	0.5	52.5	0.8	NO	68.1	42.8	56.4	59.6	27.5	27.7	33.2	NO	56.1	30.0	17.9	39.5
Q5	77.5	51.8	74.9	46.0	46.3	7.2	58.4	2.0	NO	82.6	63.6	79.7	58.1	34.0	45.3	61.7	NO	90.4	12.1	50.3	65.1
Equity indicators																					
ratio Q5/Q1	2.6	3.9	4.4	5.6	21.5	54.6	1.2	21.6	NO	1.4	2.4	1.8	1.3	1.4	2.5	4.0	NO	3.9	0.2	9.5	2.7
difference Q5 - Q1	48.0	38.4	57.9	37.7	44.2	7.1	8.8	2.0	NO	24.5	37.5	34.4	12.9	9.9	27.3	46.2	NO	67.4	-43.4	45.0	40.7
Concentration index	17.7	25.6	29.3	36.2	60.9	67.6	2.3	69.3	NO	6.5	18.4	10.2	5.3	8.4	14.9	22.1	NO	25.0	-21.2	44.6	18.7
SII	52.1	42.6	56.6	40.0	45.3	8.4	7.8	2.4	NO	23.5	39.5	32.5	16.3	11.9	25.6	35.8	NO	69.4	-46.0	44.3	43.6
Maternal education																					
none	44.6	22.2	25.0	12.2	5.3	0.4	51.6	0.2	NO	60.1	31.7	49.9	50.6	21.0	23.5	24.6	NO	NA	44.2	10.4	31.4
primary	56.7	35.7	45.5	27.5	16.3	2.4	52.6	0.7	NO	75.4	43.5	63.8	57.4	33.3	29.7	27.7	NO	NA	26.5	24.4	43.6
secondary+	86.1	62.2	87.6	64.9	74.4	14.3	62.2	1.9	NO	99.6	72.8	89.4	67.3	52.5	65.1	ND	NO	NA	3.6	72.3	ND
Child's sex																					
male	NA	NA	33.7	18.0	10.7	1.6	50.6	0.1	NO	64.3	35.0	55.7	52.2	27.4	28.3	25.4	NO	NA	39.7	16.0	NA
female	NA	NA	34.0	20.2	10.9	1.3	54.2	0.6	NO	68.5	39.3	55.7	53.9	22.2	23.8	28.7	NO	NA	36.3	16.8	NA
Area of residence																					
urban	77.2	52.5	76.0	45.5	51.6	8.1	59.8	2.1	NO	81.6	62.0	79.6	56.8	29.3	44.6	46.9	NO	92.7	11.7	52.8	63.0
rural	45.0	23.4	26.3	14.4	4.8	0.5	51.1	0.2	NO	63.8	32.9	51.8	52.5	24.6	24.1	25.0	NO	41.6	42.0	10.9	32.7
Country region																					
01 tigray	48.8	22.2	49.9	30.8	12.6	2.9	45.4	0.7	NO	95.9	74.3	83.7	82.8	43.0	29.2	18.4	NO	66.0	7.1	36.2	48.5
02 afar	36.2	9.5	32.3	11.4	7.2	2.0	61.0	0.7	NO	38.1	11.6	30.3	35.3	19.9	32.8	40.6	NO	39.1	64.5	9.3	27.4
03 amhara	59.0	33.9	33.6	12.4	10.5	1.3	42.2	0.2	NO	67.7	39.4	62.0	63.8	29.3	27.6	29.4	NO	53.0	29.0	17.0	40.6
04 oromiya	46.1	26.2	31.2	18.6	9.0	0.5	51.0	0.1	NO	57.4	27.1	45.9	48.7	19.9	23.8	23.4	NO	44.9	46.3	11.4	31.9
05 somali	15.0	4.3	21.4	7.0	8.4	0.7	41.6	0.2	NO	45.7	25.8	39.5	26.3	18.7	30.6	18.7	NO	46.0	64.4	8.3	20.6
06 benishangul-gumuz	51.6	27.0	34.7	15.9	10.1	1.3	44.7	0.7	NO	68.7	42.9	67.2	59.9	27.4	28.7	42.9	NO	54.5	29.2	16.9	41.3
07 snnp	49.8	25.8	27.3	17.7	7.3	1.2	68.0	0.5	NO	73.4	38.5	57.8	43.9	24.1	25.1	31.6	NO	44.9	40.6	13.3	36.6
08 gambela	62.4	33.8	54.5	30.8	27.9	8.7	61.9	3.6	NO	72.0	29.4	51.7	55.6	27.0	45.3	52.5	NO	60.8	30.9	27.8	46.8
09 harari	58.4	34.7	55.6	35.0	32.7	7.0	68.5	3.7	NO	72.9	54.4	64.7	62.6	34.6	38.6	ND	NO	80.8	16.5	40.5	ND
10 addis ababa	85.5	62.5	93.6	86.4	83.9	21.8	70.7	14.1	NO	97.5	89.2	93.5	62.3	43.3	43.4	ND	NO	99.7	1.8	89.9	ND
11 dire dawa	61.3	33.9	57.2	38.9	40.5	6.2	66.1	0.0	NO	87.5	76.1	79.9	67.6	27.4	42.8	47.1	NO	83.4	13.0	48.4	57.1

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Source: Ethiopia (DHS 2000 & DHS 2011)
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Ethiopia (DHS 2000 & DHS 2011)
The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Ethiopia DHS 2011
The maximum number of interventions for this survey is 8.



Source: Ethiopia DHS 2011

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Gabon DHS 2012

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	54.1	31.1	94.7	77.6	90.0	10.0	36.3	10.2	25.5	91.5	72.9	74.3	53.8	51.9	26.1	67.7	37.3	92.2	2.2	80.4	71.1	
Wealth quintiles																						
Q1	39.4	21.3	85.7	58.6	75.6	3.9	35.4	8.6	18.0	88.3	62.2	73.2	62.9	53.4	23.8	48.1	39.0	72.5	7.2	68.2	60.7	
Q2	49.4	29.3	95.3	75.6	91.8	8.3	37.2	12.6	28.1	91.9	78.1	71.9	55.0	46.5	21.0	77.9	45.0	95.2	1.7	83.5	71.3	
Q3	53.4	31.7	97.0	78.9	93.8	9.3	35.0	ND	20.7	90.1	67.7	78.0	48.2	52.8	20.3	66.1	37.5	97.3	0.8	84.2	71.1	
Q4	59.6	34.5	97.9	86.5	95.2	10.6	36.1	ND	24.6	93.2	88.1	84.5	54.6	56.0	46.4	84.0	38.7	98.2	0.1	90.5	78.7	
Q5	63.9	36.2	97.1	89.3	95.2	20.3	38.0	ND	40.7	96.3	71.8	61.5	46.5	50.4	18.5	68.3	22.6	97.8	0.5	76.1	73.7	
Equity indicators																						
ratio Q5/Q1	1.6	1.7	1.1	1.5	1.3	5.2	1.1	ND	2.3	1.1	1.2	0.8	0.7	0.9	0.8	1.4	0.6	1.3	0.1	1.1	1.2	
difference Q5 - Q1	24.4	14.9	11.4	30.7	19.6	16.4	2.6	ND	22.7	7.9	9.7	-11.7	-16.4	-3.1	-5.3	20.3	-16.4	25.2	-6.7	7.8	12.9	
Concentration index	8.3	8.3	2.2	7.5	4.5	26.7	0.6	20.9	11.3	1.5	4.2	-0.7	-5.4	0.9	7.3	6.0	-7.6	5.0	-64.0	3.2	3.7	
SII	26.9	16.0	13.6	35.0	23.6	16.8	1.7	9.0	17.7	8.1	17.4	-1.0	-16.5	3.1	14.4	24.9	-17.2	32.6	-11.1	13.9	16.6	
Maternal education																						
none	28.7	14.0	87.8	68.0	86.5	11.6	44.2	7.8	27.2	90.4	76.3	73.3	51.3	31.2	7.4	ND	38.3	NA	5.9	80.6	ND	
primary	43.2	21.8	89.8	66.6	82.0	7.6	35.3	12.0	21.3	86.9	66.8	73.5	57.1	55.3	23.1	58.5	36.8	NA	4.5	72.3	65.1	
secondary+	59.4	36.3	97.0	82.4	93.4	10.8	35.9	8.0	27.0	93.5	75.0	74.8	52.8	51.8	28.4	70.9	37.4	NA	1.0	83.6	73.8	
Child's sex																						
male	NA	NA	94.6	78.3	90.8	10.2	37.1	8.2	27.5	90.7	73.2	76.2	51.3	53.4	22.3	72.2	35.9	NA	2.1	81.3	NA	
female	NA	NA	94.7	76.9	89.1	9.7	35.4	12.2	23.4	92.4	72.5	72.3	56.4	50.3	30.2	62.4	38.8	NA	2.4	79.4	NA	
Area of residence																						
urban	56.1	32.7	96.1	80.8	93.6	10.7	36.8	16.6	27.3	92.5	75.1	73.9	52.3	51.1	27.1	70.6	37.5	96.8	1.0	83.3	72.8	
rural	39.7	21.1	85.7	58.2	70.3	5.9	33.1	6.1	16.1	86.8	61.7	76.5	61.8	56.1	21.4	52.2	36.2	67.3	8.8	64.6	60.8	
Country region																						
01 libreville-port-gentil	55.8	32.1	96.2	83.0	94.3	13.7	37.7	ND	28.1	91.5	76.2	72.4	44.7	49.4	29.6	75.9	35.1	97.8	0.4	81.6	73.3	
02 estuaire	56.8	34.5	95.2	75.2	89.3	9.9	30.6	ND	31.5	90.9	62.8	69.4	60.9	62.0	21.3	61.5	39.7	87.6	3.9	80.8	70.7	
03 haut-ogoué	58.2	35.7	97.3	86.7	95.4	4.9	30.6	ND	21.7	98.4	79.8	86.1	72.1	56.5	18.1	75.6	46.0	89.3	1.7	90.7	76.6	
04 moyen-ogoué	49.3	30.3	93.9	54.2	85.1	4.1	62.4	ND	29.2	92.1	61.8	70.8	48.5	49.7	25.1	80.3	37.4	78.4	3.4	70.1	69.3	
05 ngounié	47.1	25.4	91.4	62.2	85.1	5.0	17.8	2.4	8.8	95.4	80.3	80.5	63.6	58.5	36.8	62.7	37.5	89.0	3.0	80.3	70.3	
06 nyanga	47.3	27.8	91.4	69.3	87.2	4.0	28.0	35.3	69.0	94.6	68.9	78.9	70.7	63.6	26.0	54.1	42.5	79.6	4.2	76.4	68.5	
07 ogooué maritime	54.3	34.1	96.4	79.5	94.7	5.1	52.2	ND	14.4	91.7	82.4	87.4	67.1	37.7	17.1	ND	52.4	87.6	0.6	88.2	ND	
08 ogooué-ivindo	44.6	24.2	80.9	49.0	59.5	4.9	51.1	6.1	7.0	81.1	57.1	68.0	72.8	45.6	28.0	39.0	44.7	73.8	10.1	65.6	55.8	
09 ogooué-lolo	42.9	24.6	93.8	79.3	85.8	6.8	47.1	8.3	21.6	90.7	67.0	63.7	74.1	41.4	18.5	41.8	29.1	76.1	3.2	76.7	61.6	
10 woleu-ntem	46.3	22.9	88.2	63.4	76.1	3.6	34.2	6.2	14.6	79.5	58.0	75.3	45.5	47.8	19.3	57.5	30.6	92.8	8.5	68.7	61.9	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Gambia MICS 2005

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	NO	NO	97.8	NO	56.8	NO	47.7	NO	NO	98.7	86.3	92.0	80.1	37.9	39.8	68.9	53.8	85.1	2.4	62.1	NO	
Wealth quintiles																						
Q1	NO	NO	97.6	NO	28.3	NO	48.4	NO	NO	99.4	89.2	94.6	77.0	34.4	37.0	68.2	58.9	82.5	1.0	64.8	NO	
Q2	NO	NO	97.5	NO	45.9	NO	49.8	NO	NO	99.5	85.0	90.8	81.7	37.2	49.4	73.9	67.5	79.5	1.6	67.2	NO	
Q3	NO	NO	97.7	NO	59.0	NO	46.3	NO	NO	97.9	83.3	90.2	82.7	42.8	36.8	71.2	55.0	81.3	2.7	63.1	NO	
Q4	NO	NO	97.8	NO	72.7	NO	46.4	NO	NO	98.3	85.5	93.4	81.9	41.0	34.0	62.3	48.8	87.3	2.0	61.1	NO	
Q5	NO	NO	98.3	NO	88.6	NO	47.7	NO	NO	98.2	88.7	90.5	77.1	33.3	43.5	68.1	33.9	94.9	5.7	52.5	NO	
Equity indicators																						
ratio Q5/Q1	NO	NO	1.0	NO	3.1	NO	1.0	NO	NO	1.0	1.0	1.0	1.0	1.0	1.2	1.0	0.6	1.1	5.7	0.8	NO	
difference Q5 - Q1	NO	NO	0.7	NO	60.2	NO	-0.7	NO	NO	-1.2	-0.5	-4.1	0.1	-1.2	6.5	-0.1	-25.0	12.3	4.7	-12.3	NO	
Concentration index	NO	NO	0.2	NO	21.0	NO	-0.5	NO	NO	-0.3	-0.5	-0.7	0.3	2.1	0.0	-1.3	-9.3	3.1	30.3	-3.5	NO	
SII	NO	NO	0.8	NO	66.6	NO	-2.6	NO	NO	-2.0	-1.6	-3.1	1.5	4.3	-1.8	-5.3	-30.9	16.4	4.8	-14.0	NO	
Maternal education																						
none	NO	NO	97.7	NO	50.8	NO	50.5	NO	NO	98.3	85.7	91.8	80.0	39.5	37.7	67.7	54.4	NA	2.6	62.0	NO	
primary	NO	NO	97.7	NO	68.1	NO	43.3	NO	NO	99.5	85.0	90.8	79.6	40.3	43.2	67.9	56.8	NA	4.0	64.8	NO	
secondary+	NO	NO	97.5	NO	84.5	NO	45.4	NO	NO	99.2	87.4	94.1	80.6	32.8	44.0	70.8	49.1	NA	1.8	58.6	NO	
Child's sex																						
male	NO	NO	ND	NO	ND	NO	ND	NO	NO	98.6	84.4	90.8	80.1	38.5	40.9	67.3	53.6	NA	2.6	62.8	NO	
female	NO	NO	ND	NO	ND	NO	ND	NO	NO	98.7	88.2	93.2	80.0	37.3	38.5	70.8	54.0	NA	2.3	61.4	NO	
Area of residence																						
urban	NO	NO	97.5	NO	83.0	NO	47.1	NO	NO	97.3	85.9	89.9	77.2	31.9	39.6	63.5	42.2	91.2	5.1	56.1	NO	
rural	NO	NO	97.9	NO	43.4	NO	48.1	NO	NO	99.3	86.4	93.0	81.7	40.4	39.8	71.8	60.1	81.3	1.0	65.5	NO	
Country region																						
01 banjul	NO	NO	100.0	NO	94.7	NO	48.7	NO	NO	97.7	93.0	90.7	74.7	ND	ND	ND	48.1	80.8	2.3	59.4	NO	
02 kanifing	NO	NO	97.1	NO	87.0	NO	48.2	NO	NO	97.7	84.7	88.4	76.7	29.8	34.7	60.7	37.8	90.9	5.9	53.5	NO	
03 brikama	NO	NO	98.5	NO	65.3	NO	34.1	NO	NO	98.0	88.7	91.5	89.5	40.4	43.3	72.3	67.2	79.0	1.4	69.7	NO	
04 mansakonko	NO	NO	97.2	NO	46.5	NO	35.0	NO	NO	100.0	90.3	97.7	76.0	28.5	54.7	ND	72.4	82.6	1.6	63.7	NO	
05 kerewan	NO	NO	95.8	NO	44.6	NO	77.6	NO	NO	99.0	77.3	91.9	72.4	25.1	58.8	78.1	56.4	89.1	1.6	65.0	NO	
06 kuntaur	NO	NO	96.3	NO	28.4	NO	49.0	NO	NO	100.0	92.8	96.4	87.3	39.1	22.2	70.1	59.8	83.4	0.0	69.2	NO	
07 janjanburay	NO	NO	98.8	NO	34.8	NO	33.3	NO	NO	100.0	91.5	92.7	74.6	38.4	49.5	73.4	65.2	81.7	1.0	64.0	NO	
08 basse	NO	NO	98.9	NO	34.2	NO	58.5	NO	NO	98.8	81.9	93.1	81.3	53.3	30.3	70.0	39.3	87.6	1.9	57.7	NO	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Ghana MICS 2011

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	57.3	34.7	96.4	86.6	68.4	11.4	45.9	NO	15.3	98.1	92.9	93.7	72.2	43.9	35.0	41.3	38.6	64.2	2.5	46.3	69.2	
Wealth quintiles																						
Q1	42.4	23.4	92.4	74.3	38.6	4.4	42.5	NO	23.4	96.6	93.0	90.9	73.8	44.7	44.3	34.4	49.1	55.4	3.3	45.4	60.2	
Q2	50.0	33.0	94.2	79.2	57.3	6.9	50.4	NO	17.9	97.3	93.2	93.4	72.2	40.8	33.5	40.8	45.1	70.2	2.9	50.4	65.2	
Q3	56.2	38.8	98.1	91.7	70.6	9.8	47.9	NO	12.7	98.6	90.1	94.0	69.1	43.6	33.1	41.9	40.3	79.1	2.5	46.5	69.1	
Q4	62.3	36.0	98.2	93.0	85.9	11.6	45.4	NO	9.5	99.2	94.0	93.3	70.0	50.7	26.6	ND	30.7	71.2	2.1	42.9	ND	
Q5	72.1	40.4	100.0	98.5	97.6	26.3	43.0	NO	11.0	99.6	94.4	98.3	76.2	37.6	27.0	ND	23.3	45.3	1.4	46.0	ND	
Equity indicators																						
ratio Q5/Q1	1.7	1.7	1.1	1.3	2.5	6.1	1.0	NO	0.5	1.0	1.0	1.1	1.0	0.8	0.6	ND	0.5	0.8	0.4	1.0	ND	
difference Q5 - Q1	29.7	17.0	7.6	24.2	58.9	22.0	0.4	NO	-12.4	3.0	1.4	7.3	2.4	-7.1	-17.3	ND	-25.8	-10.0	-1.8	0.5	ND	
Concentration index	9.9	8.3	1.7	5.8	18.1	35.1	-0.7	NO	-18.4	0.6	0.1	1.1	0.1	1.8	-8.5	9.0	-13.5	-2.7	-15.3	-0.9	5.2	
SII	34.7	18.0	11.4	33.3	69.4	24.8	-1.4	NO	-17.4	4.4	1.2	7.2	0.3	0.8	-23.0	21.9	-31.8	-9.4	-2.2	-2.9	22.5	
Maternal education																						
none	46.1	26.1	92.9	77.9	44.0	3.8	44.9	NO	20.3	96.9	91.9	92.1	72.2	40.1	38.3	36.0	41.6	NA	3.6	43.2	61.4	
primary	54.9	34.3	96.5	84.7	66.2	8.7	45.8	NO	16.5	98.6	90.4	89.1	73.0	46.5	33.7	59.9	38.4	NA	2.3	46.7	70.4	
secondary+	61.4	38.7	97.7	91.0	79.4	12.4	46.7	NO	12.2	98.5	94.7	96.4	70.5	48.6	29.3	41.4	37.2	NA	1.7	47.5	72.8	
Child's sex																						
male	NA	NA	ND	ND	ND	ND	ND	NO	ND	98.6	92.7	93.3	70.7	44.5	34.8	48.8	38.9	NA	2.8	45.8	NA	
female	NA	NA	ND	ND	ND	ND	ND	NO	ND	97.6	93.0	94.1	73.7	43.3	35.1	33.9	38.3	NA	2.2	46.8	NA	
Area of residence																						
urban	61.1	36.9	98.0	94.1	88.2	17.3	44.9	NO	11.5	98.2	91.6	96.6	71.8	51.2	37.0	61.2	29.8	63.2	2.3	43.2	76.2	
rural	53.7	32.5	95.2	81.2	53.9	7.0	46.6	NO	18.1	98.0	93.8	91.6	72.5	39.8	33.8	33.9	45.3	65.3	2.6	48.7	64.8	
Country region																						
01 Western	59.3	36.0	95.0	78.5	64.5	7.2	61.9	NO	18.5	99.1	98.1	96.4	69.4	34.3	20.2	ND	32.0	56.9	2.2	43.8	ND	
02 Central	65.3	41.4	96.0	88.0	63.4	11.3	53.2	NO	13.8	96.0	85.3	90.6	67.0	47.5	38.4	32.1	27.3	67.1	2.1	42.9	68.5	
03 Greater Accra	69.5	43.5	98.5	91.9	89.7	23.2	28.6	NO	11.5	97.7	89.1	94.2	83.6	55.1	35.8	ND	21.9	38.2	2.3	46.1	ND	
04 Volta	35.5	19.9	97.2	82.6	64.4	14.7	41.7	NO	19.5	97.4	83.4	86.2	73.1	28.2	32.0	ND	67.6	58.0	4.2	46.3	ND	
05 Eastern	66.1	42.8	96.3	93.2	77.9	11.9	49.7	NO	14.6	100.0	94.5	92.7	67.5	37.1	27.5	ND	59.6	61.1	1.6	43.7	ND	
06 Asante	53.0	32.6	98.6	91.0	73.7	12.3	51.3	NO	15.8	98.1	97.6	95.6	57.0	57.1	42.5	ND	31.2	80.8	2.0	46.7	ND	
07 Brong Ahafo	59.7	40.2	97.0	83.9	63.7	6.1	36.3	NO	12.4	99.4	97.5	99.6	89.6	42.7	32.2	ND	40.9	75.2	2.8	50.6	ND	
08 Northern	40.0	20.1	90.4	75.1	37.3	3.4	39.0	NO	19.6	97.1	91.7	89.8	72.2	34.8	30.1	49.5	41.6	67.3	3.8	43.8	59.6	
09 Upper East	45.2	21.6	98.9	88.8	67.0	4.1	55.6	NO	13.0	99.3	97.7	97.8	90.0	47.6	59.3	ND	45.0	77.5	1.4	56.8	ND	
10 Upper West	49.5	27.2	92.9	90.3	60.4	4.4	61.1	NO	13.5	98.6	97.4	97.2	72.0	31.2	37.9	73.7	46.7	87.1	2.6	55.3	69.1	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Guatemala DHS 1998

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	62.9	38.2	64.8	71.0	40.6	10.8	46.9	NO	NO	90.4	70.4	80.6	NO	21.9	30.4	37.4	NO	77.5	8.8	34.6	55.7	
Wealth quintiles																						
Q1	21.5	8.4	36.8	51.0	8.8	1.6	55.5	NO	NO	86.8	65.1	77.3	NO	17.3	29.9	28.5	NO	69.8	17.2	14.0	35.2	
Q2	31.9	14.6	52.6	65.1	17.8	5.5	48.7	NO	NO	91.3	68.1	81.4	NO	14.2	28.5	38.9	NO	90.5	9.5	27.7	43.0	
Q3	54.8	30.6	65.5	76.2	38.8	7.4	46.5	NO	NO	86.7	71.1	77.9	NO	26.0	35.3	38.0	NO	94.3	9.3	38.6	54.3	
Q4	73.8	55.1	80.5	76.4	73.5	17.0	48.2	NO	NO	92.4	68.7	77.3	NO	38.2	30.6	40.5	NO	84.8	2.6	50.3	66.6	
Q5	90.7	72.9	97.0	92.5	91.9	32.4	32.0	NO	NO	98.0	84.3	94.1	NO	18.9	27.2	47.8	NO	48.5	0.3	54.4	77.1	
Equity indicators																						
ratio Q5/Q1	4.2	8.6	2.6	1.8	10.5	19.8	0.6	NO	NO	1.1	1.3	1.2	NO	1.1	0.9	1.7	NO	0.7	0.0	3.9	2.2	
difference Q5 - Q1	69.2	64.4	60.2	41.5	83.1	30.7	-23.5	NO	NO	11.2	19.2	16.8	NO	1.6	-2.7	19.4	NO	-21.2	-16.9	40.4	41.9	
Concentration index	22.9	37.9	19.0	11.1	42.3	50.1	-7.8	NO	NO	2.2	5.0	3.1	NO	11.5	-0.1	8.3	NO	-5.0	-40.2	25.5	15.6	
SII	77.0	76.9	68.7	45.9	88.3	35.2	-22.5	NO	NO	10.7	16.8	11.4	NO	17.5	0.6	18.2	NO	-24.1	-22.4	50.2	51.4	
Maternal education																						
none	40.5	19.4	46.5	59.9	21.8	6.4	51.0	NO	NO	84.8	62.3	72.6	NO	20.5	32.5	37.7	NO	NA	15.6	19.6	43.4	
primary	62.2	38.4	65.3	70.9	40.1	10.2	45.7	NO	NO	91.2	71.9	80.1	NO	22.1	28.3	37.1	NO	NA	6.7	37.5	55.9	
secondary+	85.6	68.0	95.8	91.0	84.7	22.9	42.9	NO	NO	98.2	80.9	97.1	NO	24.9	35.4	38.2	NO	NA	0.5	58.6	73.7	
Child's sex																						
male	NA	NA	64.3	70.4	41.6	11.5	46.3	NO	NO	93.1	73.3	81.8	NO	18.5	32.2	38.3	NO	NA	8.2	33.4	NA	
female	NA	NA	65.3	71.7	39.5	10.1	47.5	NO	NO	87.7	67.5	79.3	NO	25.9	28.4	36.5	NO	NA	9.4	35.8	NA	
Area of residence																						
urban	74.8	52.3	81.8	78.8	66.1	19.3	45.1	NO	NO	93.9	73.6	80.8	NO	26.3	39.8	46.5	NO	73.1	3.8	46.3	66.3	
rural	51.3	27.7	53.4	65.9	24.9	5.7	48.1	NO	NO	88.3	68.5	80.4	NO	19.5	25.1	32.7	NO	80.8	11.8	27.5	48.3	
Country region																						
01 metropolitan	76.4	57.2	81.3	78.1	69.3	19.5	38.2	NO	NO	94.3	71.7	83.0	NO	25.8	29.0	45.5	NO	64.1	2.8	41.3	66.7	
02 north	40.7	20.8	60.3	51.2	25.5	3.6	56.5	NO	NO	86.0	79.5	86.7	NO	13.6	23.5	33.9	NO	60.3	11.3	24.4	47.8	
03 north-oriental	57.7	31.5	51.6	62.1	36.7	12.7	52.7	NO	NO	91.6	71.4	78.2	NO	15.7	41.8	36.9	NO	82.2	12.3	40.4	51.3	
04 south-oriental	54.4	32.9	76.1	76.6	32.0	6.3	57.2	NO	NO	90.0	78.3	84.9	NO	26.3	49.9	42.6	NO	85.8	7.4	42.4	56.3	
05 central	64.0	39.1	65.7	78.6	37.3	12.2	51.9	NO	NO	91.7	72.1	81.9	NO	32.2	24.2	41.3	NO	83.4	6.3	41.6	58.2	
06 south-occidental	56.0	30.4	55.7	71.7	29.0	7.3	39.4	NO	NO	86.6	65.9	77.5	NO	18.5	27.4	32.5	NO	89.2	10.6	28.9	49.5	
07 north-occidental	36.7	13.9	43.0	63.7	11.3	1.5	62.0	NO	NO	91.4	66.3	75.8	NO	21.3	31.7	26.2	NO	92.2	17.1	21.8	40.8	
08 petén	43.2	23.5	44.6	49.1	21.1	3.4	53.1	NO	NO	78.1	54.2	72.9	NO	16.5	23.2	27.7	NO	65.6	18.8	18.9	40.2	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 7




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Guinea DHS 2005

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	30.0	9.1	82.1	48.8	38.0	1.7	39.8	NO	NO	79.4	51.4	50.2	68.4	37.6	33.1	42.0	1.3	31.4	20.8	46.5	47.1	
Wealth quintiles																						
Q1	22.0	5.3	67.7	36.6	14.5	0.4	37.9	NO	NO	68.6	38.6	42.0	57.3	31.9	18.2	29.5	0.4	4.4	36.8	24.4	35.3	
Q2	23.6	6.2	74.3	39.3	20.0	0.5	36.8	NO	NO	72.9	46.0	44.3	61.8	30.9	21.6	43.3	0.9	9.8	31.0	31.0	40.1	
Q3	25.0	7.6	84.1	47.1	34.2	1.1	38.1	NO	NO	82.8	56.2	55.7	68.7	41.3	32.6	42.3	0.6	15.3	18.2	44.4	47.3	
Q4	32.8	10.9	92.6	58.4	55.2	1.9	41.9	NO	NO	88.7	62.7	57.0	77.4	42.8	45.9	46.2	1.6	36.5	7.8	62.3	55.1	
Q5	42.9	17.1	98.5	69.8	87.4	6.5	46.5	NO	NO	91.4	61.0	57.2	83.3	45.1	59.3	59.4	4.1	90.7	1.0	85.7	63.8	
Equity indicators																						
ratio Q5/Q1	1.9	3.2	1.5	1.9	6.0	17.0	1.2	NO	NO	1.3	1.6	1.4	1.5	1.4	3.3	2.0	9.4	20.8	0.0	3.5	1.8	
difference Q5 - Q1	20.9	11.7	30.7	33.2	72.9	6.1	8.6	NO	NO	22.8	22.5	15.2	26.0	13.2	41.1	29.9	3.6	86.4	-35.8	61.4	28.5	
Concentration index	15.6	25.5	7.9	13.8	35.6	57.3	4.1	NO	NO	6.5	10.4	7.6	7.9	9.8	25.3	13.0	43.2	52.9	-36.9	25.6	11.9	
SII	26.7	13.9	40.6	39.9	74.9	7.3	9.9	NO	NO	31.3	31.9	22.4	32.5	18.9	49.2	31.3	3.9	87.4	-47.4	67.2	35.3	
Maternal education																						
none	26.9	7.5	79.8	45.8	32.8	1.1	39.5	NO	NO	77.2	49.4	47.7	65.8	37.2	31.3	39.0	1.1	NA	23.3	42.1	44.4	
primary	34.5	13.3	95.3	66.5	66.8	3.4	40.6	NO	NO	91.9	59.2	64.7	84.1	39.3	42.0	47.4	2.9	NA	4.5	72.0	57.0	
secondary+	46.4	25.1	97.5	65.9	84.1	11.2	42.8	NO	NO	95.3	71.0	67.6	87.6	42.4	54.5	ND	3.0	NA	2.6	83.5	ND	
Child's sex																						
male	NA	NA	82.6	50.1	39.3	1.7	39.7	NO	NO	80.0	52.5	51.6	68.5	36.4	33.0	42.3	1.3	NA	20.6	46.1	NA	
female	NA	NA	81.7	47.4	36.6	1.8	39.9	NO	NO	78.9	50.4	48.8	68.3	39.2	33.3	41.7	1.4	NA	20.9	47.1	NA	
Area of residence																						
urban	40.2	14.9	96.0	65.7	80.7	4.6	46.0	NO	NO	89.9	58.6	54.8	82.0	39.9	52.0	58.3	3.1	77.8	4.4	79.5	60.9	
rural	25.2	7.0	77.7	43.4	25.6	0.9	37.8	NO	NO	76.5	49.4	48.9	64.2	37.0	27.7	37.6	0.8	12.0	25.8	36.5	42.6	
Country region																						
01 boké	23.3	5.3	81.4	47.8	26.2	2.0	37.6	NO	NO	80.5	41.8	52.8	58.6	35.2	18.4	44.1	1.0	24.0	24.2	35.8	42.8	
02 conakry	44.0	18.1	98.2	70.5	89.8	8.1	50.5	NO	NO	89.0	49.6	49.5	79.6	45.2	59.7	55.3	4.5	95.0	1.2	83.9	61.9	
03 faranah	47.9	18.6	82.4	51.9	32.6	0.8	55.2	NO	NO	81.7	51.3	53.3	78.9	32.5	33.4	48.5	1.5	24.1	18.5	48.7	51.6	
04 kankan	40.4	13.8	81.7	35.3	39.2	1.0	48.5	NO	NO	76.7	54.4	47.6	65.7	45.4	31.0	25.4	1.2	18.4	25.9	40.3	49.0	
05 kindia	22.5	6.0	79.3	44.5	29.7	0.9	35.5	NO	NO	78.0	57.4	49.3	78.1	32.5	36.7	37.1	1.3	24.4	20.5	50.4	42.8	
06 labé	6.2	1.3	75.3	52.8	20.2	1.9	38.7	NO	NO	71.0	46.4	31.8	54.9	42.6	22.2	32.7	0.2	13.0	28.5	29.8	35.0	
07 mamou	11.3	2.6	61.6	38.2	18.7	1.1	14.8	NO	NO	72.0	56.3	50.9	39.1	28.0	11.7	ND	0.0	22.0	35.8	30.1	ND	
08 n'zérékoré	22.8	7.3	85.9	50.1	41.1	0.4	35.6	NO	NO	81.9	52.3	57.3	73.8	36.1	32.8	48.1	1.0	20.2	18.4	47.1	47.4	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9





Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.





Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Guinea-Bissau MICS 2006

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	29.3	10.3	77.9	NO	38.8	NO	22.6	NO	NO	88.7	64.5	75.1	58.7	34.8	23.4	56.5	39.5	59.9	17.1	27.7	51.6	
Wealth quintiles																						
Q1	21.3	6.3	76.3	NO	19.4	NO	15.7	NO	NO	83.7	56.9	70.2	54.8	36.5	18.4	31.9	39.9	30.5	24.8	18.3	42.6	
Q2	17.3	5.4	76.3	NO	25.9	NO	25.0	NO	NO	87.1	61.9	71.2	53.1	35.7	18.9	49.2	38.8	46.9	21.8	24.6	45.4	
Q3	19.9	7.0	69.7	NO	30.9	NO	23.5	NO	NO	88.5	64.1	71.4	56.9	30.6	21.4	45.7	44.0	59.1	15.5	26.9	45.1	
Q4	35.5	13.7	81.7	NO	53.9	NO	22.4	NO	NO	89.2	66.7	78.1	62.0	33.1	20.7	71.9	41.2	71.5	11.9	34.7	57.7	
Q5	53.3	22.5	89.3	NO	78.5	NO	27.8	NO	NO	98.3	77.9	89.8	72.0	38.4	43.2	81.6	30.5	91.4	7.7	38.4	70.8	
Equity indicators																						
ratio Q5/Q1	2.5	3.6	1.2	NO	4.0	NO	1.8	NO	NO	1.2	1.4	1.3	1.3	1.1	2.3	2.6	0.8	3.0	0.3	2.1	1.7	
difference Q5 - Q1	32.0	16.2	13.0	NO	59.1	NO	12.1	NO	NO	14.6	21.1	19.6	17.2	1.8	24.8	49.7	-9.3	60.8	-17.1	20.1	28.2	
Concentration index	22.9	30.4	2.7	NO	28.8	NO	7.8	NO	NO	2.5	5.0	4.4	5.5	-0.5	14.7	17.6	-1.8	20.7	-21.3	14.6	10.5	
SII	40.0	18.9	12.8	NO	62.4	NO	10.3	NO	NO	14.1	21.2	19.9	18.7	-0.9	21.9	59.6	-5.1	67.5	-21.5	23.9	33.8	
Maternal education																						
none	19.7	6.2	74.9	NO	28.0	NO	22.1	NO	NO	87.0	61.0	72.0	56.7	34.5	20.1	49.9	38.2	NA	19.6	24.2	45.9	
primary	39.9	17.2	82.2	NO	55.7	NO	22.7	NO	NO	91.0	69.9	79.7	63.7	30.5	27.8	64.3	42.7	NA	11.9	36.1	58.5	
secondary+	63.2	30.6	92.4	NO	80.1	NO	25.0	NO	NO	95.5	77.4	86.7	68.6	40.7	37.8	73.7	40.5	NA	7.6	39.1	72.7	
Child's sex																						
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	89.7	64.7	76.1	57.9	38.1	19.5	52.3	39.2	NA	17.3	27.9	NA	
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	87.7	64.3	73.9	59.4	31.1	27.8	60.9	39.7	NA	16.9	27.4	NA	
Area of residence																						
urban	45.6	19.0	87.0	NO	68.7	NO	24.1	NO	NO	94.3	71.4	82.7	66.6	34.5	31.6	72.8	32.7	82.3	10.7	34.3	64.3	
rural	20.9	6.8	74.3	NO	26.8	NO	22.0	NO	NO	86.4	61.7	71.9	55.4	34.9	19.9	45.4	42.2	47.6	19.8	24.9	45.5	
Country region																						
01 sab capital	48.5	20.8	84.2	NO	70.4	NO	26.8	NO	NO	95.5	70.9	85.3	71.7	30.2	32.6	74.4	27.5	92.1	8.9	35.4	64.7	
02 est (bafata e gabu)	8.7	3.1	64.0	NO	24.0	NO	27.8	NO	NO	92.0	79.6	85.6	67.2	35.5	22.2	ND	28.2	62.8	13.8	28.5	ND	
03 nord (biombo, cacheu e oio)	31.5	9.8	82.0	NO	33.8	NO	20.7	NO	NO	88.3	59.8	70.8	54.5	34.3	22.2	45.2	53.1	40.3	18.0	27.2	49.7	
04 sud (bolama, quinara e tombali)	31.6	11.3	80.8	NO	35.5	NO	11.0	NO	NO	71.9	40.6	51.9	37.1	44.7	13.5	52.8	31.0	54.2	33.4	15.6	47.4	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9



Source: Guinea-Bissau MICS 2006

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Guinea-Bissau MICS 2006


The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Guinea-Bissau MICS 2006
The maximum number of interventions for this survey is 9.



Source: Guinea-Bissau MICS 2006

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Haiti DHS 2012

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	49.4	34.5	90.3	67.3	37.3	5.5	47.0	6.6	19.2	82.7	62.8	65.1	44.4	56.7	52.9	39.0	12.2	41.9	10.0	45.1	57.6	
Wealth quintiles																						
Q1	47.0	31.7	83.2	50.9	9.6	1.3	48.9	5.1	9.2	74.2	54.7	65.0	43.4	60.0	51.6	24.7	4.4	25.3	16.3	29.2	49.7	
Q2	43.7	31.4	87.9	56.2	20.5	2.1	47.3	5.6	12.5	80.7	63.3	64.2	45.4	45.3	46.1	32.6	6.1	45.0	12.3	39.4	51.4	
Q3	51.7	37.4	89.9	68.7	38.4	4.0	47.7	8.8	19.3	83.5	67.0	69.2	40.2	61.1	53.5	38.3	12.9	61.7	9.5	48.2	59.9	
Q4	51.6	38.0	94.0	75.5	54.5	7.5	45.3	6.4	20.2	88.0	62.9	62.9	46.0	61.5	56.1	52.1	16.7	51.8	6.2	56.7	62.9	
Q5	51.6	33.0	97.9	88.1	78.1	16.3	45.5	16.9	43.9	90.9	67.9	62.8	48.2	57.0	62.2	51.2	25.3	25.9	3.1	56.2	67.0	
Equity indicators																						
ratio Q5/Q1	1.1	1.0	1.2	1.7	8.1	12.3	0.9	3.3	4.8	1.2	1.2	1.0	1.1	0.9	1.2	2.1	5.7	1.0	0.2	1.9	1.3	
difference Q5 - Q1	4.6	1.3	14.8	37.2	68.5	15.0	-3.4	11.8	34.6	16.7	13.2	-2.2	4.8	-3.0	10.6	26.5	20.9	0.6	-13.3	26.9	17.3	
Concentration index	2.8	1.9	3.3	11.2	36.3	47.9	-1.7	12.4	28.6	4.1	3.6	-0.7	1.7	2.4	4.1	14.5	33.0	1.4	-27.2	13.9	6.3	
SII	8.3	3.8	17.9	43.9	73.5	17.6	-4.3	5.6	33.3	19.8	12.6	-2.0	4.1	7.4	13.5	35.4	25.3	4.0	-16.4	35.7	22.9	
Maternal education																						
none	46.3	29.7	80.6	49.8	14.4	1.4	45.8	4.4	9.0	68.8	47.0	51.0	38.7	52.7	44.6	24.1	4.3	NA	19.3	29.3	46.6	
primary	47.2	34.5	89.1	61.9	28.7	3.5	47.8	6.6	15.8	83.8	61.7	67.1	40.6	55.1	53.0	34.1	9.1	NA	10.4	41.6	54.8	
secondary+	53.3	37.2	96.5	81.6	61.1	10.3	46.8	9.1	28.0	88.7	72.3	70.3	52.4	60.8	57.1	51.6	20.4	NA	3.6	59.2	66.3	
Child's sex																						
male	NA	NA	90.4	67.1	37.7	5.7	46.4	7.8	19.6	82.6	65.3	66.9	44.4	57.2	51.2	40.5	11.4	NA	9.5	45.3	NA	
female	NA	NA	90.3	67.4	37.0	5.3	47.6	5.4	18.7	82.9	60.2	63.4	44.4	56.2	54.7	37.4	13.0	NA	10.5	45.0	NA	
Area of residence																						
urban	51.0	35.5	92.9	75.9	59.4	10.2	43.3	9.3	29.1	87.6	65.1	65.2	45.6	60.9	56.3	44.8	19.6	41.8	6.5	53.1	62.9	
rural	48.2	33.7	88.7	61.8	24.6	2.8	49.2	5.8	13.7	79.9	61.4	65.1	43.7	54.1	50.9	35.7	8.0	42.0	11.9	40.6	54.4	
Country region																						
01 aire metropolitaine/ reste-ouest	47.0	32.0	89.9	68.0	46.7	7.8	40.1	7.2	24.4	81.3	59.0	55.2	34.3	59.2	54.1	44.9	15.1	41.9	12.2	40.6	58.0	
02 sud-est	42.0	30.7	89.9	61.3	25.1	2.4	44.2	3.4	11.6	74.5	51.3	51.3	35.7	57.7	51.2	30.9	12.7	48.1	12.7	37.6	50.5	
03 nord	57.1	42.4	90.0	67.5	39.1	6.1	58.1	7.9	18.2	93.0	72.8	81.4	59.1	58.9	46.9	36.5	9.2	40.2	6.3	56.2	62.7	
04 nord-est	47.4	34.0	95.5	79.3	37.6	5.7	47.5	9.9	16.3	90.5	69.9	84.9	64.1	57.5	55.5	28.3	12.7	52.7	1.6	63.9	59.5	
05 artibonite	49.5	31.7	90.5	63.0	30.9	4.5	49.7	3.6	11.9	73.5	59.6	65.9	47.7	45.8	45.7	34.1	6.1	30.2	9.3	42.1	53.6	
06 centre	57.2	42.5	94.0	67.9	26.1	2.6	55.5	6.3	15.7	81.8	68.0	77.3	56.2	62.5	57.4	39.7	9.1	42.9	6.6	48.6	60.6	
07 sud	51.0	38.7	87.6	68.6	35.4	4.1	45.1	10.1	21.3	86.1	72.1	64.5	41.6	50.8	55.4	35.6	13.3	51.0	11.0	48.3	57.3	
08 grand'anse	49.6	34.5	86.0	59.9	17.6	3.4	53.4	5.3	14.4	82.8	59.9	63.5	45.2	53.0	50.9	34.9	11.9	31.7	16.9	30.8	53.5	
09 nord-ouest	44.4	30.8	93.9	67.1	26.2	2.5	62.7	4.7	9.7	89.1	48.1	72.4	61.0	55.1	54.7	40.9	7.9	45.6	9.8	50.7	54.4	
10 nippes	56.0	40.5	89.8	66.5	27.9	3.0	38.0	8.4	23.4	93.4	86.1	79.8	39.3	51.8	54.4	36.2	16.9	62.6	3.3	57.4	61.8	
11 camps	45.9	34.4	89.2	73.1	49.7	6.5	44.4	11.8	28.3	83.2	62.6	66.1	35.8	70.0	63.5	34.2	20.8	41.4	10.8	43.1	59.4	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9



Source: Haiti (DHS 2000 & DHS 2012)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Haiti (DHS 2000 & DHS 2012)


The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Haiti DHS 2012
The maximum number of interventions for this survey is 9.



Source: Haiti DHS 2012

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

India		DHS 2005																			
Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.																					
	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	81.6	56.3	73.2	37.0	46.6	8.5	24.5	2.1	NO	78.1	55.4	58.8	15.7	32.7	26.0	70.3	NO	87.6	18.1	47.2	64.0
Wealth quintiles																					
Q1	70.1	42.2	52.0	12.1	19.4	1.5	17.9	1.9	NO	64.0	33.9	39.9	13.0	28.9	19.0	62.3	NO	78.1	36.5	22.4	48.9
Q2	77.7	51.1	64.5	21.1	31.8	3.5	20.6	1.8	NO	71.4	47.2	48.2	13.8	29.4	19.4	70.0	NO	84.8	23.5	32.8	57.6
Q3	81.6	56.8	76.4	36.6	49.0	7.0	26.4	2.3	NO	80.1	58.6	61.6	16.9	30.5	25.5	70.8	NO	88.0	13.4	49.2	65.3
Q4	85.5	62.5	87.7	53.0	67.2	12.4	29.0	2.9	NO	88.8	68.8	72.0	17.3	34.9	31.1	76.5	NO	91.5	5.4	65.1	73.7
Q5	89.4	67.5	96.2	77.3	88.8	25.7	32.1	4.8	NO	95.6	82.0	85.2	19.2	44.7	43.0	80.3	NO	95.7	1.3	85.5	82.8
Equity indicators																					
ratio Q5/Q1	1.3	1.6	1.8	6.4	4.6	16.9	1.8	2.6	NO	1.5	2.4	2.1	1.5	1.5	2.3	1.3	NO	1.2	0.0	3.8	1.7
difference Q5 - Q1	19.3	25.3	44.2	65.2	69.4	24.2	14.2	2.9	NO	31.6	48.1	45.2	6.3	15.8	24.0	18.0	NO	17.6	-35.2	63.1	33.9
Concentration index	4.6	9.1	12.7	35.2	29.6	50.0	12.4	10.2	NO	8.4	17.3	15.9	8.4	7.9	16.3	5.2	NO	4.0	-41.5	26.7	10.2
SII	22.4	30.3	54.9	71.6	74.6	28.6	18.4	1.5	NO	40.4	55.6	53.6	7.9	15.6	26.3	19.9	NO	21.4	-46.8	69.5	41.0
Maternal education																					
none	79.3	52.1	56.8	16.0	26.1	2.5	16.7	2.0	NO	64.7	37.0	41.0	11.4	28.7	18.4	67.2	NO	NA	30.7	25.3	53.6
primary	83.6	60.1	78.4	35.5	46.5	6.5	26.1	2.1	NO	82.2	57.7	60.6	16.4	30.8	24.2	73.0	NO	NA	12.3	50.6	65.9
secondary+	83.4	60.2	91.5	63.2	75.1	17.6	33.4	2.5	NO	93.3	77.5	80.2	21.0	38.3	36.2	73.8	NO	NA	3.0	76.0	76.3
Child's sex																					
male	NA	NA	73.5	37.5	47.9	8.8	24.7	2.1	NO	80.2	57.5	61.4	15.7	33.9	26.2	72.9	NO	NA	17.5	48.3	NA
female	NA	NA	72.9	36.4	45.1	8.1	24.3	2.2	NO	75.8	53.1	55.8	15.6	31.2	25.9	67.3	NO	NA	18.8	46.0	NA
Area of residence																					
urban	86.9	64.0	89.0	62.4	73.5	16.8	30.3	2.9	NO	86.9	69.3	71.8	16.9	37.8	32.6	78.1	NO	95.2	7.5	68.9	75.3
rural	79.0	53.0	67.4	27.7	37.5	5.6	22.4	2.0	NO	75.1	50.5	54.2	15.2	30.9	23.8	68.1	NO	84.2	21.9	39.5	60.0
Country region																					
01 [jm] jammu and kashmir	78.5	52.6	83.3	60.4	56.5	13.5	31.6	2.1	NO	90.9	84.5	78.3	11.5	34.4	40.6	72.7	NO	79.9	7.7	62.5	72.1
02 [hp] himachal pradesh	90.9	72.6	84.3	43.9	47.8	12.6	45.4	3.0	NO	97.2	85.1	86.3	26.7	62.2	56.3	ND	NO	87.3	2.7	66.1	ND
03 [pj] punjab	89.6	63.3	81.9	60.2	68.2	16.5	12.7	15.2	NO	88.0	70.5	78.0	14.0	30.0	34.1	87.1	NO	99.5	7.0	66.0	75.1
04 [uc] uttaranchal	84.6	59.3	59.3	34.9	38.5	8.1	33.5	4.9	NO	83.5	67.1	71.6	12.2	35.7	33.1	75.9	NO	87.6	19.9	45.3	65.9
05 [hr] haryana	88.4	63.4	72.1	41.8	48.9	5.3	22.1	8.1	NO	84.9	74.2	75.5	9.8	21.4	24.3	88.0	NO	95.4	10.7	58.9	70.9
06 [dl] delhi	89.5	66.9	87.2	64.3	64.1	13.7	21.0	3.2	NO	87.0	71.7	78.2	11.6	33.1	29.9	89.3	NO	91.8	8.1	69.0	76.1
07 [rj] rajasthan	76.4	47.2	73.1	23.4	41.0	3.8	14.1	2.3	NO	68.5	38.7	42.7	8.2	19.6	16.5	66.4	NO	80.9	28.5	30.9	56.2
08 [up] uttar pradesh	67.7	43.6	65.3	11.1	27.2	4.4	7.3	0.5	NO	61.0	30.0	37.7	5.4	18.8	12.5	75.8	NO	93.7	30.6	27.3	50.6
09 [bh] bihar	60.1	34.1	33.0	11.2	29.3	3.1	3.7	1.0	NO	64.7	46.1	40.4	23.7	36.2	20.9	72.0	NO	96.3	31.3	25.2	49.1
10 [sk] sikkim	77.4	57.6	88.4	56.2	53.7	12.3	42.9	0.0	NO	95.9	84.3	83.1	17.0	59.7	33.2	45.8	NO	77.3	3.0	61.5	72.3
11 [ar] arunachal pradesh	69.9	43.2	53.5	22.4	30.2	2.9	58.6	1.5	NO	57.7	40.6	38.3	15.5	41.8	31.7	43.6	NO	83.3	45.8	21.1	50.3
12 [na] nagaland	53.4	29.7	54.7	12.1	24.7	2.0	54.2	1.0	NO	46.3	29.0	27.3	6.2	42.6	16.5	28.7	NO	60.2	48.8	17.5	40.4
13 [mn] manipur	79.9	48.7	85.7	54.1	59.0	9.0	57.8	0.8	NO	80.0	61.9	52.8	8.2	37.1	36.2	46.5	NO	51.5	17.7	44.9	65.0
14 [mz] mizoram	77.6	59.9	65.9	45.6	65.4	6.2	66.4	1.0	NO	86.4	66.8	69.5	38.4	63.8	48.3	64.4	NO	84.5	10.5	53.3	70.5
15 [tr] tripura	86.6	65.7	76.0	50.6	48.8	12.9	34.6	1.4	NO	81.1	60.2	59.9	26.1	44.7	58.1	81.2	NO	73.5	18.2	49.5	69.4
16 [mg] meghalaya	40.9	24.3	63.6	42.8	31.1	4.1	57.8	1.1	NO	65.9	47.3	43.8	14.2	58.0	65.1	ND	NO	62.1	32.4	29.4	ND
17 [as] assam	84.4	56.5	66.1	23.5	31.0	5.2	50.9	0.6	NO	62.4	45.3	37.4	11.3	20.3	14.5	35.4	NO	72.1	34.2	27.9	51.9
18 [wb] west bengal	90.0	71.2	86.0	39.0	47.6	10.2	23.5	3.4	NO	90.1	71.5	74.7	28.0	52.4	42.3	69.9	NO	93.5	7.0	66.0	74.0
19 [jh] jharkhand	60.8	35.7	52.7	18.2	27.8	3.9	10.7	0.9	NO	72.7	40.7	47.6	16.8	27.3	17.3	69.8	NO	56.3	34.2	25.6	50.4
20 [or] orissa	77.3	50.7	74.0	36.9	44.0	5.1	54.8	2.5	NO	83.6	67.9	66.5	19.5	49.5	39.8	76.5	NO	78.3	13.4	49.4	68.0
21 [ch] chhattisgarh	84.1	53.2	75.5	28.3	41.6	4.1	25.0	2.2	NO	84.6	62.8	62.5	8.5	38.0	40.0	66.8	NO	78.2	11.4	44.6	66.0
22 [mp] madhya pradesh	83.2	55.9	73.7	22.3	32.7	3.5	15.9	3.2	NO	80.5	49.8	61.4	11.8	39.3	29.8	52.8	NO	74.2	19.7	38.1	61.4
23 [gj] gujarat	89.3	66.6	83.8	50.5	63.0	8.9	27.8	4.1	NO	86.4	62.1	65.7	12.8	33.1	26.3	63.0	NO	89.0	10.2	59.7	70.1
24 [mh] maharashtra	87.7	66.9	88.1	59.8	68.7	11.6	52.0	2.2	NO	95.3	76.4	84.7	22.3	35.2	38.5	71.8	NO	92.2	3.6	73.7	76.0
25 [ap] andhra pradesh	93.5	67.6	93.9	73.1	74.9	22.2	24.6	4.3	NO	92.9	61.4	69.4	16.6	30.1	36.9	58.5	NO	94.4	2.5	64.3	73.8
26 [ka] karnataka	86.9	63.6	88.7	68.0	69.7	15.5	35.7	4.1	NO	87.8	74.3	72.0	13.2	33.5	31.9	68.9	NO	85.5	6.4	61.7	73.9
27 [go] goa	78.7	48.2	97.6	92.4	94.0	25.7	59.4	0.0	NO	96.8	87.5	91.2	26.0	51.0	50.6	83.0	NO	79.4	1.4	87.3	83.1
28 [ke] kerala	88.6	68.6	98.5	93.0	99.4	30.1	56.5	ND	NO	96.3	84.0	82.1	28.0	69.1	32.3	88.8	NO	69.2	0.1	85.9	88.3
29 [tn] tamil nadu	87.8	61.4	97.9	87.4	90.6	20.3	58.8	6.1	NO	99.5	96.4	92.5	32.9	46.5	32.2	77.2	NO	93.5	0.3	94.5	85.3

Note: The maximum number of interventions for the co-coverage indicator for this survey is 8.




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Indonesia		DHS										2012									
Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.																					
	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	84.5	61.9	95.7	87.8	83.1	12.3	52.2	36.4	48.0	89.3	72.2	80.1	61.1	61.0	38.8	75.3	NO	47.3	6.9	64.6	80.4
Wealth quintiles																					
Q1	80.6	56.2	86.9	70.4	57.5	3.7	52.8	28.4	35.3	75.2	52.5	64.7	53.0	59.6	39.3	60.7	NO	36.4	19.1	43.4	68.9
Q2	86.3	64.3	95.8	86.6	81.8	9.0	51.9	40.9	47.9	88.5	69.1	79.5	58.3	62.1	38.7	83.7	NO	51.3	7.0	60.6	81.4
Q3	86.1	63.9	97.7	91.3	89.7	11.4	52.4	39.8	48.5	92.5	75.0	85.5	63.6	63.6	39.9	80.3	NO	55.1	4.2	71.1	83.6
Q4	85.3	63.0	99.0	94.6	93.2	15.5	51.3	44.8	51.6	95.0	81.0	82.5	66.4	62.3	40.2	86.8	NO	51.3	1.6	74.4	85.5
Q5	83.3	61.3	99.4	96.6	96.6	23.1	52.5	54.6	57.8	96.3	85.1	89.5	65.1	56.6	34.3	71.0	NO	42.1	1.2	75.4	83.7
Equity indicators																					
ratio Q5/Q1	1.0	1.1	1.1	1.4	1.7	6.2	1.0	1.9	1.6	1.3	1.6	1.4	1.2	0.9	1.2	1.2	NO	1.2	0.1	1.7	1.2
difference Q5 - Q1	2.7	5.2	12.4	26.2	39.1	19.4	-0.3	26.1	22.4	21.1	32.6	24.8	12.1	-3.1	-5.0	10.3	NO	5.7	-17.9	32.0	14.7
Concentration index	0.3	1.0	2.6	6.0	9.6	31.1	-0.3	13.0	8.7	4.8	9.0	5.6	4.5	-0.3	0.1	4.7	NO	2.1	-54.8	10.4	3.3
SII	1.5	3.8	17.7	32.3	48.5	23.3	-0.7	25.5	23.9	25.7	38.0	26.3	16.5	-0.8	-2.8	20.9	NO	5.6	-25.2	39.1	16.8
Maternal education																					
none	76.5	43.4	64.0	47.3	31.8	2.7	67.3	15.7	21.0	52.0	28.1	33.4	28.2	45.6	28.2	75.3	NO	NA	50.0	14.6	55.3
primary	83.4	61.8	92.6	80.8	69.6	6.6	55.0	34.8	42.6	83.8	62.0	74.0	58.7	61.3	39.4	72.0	NO	NA	11.6	55.0	75.8
secondary+	85.6	63.1	98.1	92.3	91.4	15.4	50.4	39.7	51.1	92.5	77.6	83.9	63.3	61.3	38.7	77.2	NO	NA	3.2	70.8	83.3
Child's sex																					
male	NA	NA	95.6	87.9	83.6	12.6	50.9	35.7	47.0	90.4	73.2	81.2	60.5	63.9	42.3	75.9	NO	NA	7.0	65.2	NA
female	NA	NA	95.8	87.6	82.7	12.0	53.5	37.2	49.1	88.2	71.2	79.0	61.8	57.5	34.4	74.6	NO	NA	6.7	63.9	NA
Area of residence																					
urban	84.0	62.1	98.2	92.7	91.8	16.8	52.3	43.1	54.4	93.7	77.3	82.3	63.7	63.2	40.8	74.6	NO	48.8	3.1	70.0	82.9
rural	84.9	61.6	93.3	82.9	74.6	7.9	52.1	34.3	41.8	85.1	67.4	78.1	58.6	59.2	37.1	75.9	NO	45.8	10.7	59.1	78.1
Country region																					
01 Aceh	77.0	46.8	95.3	77.8	89.8	12.0	51.2	39.8	48.9	77.6	57.6	59.8	48.7	58.6	25.1	88.2	NO	38.6	8.1	50.3	76.8
02 North Sumatra	80.9	55.9	93.2	80.6	88.4	14.5	17.8	29.9	34.8	80.4	61.7	64.2	42.1	58.7	25.0	74.4	NO	41.1	13.7	40.5	76.4
03 West Sumatra	80.6	56.9	95.9	88.5	90.5	20.3	42.5	42.0	45.8	89.0	62.9	69.5	55.6	70.6	34.2	74.9	NO	41.8	6.3	60.7	79.6
04 Riau	83.9	61.1	95.8	83.1	86.4	14.6	28.3	47.9	49.2	82.4	67.9	70.8	49.7	64.9	37.6	79.3	NO	25.1	12.2	49.9	80.2
05 Jambi	89.4	66.9	92.6	81.3	75.7	9.7	39.6	51.8	50.5	79.1	69.3	76.7	50.3	56.6	41.3	ND	NO	34.8	11.9	60.9	ND
06 South Sumatra	89.3	67.6	97.2	81.4	85.1	12.5	40.1	37.4	40.3	90.1	70.1	80.1	49.0	58.6	40.4	ND	NO	57.0	7.4	63.4	ND
07 Bengkulu	87.5	64.2	96.5	90.3	87.2	8.9	41.7	83.5	81.7	88.9	71.9	82.1	58.9	70.8	53.6	94.6	NO	44.4	3.9	71.8	85.3
08 Lampung	89.9	70.3	97.3	93.3	84.6	12.0	48.4	40.8	38.4	95.3	74.1	89.3	60.6	50.0	32.2	ND	NO	55.1	2.8	73.4	ND
09 Bangka Belitung	87.6	69.6	96.2	88.8	89.3	12.3	58.2	44.6	45.8	84.7	72.8	74.9	48.9	70.7	44.0	ND	NO	39.3	7.5	55.2	ND
10 Riau Islands	78.6	53.1	96.8	88.9	94.7	18.6	52.3	34.1	40.9	85.2	74.2	75.7	56.2	67.1	ND	ND	NO	23.5	7.2	56.8	ND
11 Jakarta	81.3	57.3	98.6	96.5	98.7	26.5	62.1	ND	41.1	93.3	77.5	86.5	61.0	61.8	35.7	83.7	NO	32.0	1.2	64.7	84.1
12 West Java	85.0	62.2	96.2	89.7	80.3	10.7	59.7	34.9	50.2	94.1	73.8	81.1	65.7	59.2	35.9	75.7	NO	51.8	4.8	69.2	80.8
13 Central Java	86.3	65.2	98.6	96.1	93.6	13.7	55.3	64.4	58.3	91.8	82.7	92.6	70.3	52.6	27.3	77.9	NO	57.6	1.3	80.2	84.2
14 Yogyakarta	85.8	69.9	98.9	97.2	98.0	15.5	57.2	ND	90.6	100.0	96.4	97.1	70.3	70.3	37.1	ND	NO	73.2	0.0	93.8	ND
15 East Java	86.6	65.3	98.7	93.0	89.8	12.6	57.0	30.1	52.3	96.8	84.3	87.8	68.2	68.0	53.2	76.2	NO	56.0	4.0	70.7	85.6
16 Banten	86.3	64.0	96.4	89.0	77.3	12.9	50.9	30.9	40.9	82.0	49.1	61.4	62.4	66.1	43.5	87.0	NO	39.2	7.9	54.6	77.6
17 Bali	87.7	66.2	99.3	96.3	98.7	22.4	56.2	ND	58.0	98.7	89.2	93.1	66.9	69.1	50.2	ND	NO	30.0	1.0	79.8	ND
18 West Nusa Tenggara	77.6	56.0	98.4	94.4	81.7	9.7	74.1	57.9	67.7	92.2	70.7	89.9	74.7	74.9	49.6	71.4	NO	59.6	2.0	78.4	80.4
19 East Nusa Tenggara	73.2	47.9	92.1	83.7	56.8	5.2	72.9	17.5	37.0	87.6	76.4	82.7	59.7	64.0	43.4	67.4	NO	33.6	7.8	64.6	73.7
20 West Kalimantan	87.0	65.1	97.4	75.4	72.2	7.1	47.0	22.3	23.4	79.5	62.8	71.6	55.3	51.1	31.7	70.7	NO	9.7	16.6	41.1	74.5
21 Central Kalimantan	89.8	67.3	98.5	77.6	70.2	5.8	45.3	22.1	27.5	72.3	52.5	64.2	48.8	57.7	34.2	ND	NO	25.8	17.1	46.1	ND
22 South Kalimantan	89.1	68.3	93.2	90.6	80.1	7.7	51.9	59.1	62.9	83.1	62.1	73.6	64.3	53.9	30.3	ND	NO	40.1	8.3	64.5	ND
23 East Kalimantan	82.3	60.1	97.4	91.5	83.8	14.5	53.5	39.4	72.6	91.6	80.4	89.0	68.4	66.6	55.4	80.4	NO	31.7	3.6	69.4	82.9
24 North Sulawesi	86.4	68.9	95.1	84.1	85.8	12.0	48.0	32.5	39.1	97.3	84.2	87.5	69.5	73.0	45.5	ND	NO	31.5	1.5	76.6	ND
25 Central Sulawesi	78.0	55.7	93.2	73.4	62.9	9.2	34.6	45.0	49.8	86.3	71.5	82.9	65.3	68.5	46.8	63.2	NO	46.5	10.6	64.6	75.1
26 South Sulawesi	79.7	55.8	94.9	77.7	75.8	8.2	56.7	27.8	40.1	82.2	60.3	71.9	55.9	54.5	36.1	64.0	NO	46.6	10.2	61.1	73.2
27 Southeast Sulawesi	73.7	51.5	93.1	80.1	65.9	4.7	45.8	46.0	52.5	87.8	76.4	81.4	63.9	64.9	44.3	73.7	NO	39.9	10.4	59.8	76.0
28 Gorontalo	82.3	63.2	94.2	76.6	74.9	8.4	37.1	54.4	62.6	94.5	72.7	91.6	60.5	68.4	49.2	62.0	NO	59.6	6.4	63.7	79.5
29 West Sulawesi	78.5	52.2	85.0	57.5	43.3	3.6	52.4	18.9	23.1	71.7	49.8	60.9	32.0	55.5	34.8	60.3	NO	34.9	28.9	33.3	65.2
30 Maluku	70.3	45.5	86.5	66.5	49.9	5.0	39.1	34.6	38.4	76.6	47.9	65.1	58.1	62.7	51.9	ND	NO	52.3	20.6	42.1	ND
31 North Maluku	79.3	53.7	90.1	77.0	51.5	6.7	54.2	33.4	38.2	91.1	62.2	83.4	57.5	62.6	49.4	ND	NO	60.3	9.7	57.7	ND
32 West Papua	67.6	42.5	86.1	66.3	62.6	8.4	36.1	10.3	13.5	72.3	58.1	62.9	38.3	63.5	38.6	ND	NO	23.8	20.2	42.0	ND
33 Papua	48.1	21.8	57.8	34.0	39.9	3.9	59.8	4.2	10.7	59.4	35.3	49.0	36.1	51.9	42.3	ND	NO	14.4	43.6	27.9	ND

Note: The maximum number of interventions for the co-coverage indicator for this survey is 8



Iraq MICS 2011

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	87.0	52.5	77.7	49.6	90.9	22.2	42.8	NO	NO	90.4	70.1	76.5	26.2	25.7	22.8	74.4	NO	76.5	12.8	30.4	74.6
Wealth quintiles																					
Q1	80.2	44.4	61.0	35.4	82.2	14.5	48.8	NO	NO	84.0	55.2	63.6	18.4	21.8	19.0	70.0	NO	52.5	25.7	18.4	65.5
Q2	86.6	52.1	75.3	45.1	89.6	20.5	41.5	NO	NO	90.6	67.8	76.4	24.1	26.0	24.1	74.4	NO	76.6	12.2	28.7	73.8
Q3	86.7	52.5	82.1	53.4	93.7	21.7	43.3	NO	NO	89.9	72.6	78.1	24.9	26.6	23.5	74.9	NO	78.9	8.8	32.5	75.9
Q4	88.9	55.2	84.4	55.0	95.5	27.3	40.5	NO	NO	95.0	79.6	84.5	32.4	31.2	26.7	79.0	NO	82.6	7.0	37.6	79.6
Q5	91.8	57.9	91.3	64.9	96.0	30.0	37.6	NO	NO	95.4	82.3	84.9	36.7	24.5	21.5	77.7	NO	92.0	4.1	41.6	80.7
Equity indicators																					
ratio Q5/Q1	1.1	1.3	1.5	1.8	1.2	2.1	0.8	NO	NO	1.1	1.5	1.3	2.0	1.1	1.1	1.1	NO	1.8	0.2	2.3	1.2
difference Q5 - Q1	11.6	13.5	30.3	29.5	13.8	15.4	-11.1	NO	NO	11.4	27.1	21.3	18.4	2.8	2.5	7.7	NO	39.5	-21.6	23.2	15.1
Concentration index	2.4	4.7	7.7	11.8	3.2	13.9	-4.5	NO	NO	2.5	8.3	5.7	13.9	5.3	4.6	2.2	NO	9.4	-34.0	15.6	3.9
SII	12.3	14.7	35.3	33.4	18.5	18.6	-11.6	NO	NO	14.3	33.6	26.6	21.5	7.8	6.1	10.5	NO	42.3	-27.1	27.8	18.1
Maternal education																					
none	83.3	46.1	61.7	35.5	82.4	15.4	48.0	NO	NO	84.0	55.9	65.2	19.7	22.9	20.0	72.3	NO	NA	24.0	20.5	67.0
primary	86.3	51.3	75.3	48.0	90.1	20.0	42.4	NO	NO	89.7	67.3	74.8	23.2	23.5	22.2	73.3	NO	NA	12.9	29.8	73.0
secondary+	89.5	57.2	89.4	59.2	96.3	28.8	40.7	NO	NO	94.9	82.0	84.8	34.5	32.1	25.8	77.9	NO	NA	5.9	37.0	80.8
Child's sex																					
male	NA	NA	ND	ND	ND	ND	ND	NO	NO	90.7	70.9	76.9	26.2	25.4	22.8	76.5	NO	NA	12.5	29.4	NA
female	NA	NA	ND	ND	ND	ND	ND	NO	NO	90.1	69.3	76.0	26.2	26.1	22.7	71.8	NO	NA	13.0	31.4	NA
Area of residence																					
urban	87.9	54.7	83.3	54.0	93.9	25.1	41.5	NO	NO	92.3	76.4	81.4	31.2	26.8	24.7	76.5	NO	81.7	8.4	35.2	77.4
rural	84.8	47.0	66.1	40.5	84.5	16.0	45.4	NO	NO	86.5	57.1	66.1	16.2	23.8	19.2	70.5	NO	64.3	21.2	20.9	68.5
Country region																					
01 Kurdistan Region	89.3	64.5	81.0	57.1	92.4	28.4	37.8	NO	NO	97.1	79.8	86.5	37.0	29.9	37.8	76.5	NO	96.4	6.0	33.4	78.8
02 South/Centre Iraq	86.6	50.4	77.3	48.6	90.7	21.3	43.4	NO	NO	89.5	68.8	75.1	24.6	25.4	21.5	73.8	NO	72.9	13.7	29.9	73.9

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Kenya DHS 2008

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	64.0	45.5	91.5	47.1	43.8	6.2	58.1	9.8	NO	95.6	86.6	85.0	30.6	42.6	38.8	55.9	46.3	60.2	4.2	62.3	67.4
Wealth quintiles																					
Q1	34.6	20.1	83.6	36.0	20.3	2.0	57.9	10.6	NO	92.8	77.6	75.6	28.3	49.4	39.8	56.5	38.7	35.4	10.8	41.6	55.4
Q2	55.2	40.0	92.7	38.8	31.3	3.1	59.4	7.8	NO	97.4	86.9	80.8	30.4	34.9	34.8	48.0	43.2	47.8	2.8	54.8	61.7
Q3	69.0	49.8	93.2	41.1	41.9	6.4	56.2	10.6	NO	95.5	91.5	85.5	29.1	40.6	43.8	62.5	49.4	55.5	2.1	67.1	69.7
Q4	73.9	56.9	92.7	55.3	52.9	7.1	59.5	11.1	NO	96.1	89.0	89.8	31.2	42.8	38.7	52.0	47.8	70.7	2.4	73.1	71.5
Q5	74.3	54.7	95.6	63.4	81.4	14.3	57.3	7.5	NO	96.5	89.6	93.9	34.6	41.3	36.7	62.6	55.2	91.3	1.3	81.7	76.9
Equity indicators																					
ratio Q5/Q1	2.1	2.7	1.1	1.8	4.0	7.2	1.0	0.7	NO	1.0	1.2	1.2	1.2	0.8	0.9	1.1	1.4	2.6	0.1	2.0	1.4
difference Q5 - Q1	39.8	34.6	12.0	27.4	61.1	12.3	-0.6	-3.1	NO	3.7	11.9	18.3	6.3	-8.1	-3.1	6.1	16.4	55.9	-9.5	40.1	21.5
Concentration index	11.3	15.0	2.5	12.9	27.9	38.7	-0.5	-2.6	NO	0.5	2.6	4.4	4.1	-3.1	-0.4	1.8	7.4	18.6	-44.3	14.1	6.3
SII	41.9	39.6	12.9	35.7	66.4	15.5	-0.6	-0.7	NO	3.5	14.2	24.1	6.7	-7.9	-1.2	3.9	19.2	63.1	-12.5	49.0	26.2
Maternal education																					
none	35.4	14.1	72.4	34.6	19.2	1.2	59.0	8.8	NO	93.8	81.6	78.8	27.5	43.0	39.8	57.2	41.2	NA	12.2	48.8	54.0
primary	59.5	44.2	92.8	42.4	38.2	5.0	57.4	10.2	NO	95.4	85.4	83.4	29.6	45.2	36.9	54.3	44.2	NA	3.8	57.8	65.7
secondary+	78.0	59.8	96.3	63.8	72.5	12.4	59.3	8.8	NO	97.0	92.1	92.1	34.9	33.2	44.8	61.5	54.7	NA	1.1	82.0	75.6
Child's sex																					
male	NA	NA	91.5	46.0	44.3	6.1	57.0	9.1	NO	94.6	83.2	84.1	30.9	43.3	37.8	57.4	45.7	NA	4.1	62.5	NA
female	NA	NA	91.4	48.4	43.2	6.4	59.3	10.5	NO	96.6	90.0	85.9	30.3	41.8	40.0	54.3	46.9	NA	4.4	62.1	NA
Area of residence																					
urban	72.4	53.1	95.8	59.9	74.8	11.3	54.3	5.6	NO	96.2	87.9	90.4	35.1	44.4	40.3	65.5	58.2	89.7	0.9	83.3	76.0
rural	61.3	43.1	90.3	43.8	36.8	5.1	59.1	10.2	NO	95.4	86.2	83.4	29.6	42.2	38.5	53.9	43.6	53.1	5.0	57.5	65.3
Country region																					
01 nairobi	78.6	55.3	96.4	66.8	88.9	11.5	56.3	ND	NO	93.8	82.9	87.6	38.7	33.1	28.8	ND	48.8	95.6	0.7	86.3	ND
02 central	81.1	66.7	92.7	57.8	73.8	14.5	55.3	6.9	NO	90.7	92.2	88.3	27.8	43.9	28.0	45.2	35.6	67.0	1.1	75.2	75.1
03 coast	57.4	34.3	94.5	48.7	45.6	5.9	42.6	11.8	NO	96.5	86.7	85.4	38.3	54.9	41.8	56.4	57.3	59.7	3.6	68.3	68.2
04 eastern	68.8	52.0	93.4	48.0	43.1	7.9	69.4	12.4	NO	97.5	91.7	88.7	25.6	48.1	29.4	52.6	50.8	49.9	2.9	63.6	70.1
05 nyanza	54.1	37.3	93.6	42.8	45.5	4.4	61.3	12.3	NO	93.0	77.4	78.0	37.0	43.6	47.6	54.6	58.4	52.8	5.6	61.6	63.6
06 rift valley	57.7	42.4	88.4	44.1	33.7	5.1	63.7	9.2	NO	99.2	92.9	89.3	31.0	40.3	39.5	58.0	29.1	53.6	4.6	54.3	65.3
07 western	64.3	46.5	91.5	41.9	25.8	3.5	33.7	6.8	NO	93.1	81.8	77.7	20.1	32.5	35.6	45.4	57.4	74.5	5.6	59.6	61.8
08 northeastern	17.7	3.5	69.5	32.0	31.6	0.6	75.4	2.7	NO	85.0	59.0	78.9	25.6	27.1	62.1	60.9	61.8	69.2	10.8	53.9	45.8

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9





Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.





Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Kyrgyzstan MICS 2005


Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	76.8	47.8	96.9	NO	97.6	NO	64.9	NO	NO	90.3	47.8	83.5	47.1	22.2	22.7	63.0	NO	88.2	20.5	10.6	71.0	
Wealth quintiles																						
Q1	75.5	50.2	93.6	NO	93.4	NO	63.3	NO	NO	80.4	24.9	79.8	37.6	26.1	11.4	74.5	NO	73.8	31.1	5.7	68.0	
Q2	72.7	41.9	96.5	NO	98.8	NO	67.4	NO	NO	90.1	44.9	83.0	41.4	ND	ND	59.8	NO	77.6	30.8	4.4	ND	
Q3	76.3	46.0	97.8	NO	97.2	NO	66.8	NO	NO	85.5	41.8	79.5	45.8	ND	ND	64.5	NO	92.1	19.2	7.1	ND	
Q4	79.6	49.5	96.6	NO	98.1	NO	63.1	NO	NO	94.7	48.5	84.5	48.5	ND	ND	33.0	NO	97.5	19.0	12.9	ND	
Q5	78.7	50.7	99.0	NO	100.0	NO	64.0	NO	NO	99.0	71.8	89.7	59.8	ND	ND	76.1	NO	100.0	4.8	21.4	ND	
Equity indicators																						
ratio Q5/Q1	1.0	1.0	1.1	NO	1.1	NO	1.0	NO	NO	1.2	2.9	1.1	1.6	ND	ND	1.0	NO	1.4	0.2	3.8	ND	
difference Q5 - Q1	3.3	0.5	5.3	NO	6.6	NO	0.6	NO	NO	18.5	46.9	9.8	22.1	ND	ND	1.6	NO	26.2	-26.3	15.7	ND	
Concentration index	1.3	1.5	0.9	NO	1.1	NO	-0.6	NO	NO	-4.0	-16.4	-1.6	-9.2	-6.3	-5.0	2.0	NO	6.7	26.8	-31.9	2.3	
SII	6.6	4.9	5.8	NO	7.2	NO	-1.6	NO	NO	21.2	47.2	11.2	26.1	2.8	3.9	-6.7	NO	40.6	-33.1	21.8	10.0	
Maternal education																						
none	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	NO	NA	ND	ND	ND	
primary	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	NO	NA	ND	ND	ND	
secondary+	77.2	48.0	96.9	NO	97.4	NO	65.6	NO	NO	90.3	47.8	83.5	47.2	22.3	22.8	63.0	NO	NA	20.4	10.6	71.1	
Child's sex																						
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	88.7	46.0	85.0	45.3	17.2	23.8	64.3	NO	NA	22.5	9.1	NA	
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	91.7	49.3	82.1	49.1	29.2	21.1	61.6	NO	NA	18.5	12.2	NA	
Area of residence																						
urban	78.4	49.2	99.0	NO	99.9	NO	65.2	NO	NO	97.5	64.0	86.8	52.2	26.9	23.1	69.8	NO	98.7	12.2	16.9	76.1	
rural	75.7	46.8	95.4	NO	96.0	NO	64.7	NO	NO	85.7	37.4	81.3	43.7	19.9	22.4	58.0	NO	81.8	26.1	6.4	67.7	
Country region																						
01 batken	70.1	45.3	97.4	NO	96.4	NO	48.5	NO	NO	97.3	70.2	77.4	39.2	ND	ND	ND	NO	68.3	22.2	5.5	ND	
02 jalalabad	71.4	36.2	92.7	NO	92.7	NO	74.9	NO	NO	69.5	29.2	68.9	26.7	ND	ND	ND	NO	84.2	39.4	2.4	ND	
03 isyk-kul	84.7	52.6	99.4	NO	100.0	NO	65.5	NO	NO	98.9	61.7	96.7	55.1	ND	ND	ND	NO	90.7	15.3	15.6	ND	
04 naryn	77.9	53.4	96.4	NO	98.3	NO	83.6	NO	NO	100.0	30.7	92.7	70.9	ND	ND	ND	NO	86.0	19.0	5.2	ND	
05 osh	75.7	45.7	96.8	NO	96.6	NO	70.4	NO	NO	84.2	37.8	87.5	43.5	ND	ND	80.5	NO	82.4	22.1	9.0	ND	
06 talas	81.0	55.6	97.9	NO	97.9	NO	55.0	NO	NO	96.6	26.0	93.0	48.3	8.7	9.2	64.7	NO	87.6	29.5	4.9	69.0	
07 chui	76.4	52.2	96.0	NO	100.0	NO	48.1	NO	NO	99.0	49.9	79.9	54.0	ND	ND	ND	NO	99.0	18.7	15.4	ND	
08 bishkek c.	80.5	53.3	99.4	NO	100.0	NO	66.7	NO	NO	100.0	68.4	86.8	55.4	ND	ND	ND	NO	100.0	5.7	17.5	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 7




Source: Kyrgyzstan (DHS 1997 & MICS 2005)
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Kyrgyzstan (DHS 1997 & MICS 2005)
The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Kyrgyzstan MICS 2005
The maximum number of interventions for this survey is 7.



Source: Kyrgyzstan MICS 2005

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Lao People's Democratic Republic MICS 2011

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	NO	49.6	54.2	36.9	41.5	3.7	39.1	NO	9.0	78.3	55.5	63.7	58.8	57.4	42.3	54.4	41.0	69.9	20.7	27.5	NO
Wealth quintiles																					
Q1	NO	38.9	22.9	9.1	10.8	0.1	32.0	NO	3.9	65.7	36.8	50.5	50.5	54.6	35.0	42.1	46.5	58.1	33.4	18.8	NO
Q2	NO	45.6	42.1	19.3	23.9	1.1	35.0	NO	7.4	71.3	46.6	55.6	56.9	51.7	36.8	48.7	46.7	61.9	23.6	24.6	NO
Q3	NO	53.1	62.0	41.4	45.0	2.2	39.1	NO	8.5	83.6	59.4	68.8	60.6	65.9	51.5	63.6	44.8	66.2	16.3	31.5	NO
Q4	NO	56.3	77.1	56.8	64.3	5.7	46.3	NO	16.5	85.7	67.6	72.2	66.2	62.3	55.6	69.7	36.4	73.9	11.5	35.6	NO
Q5	NO	52.9	91.7	82.6	90.7	13.1	49.1	NO	12.9	95.1	81.4	81.9	67.5	69.7	69.3	85.5	22.6	89.6	6.3	35.8	NO
Equity indicators																					
ratio Q5/Q1	NO	1.4	4.0	9.1	8.4	93.7	1.5	NO	3.3	1.4	2.2	1.6	1.3	1.3	2.0	2.0	0.5	1.5	0.2	1.9	NO
difference Q5 - Q1	NO	13.9	68.9	73.5	79.9	12.9	17.1	NO	8.9	29.4	44.6	31.4	16.9	15.1	34.3	43.3	-23.9	31.5	-27.0	17.0	NO
Concentration index	NO	6.1	27.1	40.4	38.9	63.8	9.3	NO	25.2	7.8	16.6	10.4	6.3	4.5	12.3	13.9	-10.2	9.1	-28.1	14.7	NO
SII	NO	18.4	78.2	79.7	84.0	18.4	22.3	NO	14.2	37.6	53.0	39.0	22.7	15.9	33.1	46.9	-25.2	36.9	-35.7	23.9	NO
Maternal education																					
none	NO	38.0	23.1	8.8	16.1	0.6	31.1	NO	5.2	62.0	33.4	44.9	48.5	52.3	34.2	40.4	43.5	NA	36.6	17.1	NO
primary	NO	54.3	56.1	34.0	34.8	2.5	37.8	NO	8.2	79.5	57.1	66.2	60.9	59.0	44.6	53.5	45.4	NA	15.9	28.0	NO
secondary+	NO	54.9	72.7	56.0	63.9	4.2	46.1	NO	11.3	91.2	72.0	75.2	64.9	69.5	54.2	75.2	34.2	NA	11.3	36.1	NO
Child's sex																					
male	NO	NA	ND	ND	ND	ND	ND	NO	ND	76.5	55.4	61.4	58.8	60.7	45.2	53.2	41.2	NA	21.3	27.8	NO
female	NO	NA	ND	ND	ND	ND	ND	NO	ND	80.1	55.5	66.1	58.7	53.6	39.0	55.9	40.8	NA	20.1	27.2	NO
Area of residence																					
urban	NO	52.5	83.4	70.6	79.6	10.0	46.7	NO	14.3	86.3	67.7	71.7	60.7	71.2	64.6	79.0	30.0	87.6	12.0	35.9	NO
rural	NO	48.6	45.9	27.2	30.7	1.9	36.9	NO	7.5	75.8	51.7	61.2	58.2	55.6	39.5	50.6	43.9	63.9	23.0	25.3	NO
Country region																					
01 Vientiane Capital	NO	48.9	89.8	82.0	85.4	15.0	45.9	NO	9.9	86.1	66.5	71.3	59.0	76.8	81.9	ND	20.2	88.3	14.4	30.9	NO
02 Phongsaly	NO	44.7	25.2	9.4	18.7	0.4	60.4	NO	4.0	51.9	23.8	42.4	48.4	35.6	30.3	43.8	33.2	74.7	46.1	13.6	NO
03 Luangnamtha	NO	56.4	62.3	34.6	44.4	1.2	35.3	NO	12.6	93.2	67.9	78.0	80.5	72.1	66.6	ND	38.5	97.6	6.0	39.1	NO
04 Oudomxay	NO	61.3	34.9	13.4	22.2	1.1	22.2	NO	1.6	82.4	54.4	57.9	53.2	64.2	50.8	ND	77.8	78.2	11.8	35.8	NO
05 Bokeo	NO	60.0	37.9	26.9	32.1	4.3	41.0	NO	1.3	71.0	37.6	53.2	72.8	58.8	44.3	51.1	38.4	76.6	23.0	24.8	NO
06 Luangprabang	NO	49.6	46.0	31.4	36.7	2.8	44.9	NO	9.0	85.2	59.1	64.6	74.8	70.7	48.2	ND	56.6	81.1	13.7	39.1	NO
07 Huaphanh	NO	51.7	42.1	24.3	24.5	1.8	36.4	NO	8.5	67.3	52.9	53.9	51.7	55.0	32.0	ND	25.8	86.9	32.0	18.9	NO
08 Xayabury	NO	69.7	70.9	62.5	44.0	4.0	66.4	NO	14.6	97.8	91.8	88.2	87.9	68.2	59.5	ND	49.9	67.2	2.3	46.4	NO
09 Xiengkhuang	NO	62.0	50.3	32.9	36.7	2.3	58.9	NO	2.1	70.1	36.5	48.6	52.5	41.5	27.0	ND	18.6	75.8	34.3	15.1	NO
10 Vientiane	NO	46.1	74.1	54.8	54.4	3.1	51.3	NO	12.7	86.8	68.7	74.8	63.6	33.3	33.0	ND	17.6	61.3	19.3	23.6	NO
11 Borikhamxay	NO	53.0	60.7	46.9	56.3	3.0	33.8	NO	18.6	92.5	65.6	75.1	48.1	71.4	52.6	ND	61.2	61.8	9.8	34.2	NO
12 Khammuane	NO	50.5	47.5	28.2	35.1	2.5	30.0	NO	19.0	84.8	66.6	72.7	70.0	55.2	22.0	ND	41.4	56.9	14.1	29.7	NO
13 Savannakhet	NO	41.4	52.2	31.5	42.2	2.3	21.9	NO	11.4	50.4	34.0	40.4	31.6	50.7	30.9	51.5	35.2	48.4	43.5	14.0	NO
14 Saravane	NO	43.4	47.8	23.2	31.1	1.4	54.5	NO	7.8	92.4	67.6	81.0	81.3	50.8	32.8	38.9	63.5	59.2	8.5	40.0	NO
15 Sekong	NO	31.7	40.4	25.3	24.6	0.5	44.0	NO	0.6	92.3	40.3	74.8	39.7	40.0	21.2	54.9	68.2	75.2	8.1	20.0	NO
16 Champasack	NO	40.6	51.1	32.7	39.9	4.3	23.3	NO	6.2	87.4	61.8	72.8	64.3	66.1	58.6	ND	33.0	72.8	9.9	28.2	NO
17 Attapeu	NO	48.2	49.6	33.6	19.7	2.6	48.7	NO	0.4	75.8	49.6	58.7	50.2	ND	ND	ND	71.9	60.5	22.7	31.7	NO

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Source: Lao People's Democratic Republic (MICS 2006 & MICS 2011)
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Lao People's Democratic Republic (MICS 2006 & MICS 2011)
The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Lao People's Democratic Republic MICS 2011
The maximum number of interventions for this survey is 9.

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Lao People's Democratic Republic MICS 2011

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Lesotho DHS 2009

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	67.2	47.0	91.8	70.4	61.5	6.7	53.4	8.7	5.9	95.1	84.0	80.3	33.8	47.6	51.3	65.5	NO	76.8	3.7	63.8	71.5
Wealth quintiles																					
Q1	45.1	30.1	87.1	58.1	34.6	2.7	48.9	7.3	6.1	91.0	73.2	67.8	24.2	48.6	50.7	57.9	NO	56.7	9.4	40.1	59.1
Q2	56.4	38.1	89.4	64.9	50.1	3.9	50.9	11.4	8.0	93.7	83.3	77.5	33.0	41.9	45.2	73.8	NO	72.2	4.0	56.7	67.1
Q3	68.4	46.9	92.9	67.8	60.9	6.0	53.1	8.8	5.3	97.2	86.5	82.8	33.1	54.0	51.9	64.1	NO	75.1	2.4	65.8	73.0
Q4	70.6	49.5	93.5	74.8	78.5	7.4	56.5	8.6	5.0	95.7	90.7	83.8	36.3	41.9	55.0	74.5	NO	85.4	1.3	75.8	76.1
Q5	82.7	61.7	95.8	85.3	89.7	14.8	57.0	ND	5.1	98.7	88.3	91.7	44.4	52.4	56.7	ND	NO	94.3	0.5	84.9	ND
Equity indicators																					
ratio Q5/Q1	1.8	2.0	1.1	1.5	2.6	5.6	1.2	ND	0.8	1.1	1.2	1.4	1.8	1.1	1.1	ND	NO	1.7	0.1	2.1	ND
difference Q5 - Q1	37.6	31.5	8.7	27.2	55.1	12.2	8.1	ND	-1.0	7.7	15.1	23.8	20.2	3.8	6.0	ND	NO	37.6	-8.9	44.9	ND
Concentration index	10.8	13.2	2.0	8.0	19.2	33.5	3.0	1.5	-5.9	1.5	4.0	5.7	11.1	0.7	2.1	2.6	NO	9.9	-49.3	15.1	5.7
SII	42.8	36.7	11.0	31.9	65.0	14.2	10.9	0.9	-2.5	9.6	20.1	28.0	22.3	2.1	9.0	10.5	NO	43.9	-12.8	53.6	24.9
Maternal education																					
none	59.8	32.1	86.9	67.5	39.6	0.4	61.1	ND	1.3	ND	ND	ND	36.6	ND	ND	ND	NO	NA	6.7	45.5	ND
primary	59.8	40.2	88.7	63.6	48.6	4.6	51.8	9.6	6.6	93.7	80.2	74.8	29.8	45.0	48.2	62.8	NO	NA	5.5	54.5	66.0
secondary+	75.3	55.7	95.6	78.6	80.1	9.7	54.9	6.4	5.3	96.6	87.7	86.3	39.1	53.0	56.9	71.0	NO	NA	1.3	76.8	78.7
Child's sex																					
male	NA	NA	92.0	70.7	61.5	7.6	54.1	8.1	6.3	95.5	84.0	77.9	30.9	50.0	50.9	70.3	NO	NA	4.2	63.2	NA
female	NA	NA	91.6	70.1	61.6	5.7	52.7	9.3	5.5	94.8	84.1	82.6	36.7	45.0	51.9	61.7	NO	NA	3.2	64.5	NA
Area of residence																					
urban	79.6	58.3	95.7	82.5	88.2	11.4	58.2	8.2	5.0	97.6	91.4	90.0	44.2	49.1	56.9	ND	NO	90.2	0.9	82.1	ND
rural	61.5	42.2	90.5	66.3	53.5	5.2	51.8	8.7	6.2	94.4	81.9	77.5	30.5	47.2	49.9	64.9	NO	72.5	4.6	58.1	68.2
Country region																					
01 butha-bothe	73.6	54.2	92.7	71.5	63.8	6.2	56.7	11.6	3.9	83.3	78.5	75.0	44.5	39.4	63.6	ND	NO	81.6	4.4	69.5	ND
02 leribe	65.1	44.8	89.2	72.6	64.4	6.7	57.7	9.6	6.9	97.7	81.4	76.9	29.4	59.2	43.5	ND	NO	64.7	3.5	62.2	ND
03 berea	72.2	50.8	91.4	75.7	65.7	9.3	45.3	7.3	4.7	96.2	95.7	85.3	27.6	45.8	53.7	ND	NO	82.4	2.9	65.3	ND
04 maseru	75.6	56.0	93.5	77.5	72.3	9.6	58.2	5.3	4.6	98.2	85.6	83.2	45.7	46.1	51.2	ND	NO	85.8	2.6	75.3	ND
05 mafeteng	71.1	51.7	90.4	69.3	59.4	5.6	62.4	6.4	3.3	96.0	87.4	82.1	38.0	58.7	48.0	ND	NO	83.7	2.8	68.7	ND
06 mahale's hoek	62.6	41.6	93.3	62.1	54.9	3.3	45.8	12.0	11.6	91.1	80.2	77.5	27.1	48.8	59.4	ND	NO	75.9	2.1	62.2	ND
07 quthing	54.1	33.2	90.3	56.7	57.3	4.4	56.4	15.3	10.0	88.0	81.8	76.5	34.5	36.3	56.9	ND	NO	70.5	9.7	54.7	ND
08 qacha's-nek	56.8	35.7	94.5	70.7	63.6	7.4	59.4	7.1	3.7	98.0	94.2	86.8	32.7	27.2	47.1	ND	NO	81.8	2.4	64.9	ND
09 mokhotlong	46.4	30.3	94.8	64.7	48.3	3.6	47.6	8.4	5.3	97.1	84.3	84.3	30.7	41.9	47.7	59.3	NO	73.6	3.1	55.1	64.4
10 thaba-tseka	50.9	34.1	90.7	58.8	42.5	3.4	39.4	8.6	5.6	93.0	71.1	74.1	20.3	50.4	48.4	53.7	NO	60.1	7.7	42.3	62.1

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Liberia DHS 2007

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	24.3	11.4	79.3	66.0	46.3	3.5	67.4	18.7	NO	77.1	50.5	63.0	43.0	47.3	53.1	62.2	NO	66.2	19.4	47.4	51.0	
Wealth quintiles																						
Q1	10.0	3.6	67.3	54.9	25.8	0.8	66.1	13.9	NO	62.7	29.8	45.1	33.9	40.0	40.8	58.5	NO	28.3	37.4	19.6	37.5	
Q2	13.3	5.7	69.2	56.7	31.9	2.0	72.1	17.3	NO	64.8	38.2	55.2	36.7	40.9	51.1	45.8	NO	58.3	26.4	34.7	39.0	
Q3	27.2	14.2	77.9	67.9	42.6	3.6	71.4	20.8	NO	78.4	55.9	64.0	42.5	51.7	58.3	72.1	NO	75.4	16.7	48.0	54.1	
Q4	28.9	15.4	91.8	76.3	68.7	5.7	62.8	26.2	NO	94.1	66.0	74.4	52.6	52.6	56.4	62.4	NO	81.7	4.1	71.1	61.2	
Q5	39.2	20.4	95.8	78.3	81.3	7.5	62.9	24.3	NO	92.1	71.9	86.2	56.7	55.9	64.0	89.0	NO	87.3	2.0	83.6	70.3	
Equity indicators																						
ratio Q5/Q1	3.9	5.7	1.4	1.4	3.2	9.7	1.0	1.7	NO	1.5	2.4	1.9	1.7	1.4	1.6	1.5	NO	3.1	0.1	4.3	1.9	
difference Q5 - Q1	29.2	16.8	28.5	23.5	55.5	6.7	-3.2	10.4	NO	29.4	42.1	41.1	22.8	15.9	23.2	30.5	NO	59.0	-35.3	63.9	32.7	
Concentration index	23.5	30.1	8.2	8.0	24.3	37.7	-1.7	15.0	NO	9.5	17.1	12.2	11.2	6.7	7.6	9.0	NO	17.7	-39.2	26.7	13.4	
SII	35.1	22.1	38.6	32.3	62.8	8.6	-7.0	14.7	NO	43.6	52.3	45.8	28.4	21.0	24.1	33.4	NO	66.5	-46.5	70.4	42.6	
Maternal education																						
none	19.1	7.7	74.2	61.5	35.7	1.9	69.6	14.3	NO	71.5	46.8	57.9	40.6	48.7	51.1	56.5	NO	NA	22.5	38.1	46.2	
primary	22.4	12.1	79.0	65.9	47.5	4.3	67.9	23.7	NO	76.7	44.0	60.8	41.6	44.4	53.3	63.5	NO	NA	21.6	47.5	49.4	
secondary+	37.8	20.9	92.8	77.1	75.7	6.4	60.6	23.4	NO	90.1	70.3	78.4	53.3	49.5	58.4	77.2	NO	NA	5.1	75.4	65.8	
Child's sex																						
male	NA	NA	77.7	67.4	46.6	3.6	68.0	19.4	NO	74.5	49.2	61.3	43.6	48.4	55.7	63.6	NO	NA	20.0	47.8	NA	
female	NA	NA	81.0	64.4	45.9	3.4	66.7	18.1	NO	80.0	52.0	65.0	42.3	46.1	50.2	60.8	NO	NA	18.7	46.9	NA	
Area of residence																						
urban	35.4	18.8	94.4	76.1	78.7	5.4	62.9	27.1	NO	91.6	69.8	76.7	53.2	49.6	57.0	72.9	NO	83.7	3.8	75.5	65.5	
rural	17.5	7.7	71.7	60.9	32.2	2.6	69.7	17.0	NO	70.1	41.2	56.4	38.5	46.4	51.5	58.9	NO	55.8	26.1	35.3	44.0	
Country region																						
01 monrovia	36.3	19.0	95.6	75.9	83.8	6.3	61.9	29.7	NO	93.7	75.1	79.8	59.1	50.8	58.4	83.7	NO	83.8	2.2	82.7	68.8	
02 north western	18.3	9.6	82.0	67.5	47.6	2.8	76.3	17.4	NO	85.2	64.0	67.8	29.0	57.1	59.1	62.8	NO	71.8	11.4	42.5	52.7	
03 south central	21.3	10.2	92.9	68.1	43.1	2.7	64.0	12.9	NO	76.5	39.5	57.8	47.8	53.5	43.1	49.1	NO	51.4	11.8	43.0	48.6	
04 south eastern a	22.9	9.7	79.1	51.3	32.8	2.0	42.6	10.8	NO	68.1	28.0	51.7	27.6	37.9	29.2	38.4	NO	58.4	25.3	29.3	41.1	
05 south eastern b	14.8	6.1	78.4	53.5	30.6	0.9	49.8	14.1	NO	49.6	19.1	40.0	47.2	31.2	65.4	69.6	NO	56.7	35.3	25.4	38.9	
06 north central	19.4	8.5	63.3	63.4	32.6	3.2	78.2	21.7	NO	71.5	46.4	59.8	37.5	47.9	54.9	64.5	NO	60.7	29.4	38.7	45.6	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8



Source: Liberia DHS 2007

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Liberia DHS 2007

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Liberia DHS 2007

The maximum number of interventions for this survey is 8.



Source: Liberia DHS 2007

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Madagascar DHS 2008

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	67.9	39.9	86.3	49.3	43.9	1.5	72.4	19.8	NO	83.1	73.1	69.6	72.2	49.4	16.9	42.0	44.5	38.2	10.8	61.5	63.2	
Wealth quintiles																						
Q1	46.4	19.9	72.9	34.9	21.9	0.2	67.2	16.6	NO	65.0	53.6	51.0	60.9	46.0	12.0	32.5	46.1	6.9	23.5	38.7	47.3	
Q2	57.3	28.5	82.8	41.7	28.3	0.5	71.6	18.8	NO	79.6	67.6	62.0	71.2	39.5	13.8	29.2	47.5	16.9	12.4	53.6	54.0	
Q3	69.0	39.6	89.2	47.6	42.9	0.6	76.3	22.6	NO	89.7	77.4	73.5	74.0	46.5	14.9	39.4	37.5	29.2	7.7	63.2	64.3	
Q4	74.5	49.1	94.5	55.0	60.1	1.3	75.3	21.5	NO	93.9	86.1	83.5	80.2	55.1	18.3	51.5	38.7	52.2	2.7	76.1	72.9	
Q5	77.8	57.3	97.2	75.4	90.0	6.7	72.8	27.8	NO	96.8	92.7	90.5	81.4	65.2	29.0	68.0	54.1	85.6	0.8	92.5	82.8	
Equity indicators																						
ratio Q5/Q1	1.7	2.9	1.3	2.2	4.1	40.8	1.1	1.7	NO	1.5	1.7	1.8	1.3	1.4	2.4	2.1	1.2	12.5	0.0	2.4	1.8	
difference Q5 - Q1	31.4	37.4	24.2	40.5	68.1	6.6	5.6	11.3	NO	31.8	39.1	39.5	20.4	19.2	17.0	35.5	8.0	78.8	-22.8	53.8	35.6	
Concentration index	9.1	20.3	6.0	15.2	29.0	64.4	1.9	9.5	NO	8.0	11.1	12.1	5.8	8.2	19.5	16.7	-0.1	42.3	-44.5	17.1	11.2	
SII	35.6	46.6	32.4	43.6	69.7	7.9	8.7	10.5	NO	42.8	48.5	49.1	25.9	24.2	18.3	42.3	-0.5	84.0	-32.1	59.6	43.7	
Maternal education																						
none	51.0	20.5	71.2	36.9	22.8	0.4	66.3	16.0	NO	63.2	49.5	47.7	59.6	43.7	11.1	28.8	46.1	NA	25.1	38.3	46.7	
primary	66.0	38.9	88.8	47.4	42.3	0.7	73.6	21.4	NO	86.9	77.3	72.7	74.6	48.0	17.4	39.1	41.2	NA	7.6	62.8	63.2	
secondary+	77.6	55.8	96.0	67.2	76.2	5.0	75.8	22.7	NO	95.8	89.3	87.0	81.8	59.5	22.7	66.2	51.9	NA	1.6	87.4	79.1	
Child's sex																						
male	NA	NA	85.5	48.9	43.7	1.8	71.3	19.0	NO	80.4	73.0	69.1	71.6	50.5	17.7	43.9	44.7	NA	11.4	61.4	NA	
female	NA	NA	87.1	49.8	44.2	1.1	73.5	20.6	NO	85.8	73.2	70.2	72.9	48.2	16.1	39.8	44.3	NA	10.2	61.7	NA	
Area of residence																						
urban	75.6	54.3	94.7	70.5	81.6	5.7	70.8	27.1	NO	95.0	89.4	87.1	78.0	62.1	31.5	58.6	54.8	82.9	2.2	86.7	78.6	
rural	66.1	37.2	85.1	46.3	39.3	0.9	72.6	19.3	NO	81.7	71.2	67.6	71.5	47.1	14.3	39.0	43.2	30.8	11.8	58.5	60.9	
Country region																						
01 analamanga	76.0	58.1	96.4	66.5	73.8	4.3	69.6	19.0	NO	93.1	86.8	85.8	80.9	77.5	36.8	73.7	28.7	76.3	1.9	81.4	80.9	
02 vakankaratra	57.2	32.9	84.8	38.1	32.3	0.5	83.5	4.5	NO	91.9	89.4	82.0	74.5	ND	ND	ND	11.0	35.6	9.3	50.5	ND	
03 itasy	81.9	58.5	95.1	47.1	72.7	0.8	71.6	17.4	NO	96.1	92.2	86.4	83.8	63.7	15.7	ND	5.0	52.8	2.2	82.2	ND	
04 bongolava	79.2	57.0	87.9	33.7	52.9	0.4	74.6	44.6	NO	93.9	89.0	75.4	68.2	82.9	6.9	ND	46.9	68.2	7.8	75.5	ND	
05 haute matsiatra	72.8	43.9	89.6	41.2	37.5	1.5	73.3	52.9	NO	96.9	89.4	77.9	85.0	36.6	17.9	ND	27.6	36.5	4.7	55.9	ND	
06 anamoron'i mania	63.2	41.4	90.0	44.3	43.7	1.1	81.5	30.1	NO	91.1	82.3	76.7	82.2	22.1	7.5	ND	11.7	29.9	5.3	53.1	ND	
07 vatovavy fitovinany	50.0	27.4	73.7	50.9	12.3	0.9	61.1	34.7	NO	65.6	57.0	55.9	69.2	33.4	10.9	36.1	63.5	12.6	16.5	54.8	46.2	
08 ihorombe	68.3	24.9	83.4	53.1	30.2	0.0	54.2	6.1	NO	74.5	68.6	60.4	66.5	64.2	28.9	ND	45.0	46.3	14.4	57.2	ND	
09 atsimo atsinanana	35.1	12.3	71.0	45.4	22.4	1.0	64.9	9.9	NO	61.6	49.3	53.0	63.9	31.5	9.8	ND	48.3	6.6	27.0	39.1	ND	
10 atsinana	79.5	45.1	89.2	54.6	48.0	3.1	88.9	29.1	NO	87.9	75.3	78.9	75.8	42.7	12.0	ND	72.3	26.5	4.5	73.4	ND	
11 analanjirofo	68.1	39.4	90.0	51.0	24.4	0.7	88.7	15.6	NO	95.5	83.7	83.7	74.2	25.5	12.4	ND	76.4	10.1	5.6	64.9	ND	
12 alaoatra mangoro	69.1	43.5	97.1	46.4	63.5	1.3	70.2	40.9	NO	85.8	81.4	74.3	82.9	30.8	0.0	44.8	59.7	54.1	3.7	81.1	66.6	
13 boeny	72.4	44.6	89.1	62.0	60.4	3.2	65.2	12.2	NO	72.2	53.0	55.3	66.8	67.9	18.9	31.6	57.5	39.0	16.9	59.5	63.7	
14 sofia	67.6	35.8	89.0	51.9	41.4	1.6	75.6	7.9	NO	90.3	66.9	69.8	72.2	57.2	24.2	ND	67.4	27.9	7.4	73.7	ND	
15 betsiboka	67.5	36.5	88.4	32.9	51.1	1.9	64.4	24.6	NO	81.5	69.3	61.4	69.3	58.9	22.4	ND	63.0	28.4	9.7	62.7	ND	
16 melaky	60.0	24.5	69.3	33.5	33.1	0.7	68.6	15.9	NO	63.3	56.4	44.4	55.9	36.4	12.7	ND	66.7	7.5	25.1	38.4	ND	
17 atsimo andrefana	59.2	26.0	77.8	39.9	35.4	0.7	61.5	5.8	NO	61.8	52.7	47.2	62.8	34.3	15.0	ND	47.3	29.5	23.4	48.8	ND	
18 androy	15.7	4.3	64.8	39.4	25.0	0.2	81.8	3.2	NO	48.2	40.1	40.1	51.3	65.2	6.0	ND	44.8	13.8	35.3	28.3	ND	
19 anosy	61.1	30.2	73.5	42.5	35.6	0.2	65.9	8.3	NO	73.2	52.8	56.6	53.4	41.7	7.1	ND	48.6	23.6	23.2	40.7	ND	
20 menabe	62.8	33.1	77.2	50.4	41.4	1.0	61.8	30.4	NO	81.2	65.1	62.1	66.2	49.4	20.7	ND	58.6	39.6	17.4	53.7	ND	
21 diana	63.6	34.3	88.2	61.0	45.8	0.5	75.5	21.3	NO	91.3	78.0	68.3	62.7	ND	ND	ND	78.3	37.8	8.5	61.9	ND	
22 sava	62.4	33.1	89.0	56.7	50.1	0.5	68.0	8.3	NO	84.2	63.7	55.3	59.8	ND	ND	ND	64.5	33.3	9.7	56.8	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9



Source: Madagascar (DHS 1997 & DHS 2008)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Madagascar (DHS 1997 & DHS 2008)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Madagascar DHS 2008

The maximum number of interventions for this survey is 9.



Source: Madagascar DHS 2008

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Malawi DHS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	63.8	46.1	94.7	45.5	71.3	4.6	96.0	3.3	NO	97.2	93.2	93.0	85.6	47.6	69.0	70.4	39.9	79.3	0.9	90.0	75.2	
Wealth quintiles																						
Q1	56.6	38.7	92.4	40.6	63.3	2.9	95.1	2.7	NO	96.0	91.4	90.2	85.0	45.0	66.9	61.8	29.6	71.0	1.2	85.5	70.3	
Q2	61.3	44.0	94.0	45.1	65.5	3.4	96.2	3.9	NO	97.0	93.7	92.5	84.9	46.4	69.9	66.8	35.9	74.2	1.2	86.3	73.3	
Q3	62.6	45.0	94.1	46.0	67.6	3.9	96.2	2.0	NO	96.8	92.2	91.5	87.3	48.6	67.6	76.8	41.9	76.3	0.9	90.1	75.0	
Q4	65.9	48.4	96.1	45.5	76.8	4.6	96.8	4.4	NO	98.6	94.8	96.0	86.1	45.7	68.9	71.9	42.3	81.0	0.5	93.6	77.1	
Q5	70.6	53.0	97.2	50.9	88.5	9.1	95.6	7.0	NO	97.9	94.3	95.9	84.5	53.3	72.7	75.3	53.3	93.9	0.7	96.6	81.0	
Equity indicators																						
ratio Q5/Q1	1.2	1.4	1.1	1.3	1.4	3.1	1.0	2.6	NO	1.0	1.0	1.1	1.0	1.2	1.1	1.2	1.8	1.3	0.5	1.1	1.2	
difference Q5 - Q1	14.1	14.3	4.8	10.3	25.2	6.2	0.5	4.3	NO	1.9	2.9	5.7	-0.5	8.3	5.8	13.5	23.7	22.8	-0.6	11.2	10.6	
Concentration index	4.3	6.0	1.0	3.9	6.6	23.5	0.1	5.0	NO	0.5	0.6	1.4	0.2	1.9	1.0	3.8	11.0	5.6	-20.8	2.8	2.7	
SII	15.9	16.0	5.8	10.2	28.4	6.3	0.9	1.8	NO	2.8	3.5	7.4	0.5	7.4	4.7	16.2	25.8	26.3	-1.0	14.6	12.6	
Maternal education																						
none	59.3	40.3	91.6	44.1	61.5	2.5	95.5	3.8	NO	95.1	88.8	89.2	83.1	45.6	69.5	69.0	32.1	NA	2.4	82.2	71.3	
primary	63.0	46.0	94.8	44.3	70.3	3.8	96.2	3.0	NO	97.3	93.3	93.3	85.9	47.0	68.3	69.6	38.8	NA	0.7	90.6	74.8	
secondary+	71.7	53.2	97.0	51.6	87.6	10.4	95.5	4.7	NO	99.2	97.2	95.5	87.2	52.9	71.9	75.5	53.7	NA	0.1	96.9	81.4	
Child's sex																						
male	NA	NA	95.1	46.0	72.1	5.3	95.5	3.5	NO	96.6	92.8	91.7	85.3	47.4	68.4	71.2	39.1	NA	1.0	89.3	NA	
female	NA	NA	94.3	45.0	70.5	3.9	96.5	3.1	NO	97.8	93.6	94.3	85.9	47.8	69.6	69.5	40.6	NA	0.9	90.6	NA	
Area of residence																						
urban	69.5	53.7	96.1	48.6	84.0	8.2	96.1	3.1	NO	97.8	94.2	96.0	79.3	48.9	71.5	67.1	46.9	91.9	0.9	95.1	78.4	
rural	62.5	44.5	94.4	44.9	69.2	4.0	96.0	3.3	NO	97.1	93.0	92.5	86.7	47.3	68.6	70.9	38.7	76.9	1.0	89.2	74.6	
Country region																						
01 northern	66.4	47.1	96.3	46.7	78.5	5.3	95.6	1.5	NO	98.7	95.3	93.4	88.7	39.8	73.0	76.0	36.5	82.9	0.3	93.4	77.1	
02 central	64.0	48.0	93.5	48.6	69.0	4.5	96.1	3.0	NO	96.5	90.2	91.5	83.8	48.1	68.9	68.1	39.1	73.4	1.4	86.6	74.1	
03 southern	62.9	44.0	95.3	42.3	71.7	4.4	96.0	4.0	NO	97.4	95.4	94.3	86.5	48.9	68.1	71.3	41.5	84.0	0.7	92.3	75.8	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.






Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Malawi DHS 2010
The maximum number of interventions for this survey is 9.

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Malawi DHS 2010

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Mali DHS 2006

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index
National	20.9	8.2	70.4	35.4	26.8	1.6	45.8	NO	NO	76.7	68.1	68.4	72.0	37.8	14.0	38.1	26.8	56.0	17.5	48.2	44.7
Wealth quintiles																					
Q1	10.5	3.7	60.7	22.9	9.0	0.9	43.5	NO	NO	72.9	65.1	67.5	70.0	31.9	8.3	27.8	26.6	36.6	22.8	33.9	35.9
Q2	13.9	5.0	63.2	27.3	12.3	0.6	42.3	NO	NO	72.1	62.0	64.5	71.7	36.4	11.0	31.6	25.8	45.6	22.0	37.5	38.1
Q3	12.9	4.6	62.4	28.4	15.7	0.6	42.5	NO	NO	73.7	69.1	66.4	67.0	40.2	14.0	29.8	23.2	48.0	20.4	38.1	39.4
Q4	21.5	8.0	74.5	36.0	29.2	1.5	45.8	NO	NO	76.7	66.9	66.9	71.7	35.5	14.8	43.3	26.0	57.4	16.6	52.8	45.9
Q5	36.3	19.1	92.6	63.8	75.4	4.9	55.5	NO	NO	89.6	78.3	78.1	80.5	50.8	29.4	60.4	33.2	92.0	4.9	81.0	64.3
Equity indicators																					
ratio Q5/Q1	3.5	5.1	1.5	2.8	8.3	5.3	1.3	NO	NO	1.2	1.2	1.2	1.2	1.6	3.6	2.2	1.2	2.5	0.2	2.4	1.8
difference Q5 - Q1	25.8	15.4	31.9	40.9	66.3	4.0	12.0	NO	NO	16.7	13.2	10.6	10.5	18.9	21.1	32.6	6.6	55.4	-17.9	47.0	28.4
Concentration index	26.7	35.3	8.2	19.9	42.4	42.4	4.8	NO	NO	3.5	3.4	2.6	2.4	4.4	20.2	16.5	3.7	17.3	-17.1	17.1	11.6
SII	34.3	18.5	36.3	43.0	67.2	4.6	13.4	NO	NO	18.1	14.8	11.1	10.0	13.2	17.7	36.5	6.2	58.6	-20.2	50.7	31.8
Maternal education																					
none	15.5	5.6	66.8	31.2	21.5	1.1	45.0	NO	NO	74.5	65.8	66.1	70.4	36.4	13.5	34.4	26.1	NA	19.5	43.8	41.0
primary	30.9	14.1	87.1	51.3	49.2	4.8	45.6	NO	NO	86.0	79.0	77.5	79.0	46.3	13.8	53.4	30.3	NA	8.1	68.7	57.2
secondary+	43.2	29.0	95.5	70.2	78.4	4.7	60.0	NO	NO	95.6	86.2	89.8	85.3	44.6	26.2	64.2	32.1	NA	1.2	85.1	68.5
Child's sex																					
male	NA	NA	70.2	34.5	27.7	1.6	45.2	NO	NO	79.1	71.2	71.3	72.0	38.2	15.7	39.3	26.5	NA	17.1	48.9	NA
female	NA	NA	70.7	36.3	25.9	1.6	46.5	NO	NO	74.1	64.8	65.5	72.0	37.3	12.2	36.7	27.1	NA	18.0	47.4	NA
Area of residence																					
urban	32.0	15.2	86.9	54.8	66.7	3.9	55.7	NO	NO	87.6	76.7	75.7	78.2	42.8	26.0	50.6	29.1	79.0	9.6	72.9	58.9
rural	14.3	5.1	63.8	27.6	12.1	0.8	41.8	NO	NO	72.3	64.6	65.5	69.6	36.5	11.1	33.5	25.9	46.0	20.7	38.3	38.7
Country region																					
01 kayes	19.2	6.2	63.9	33.3	18.1	1.4	30.7	NO	NO	67.2	49.6	55.0	70.5	33.2	11.8	39.0	25.5	57.8	21.4	36.6	38.4
02 koulikoro	19.6	8.9	70.6	36.6	22.2	0.8	30.6	NO	NO	79.8	74.8	71.2	73.4	40.6	16.1	26.0	22.4	40.2	17.7	43.1	43.8
03 sikasso	16.5	6.5	70.5	34.4	14.0	1.1	45.8	NO	NO	76.8	73.7	74.8	78.0	32.1	11.0	30.3	26.0	55.8	12.0	51.0	41.3
04 segou	22.2	9.4	74.8	33.8	26.6	1.4	39.7	NO	NO	84.1	74.2	76.8	78.6	42.3	9.4	41.0	26.5	51.5	13.8	48.9	47.9
05 mopiti	8.1	2.2	65.6	19.8	16.1	0.5	56.3	NO	NO	62.1	58.9	52.2	59.4	30.3	21.4	44.3	31.1	48.6	29.4	35.8	36.7
06 tombouctou	22.9	4.6	42.5	18.8	17.6	0.8	75.8	NO	NO	57.4	48.9	52.9	57.7	27.3	12.5	ND	32.8	49.3	37.2	32.7	ND
07 gao	13.0	5.1	58.0	26.4	27.9	0.8	85.3	NO	NO	78.9	70.1	70.4	51.9	59.4	5.2	34.0	23.6	58.0	22.4	46.5	44.3
08 kidal	21.9	9.3	32.0	22.9	1.5	0.1	76.3	NO	NO	43.0	25.7	31.6	24.8	ND	ND	ND	2.1	31.6	68.8	22.8	ND
09 bamako	34.3	19.6	94.2	67.6	85.8	6.5	57.1	NO	NO	94.0	81.0	80.6	81.1	53.4	31.7	52.6	32.0	95.4	1.7	86.3	65.4

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9





Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.





Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Mauritania MICS 2007

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	27.7	9.3	75.4	NO	60.9	NO	44.3	NO	NO	84.8	55.5	74.4	55.5	32.0	20.1	44.5	NO	50.5	29.5	14.7	50.4	
Wealth quintiles																						
Q1	7.1	1.5	52.9	NO	20.5	NO	40.4	NO	NO	74.6	51.9	65.6	63.5	25.0	10.4	32.7	NO	35.7	36.2	9.0	33.4	
Q2	15.3	3.4	66.9	NO	40.6	NO	42.4	NO	NO	86.1	58.4	79.2	66.6	25.0	15.9	33.1	NO	49.7	28.5	14.2	42.2	
Q3	21.3	7.5	82.0	NO	70.6	NO	43.5	NO	NO	89.8	57.9	78.5	61.5	37.2	23.2	35.9	NO	63.8	23.4	18.8	51.3	
Q4	33.6	13.9	89.0	NO	90.3	NO	44.0	NO	NO	90.1	49.8	73.4	47.2	41.7	26.1	54.8	NO	52.4	28.7	16.2	59.3	
Q5	42.2	19.0	93.5	NO	95.1	NO	52.7	NO	NO	86.6	60.3	77.3	34.7	37.1	33.5	63.5	NO	52.1	28.3	17.3	64.5	
Equity indicators																						
ratio Q5/Q1	5.9	12.8	1.8	NO	4.6	NO	1.3	NO	NO	1.2	1.2	1.2	0.5	1.5	3.2	1.9	NO	1.5	0.8	1.9	1.9	
difference Q5 - Q1	35.1	17.5	40.6	NO	74.6	NO	12.3	NO	NO	12.0	8.5	11.7	-28.8	12.1	23.1	30.8	NO	16.4	-7.9	8.4	31.1	
Concentration index	27.4	42.6	11.9	NO	27.7	NO	5.0	NO	NO	3.1	1.7	2.3	-10.7	11.0	24.7	16.1	NO	6.6	-5.6	11.9	12.7	
SII	43.0	25.1	53.0	NO	87.2	NO	12.8	NO	NO	16.1	5.0	10.8	-35.6	21.4	28.2	41.5	NO	17.8	-9.6	10.6	38.7	
Maternal education																						
none	18.1	4.4	70.9	NO	44.7	NO	45.1	NO	NO	78.6	49.9	68.2	56.9	31.5	15.2	43.3	NO	NA	35.1	11.5	43.7	
primary	30.6	11.5	81.2	NO	71.8	NO	45.2	NO	NO	88.3	57.0	75.6	54.0	36.5	22.0	41.2	NO	NA	25.2	18.6	53.8	
secondary+	43.8	21.9	90.5	NO	91.6	NO	46.7	NO	NO	88.4	62.8	79.4	42.7	38.0	34.2	74.1	NO	NA	22.8	19.6	66.0	
Child's sex																						
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	86.0	55.6	76.7	55.2	32.2	20.6	42.7	NO	NA	29.7	13.9	NA	
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	83.5	55.5	72.0	55.9	31.8	19.6	46.8	NO	NA	29.3	15.5	NA	
Area of residence																						
urban	37.3	15.8	88.0	NO	90.1	NO	47.5	NO	NO	86.5	52.0	70.3	41.0	39.1	27.5	53.4	NO	48.5	30.9	15.5	59.5	
rural	15.5	4.0	66.1	NO	39.1	NO	42.0	NO	NO	83.6	58.1	77.3	65.8	27.5	15.5	36.3	NO	52.1	28.5	14.1	42.3	
Country region																						
01 hodh echarghi	16.5	2.7	49.3	NO	37.2	NO	41.1	NO	NO	70.1	49.3	67.9	65.0	26.8	14.8	35.6	NO	32.1	42.3	10.5	37.5	
02 hodh elgharbi	29.5	5.0	47.2	NO	30.4	NO	47.7	NO	NO	78.7	53.2	76.6	73.3	11.1	10.2	25.8	NO	32.6	34.5	8.2	38.0	
03 assaba	6.5	2.6	72.8	NO	39.3	NO	42.8	NO	NO	90.9	62.5	77.2	71.8	21.1	12.3	37.8	NO	60.0	19.2	16.3	41.3	
04 gorgol	13.7	3.7	74.8	NO	38.1	NO	34.5	NO	NO	78.6	58.7	69.7	60.4	31.8	15.7	46.1	NO	56.7	33.5	17.3	43.9	
05 brakna	21.2	6.3	86.9	NO	60.3	NO	46.3	NO	NO	89.5	61.4	82.0	56.1	30.5	30.1	37.4	NO	78.4	24.1	15.7	50.6	
06 tarza	22.4	10.2	88.2	NO	81.8	NO	43.9	NO	NO	96.7	62.3	95.7	65.4	49.1	23.2	60.1	NO	86.0	13.6	25.0	60.3	
07 adrar	32.9	12.6	58.9	NO	66.8	NO	52.6	NO	NO	81.7	59.9	74.6	65.8	43.6	18.1	ND	NO	49.9	20.8	12.8	ND	
08 nouadhibou	45.0	21.1	96.0	NO	97.2	NO	56.6	NO	NO	98.1	90.7	88.3	61.9	32.9	48.3	45.8	NO	89.6	6.3	42.3	68.2	
09 tagant	21.5	5.1	54.2	NO	40.2	NO	15.1	NO	NO	98.3	88.1	94.9	59.5	21.7	9.6	ND	NO	62.6	13.9	14.4	ND	
10 guidimagha	4.3	0.9	73.4	NO	30.6	NO	47.9	NO	NO	83.2	47.5	71.0	69.3	31.4	15.6	ND	NO	52.6	27.2	11.6	ND	
11 tiris zemmour	54.3	18.9	87.1	NO	88.2	NO	71.7	NO	NO	83.3	78.9	75.1	67.5	ND	ND	ND	NO	16.3	21.4	29.5	ND	
12 inchiri	39.5	14.3	86.8	NO	89.1	NO	48.6	NO	NO	93.1	72.4	84.3	52.8	7.0	25.0	ND	NO	77.3	22.0	27.9	ND	
13 nouakchott	42.4	18.2	90.6	NO	94.0	NO	45.9	NO	NO	84.8	41.9	62.6	24.0	42.3	26.2	54.7	NO	30.5	39.0	9.0	60.2	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Source: Mauritania MICS 2007
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Mauritania MICS 2007
The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Mauritania MICS 2007
The maximum number of interventions for this survey is 8.

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Mauritania MICS 2007

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Morocco DHS 2003

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	86.6	63.0	67.8	30.5	62.6	5.4	51.0	NO	NO	98.4	94.9	90.4	26.6	45.8	22.9	37.8	NO	75.4	4.2	49.1	72.3	
Wealth quintiles																						
Q1	84.5	58.3	39.7	10.6	29.4	1.5	55.1	NO	NO	96.8	89.4	83.1	20.7	37.0	18.2	19.2	NO	32.2	11.9	12.1	59.5	
Q2	85.5	60.9	56.4	19.6	49.4	2.0	56.0	NO	NO	97.8	94.6	86.9	23.9	49.9	18.4	34.1	NO	57.5	4.0	30.4	69.0	
Q3	85.3	61.9	70.6	27.9	70.3	3.4	53.9	NO	NO	99.6	96.7	91.3	30.8	45.4	30.4	37.0	NO	90.4	2.3	56.9	73.8	
Q4	86.9	63.6	86.8	40.8	86.1	7.5	47.0	NO	NO	99.3	96.9	95.9	30.2	50.9	24.1	52.9	NO	98.7	0.3	77.7	80.9	
Q5	90.5	69.9	93.1	60.4	95.4	16.0	40.0	NO	NO	98.5	98.2	97.6	29.7	49.8	24.9	58.1	NO	98.4	0.3	86.6	84.3	
Equity indicators																						
ratio Q5/Q1	1.1	1.2	2.3	5.7	3.2	10.8	0.7	NO	NO	1.0	1.1	1.2	1.4	1.3	1.4	3.0	NO	3.1	0.0	7.1	1.4	
difference Q5 - Q1	6.0	11.6	53.4	49.8	65.9	14.6	-15.2	NO	NO	1.7	8.8	14.4	9.1	12.8	6.7	38.9	NO	66.2	-11.6	74.4	24.8	
Concentration index	1.4	3.7	17.0	32.4	22.9	47.5	-6.2	NO	NO	0.5	1.7	3.5	8.3	4.7	8.1	19.2	NO	19.1	-57.1	33.3	6.7	
SII	7.0	13.1	64.8	56.5	76.7	18.2	-18.5	NO	NO	2.9	10.8	19.6	13.0	14.1	11.5	45.0	NO	83.1	-18.6	84.4	30.5	
Maternal education																						
none	85.5	61.2	55.5	19.6	48.8	2.7	54.8	NO	NO	98.0	93.3	87.6	24.0	44.8	22.0	32.3	NO	NA	6.4	34.2	67.6	
primary	86.8	62.9	78.5	34.5	76.6	4.8	50.7	NO	NO	98.6	97.3	92.7	30.6	45.2	22.3	45.2	NO	NA	1.0	63.0	76.9	
secondary+	90.1	68.8	93.4	58.2	94.4	14.6	40.0	NO	NO	99.4	97.6	96.3	31.1	49.4	26.1	50.7	NO	NA	0.1	84.3	82.8	
Child's sex																						
male	NA	NA	66.6	29.2	62.9	5.5	51.8	NO	NO	98.4	94.9	88.2	24.8	43.3	23.8	41.5	NO	NA	4.1	48.4	NA	
female	NA	NA	69.0	31.8	62.4	5.3	50.1	NO	NO	98.4	94.9	92.3	28.4	48.1	22.1	33.7	NO	NA	4.3	49.8	NA	
Area of residence																						
urban	87.5	65.5	84.9	44.0	85.3	9.1	44.7	NO	NO	98.8	97.0	94.2	30.3	50.5	27.7	50.4	NO	97.0	1.1	75.0	80.1	
rural	85.4	59.7	47.9	14.9	39.5	1.6	58.0	NO	NO	97.8	92.4	85.9	22.8	41.4	18.2	25.4	NO	46.6	7.6	21.7	64.2	
Country region																						
01 laayoune-boujdou-sakia al hamra	ND	65.8	ND	ND	ND	ND	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	NO	29.6	ND	ND	ND	
02 guelmin-es-smara	72.5	53.3	64.9	27.3	66.6	4.0	97.0	NO	NO	97.2	97.2	94.1	39.5	ND	ND	ND	NO	88.5	1.9	56.9	ND	
03 souss-massa-draa	86.8	62.9	61.5	26.9	55.6	4.6	59.0	NO	NO	98.3	95.4	92.7	21.8	45.4	29.8	39.8	NO	86.6	2.0	45.5	71.5	
04 gharb-gharda-bni hssen	86.7	61.2	60.8	22.4	55.6	5.1	39.8	NO	NO	100.0	97.5	88.2	18.6	38.7	14.1	26.0	NO	72.6	4.3	35.2	68.4	
05 chaouia-ouardigha	84.4	65.0	73.7	32.7	68.6	2.8	55.0	NO	NO	98.9	93.5	89.0	22.2	38.7	15.8	24.9	NO	58.6	3.7	47.8	70.7	
06 marrakech-tensift-al haouz	87.1	62.9	59.2	24.1	47.8	3.2	66.4	NO	NO	97.4	97.4	92.2	29.1	42.1	17.9	35.7	NO	64.8	8.0	38.4	68.7	
07 oriental	86.1	58.4	68.8	35.0	69.5	6.4	47.6	NO	NO	100.0	92.9	80.7	22.6	41.0	19.9	26.4	NO	76.9	6.7	54.9	69.5	
08 grand-casablanca	89.2	68.4	87.0	53.3	91.1	14.3	45.9	NO	NO	100.0	97.2	90.6	25.8	35.3	16.9	45.7	NO	99.6	0.2	79.7	79.3	
09 rabat-sale-zemmour-zaer	86.9	65.6	85.2	45.4	85.3	7.1	38.3	NO	NO	98.8	98.8	93.3	40.5	52.9	31.7	47.2	NO	92.0	1.2	76.3	80.2	
10 doukkala-abda	93.3	67.8	61.0	23.4	59.0	4.8	53.5	NO	NO	100.0	97.5	93.0	25.9	56.0	16.6	38.3	NO	67.9	2.3	37.6	74.8	
11 tadla-azilal	87.2	63.6	52.8	19.4	61.0	3.7	71.7	NO	NO	98.7	97.6	80.9	23.6	78.3	36.6	35.6	NO	66.1	16.6	41.2	69.6	
12 meknes-tafilalet	87.8	63.7	68.6	23.3	58.0	2.1	42.2	NO	NO	98.5	97.9	94.7	33.0	41.1	32.1	39.6	NO	76.4	2.0	50.1	72.1	
13 fes-boulemane	87.1	62.1	77.5	40.4	62.1	4.3	63.1	NO	NO	98.1	94.7	91.2	39.3	35.1	25.3	59.4	NO	85.9	1.7	60.1	75.0	
14 taza-al hoceima-taounate	83.2	58.2	55.3	15.8	48.5	2.5	41.3	NO	NO	100.0	94.9	90.1	22.4	32.7	29.1	19.6	NO	48.7	6.6	28.6	64.4	
15 tanger-tetouan	82.3	57.9	65.8	28.8	56.2	7.1	27.0	NO	NO	98.2	91.5	89.4	23.4	55.0	19.9	36.0	NO	64.1	4.3	41.7	71.1	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Mozambique DHS 2011

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	32.7	11.6	90.6	50.6	54.3	3.9	78.0	NO	NO	91.1	76.9	81.5	74.6	55.7	55.0	50.2	35.4	52.4	7.1	70.6	60.2	
Wealth quintiles																						
Q1	11.4	2.9	82.8	38.5	31.5	1.4	77.9	NO	NO	86.3	65.4	74.8	65.4	45.2	40.8	44.1	32.6	14.4	14.3	50.0	47.0	
Q2	19.1	5.5	87.4	44.0	37.7	1.8	79.7	NO	NO	88.3	70.8	74.9	66.3	50.6	45.0	39.4	36.1	30.3	10.2	58.9	51.1	
Q3	24.8	7.4	90.7	49.9	52.6	3.1	82.3	NO	NO	92.6	81.0	79.3	75.5	60.0	62.2	ND	35.3	52.0	6.1	71.8	ND	
Q4	36.8	14.0	96.2	57.3	74.2	4.5	77.4	NO	NO	96.0	86.0	91.0	81.7	61.3	63.8	51.4	36.0	70.4	1.7	88.6	67.1	
Q5	52.5	30.3	97.5	66.7	89.5	11.3	72.0	NO	NO	94.9	87.5	92.9	89.9	66.7	69.6	66.8	37.9	94.7	0.4	93.1	76.0	
Equity indicators																						
ratio Q5/Q1	4.6	10.4	1.2	1.7	2.8	8.2	0.9	NO	NO	1.1	1.3	1.2	1.4	1.5	1.7	1.5	1.2	6.6	0.0	1.9	1.6	
difference Q5 - Q1	41.2	27.4	14.6	28.2	58.0	9.9	-5.9	NO	NO	8.6	22.2	18.1	24.5	21.5	28.8	22.6	5.3	80.3	-13.9	43.1	29.0	
Concentration index	27.8	44.2	3.5	11.9	22.1	42.5	-1.4	NO	NO	2.3	6.3	4.8	6.8	7.9	11.6	10.0	2.6	32.0	-41.6	13.5	9.9	
SII	51.9	32.9	20.2	33.7	67.4	11.1	-6.0	NO	NO	13.2	30.1	25.1	30.6	26.8	37.5	28.6	5.3	85.5	-20.5	55.7	36.3	
Maternal education																						
none	19.8	5.5	85.5	42.8	39.6	1.9	81.2	NO	NO	88.4	72.4	74.9	67.6	52.7	47.6	33.0	29.2	NA	11.8	59.4	50.9	
primary	32.0	11.6	92.3	51.0	57.4	3.8	76.5	NO	NO	92.4	78.1	83.1	76.6	55.6	56.8	58.1	37.5	NA	5.1	73.8	61.8	
secondary+	54.7	31.7	98.0	71.3	90.9	11.7	75.1	NO	NO	93.4	84.9	93.3	89.6	67.4	71.8	ND	46.3	NA	0.5	94.2	ND	
Child's sex																						
male	NA	NA	90.2	50.4	55.2	4.4	77.2	NO	NO	90.3	76.9	81.2	75.4	53.2	51.9	50.6	35.5	NA	6.4	71.5	NA	
female	NA	NA	91.0	50.9	53.4	3.4	78.8	NO	NO	92.0	77.0	81.7	73.7	58.5	58.3	49.7	35.2	NA	7.9	69.6	NA	
Area of residence																						
urban	45.8	21.6	96.3	59.5	80.3	8.6	76.0	NO	NO	94.7	86.4	91.6	85.0	65.9	65.3	64.4	41.1	84.1	1.3	89.4	72.3	
rural	24.3	7.4	88.2	46.9	44.3	2.1	78.8	NO	NO	89.8	73.4	77.7	70.6	51.3	50.4	44.0	33.2	37.8	9.4	63.3	54.5	
Country region																						
01 Niassa	33.7	12.4	90.0	36.6	60.5	2.2	97.6	NO	NO	92.7	84.3	87.9	69.0	82.2	86.3	ND	40.2	45.3	6.8	76.3	ND	
02 Cabo Delgado	22.1	2.9	96.1	56.1	35.3	1.6	67.3	NO	NO	95.1	68.7	80.4	62.4	32.7	24.2	ND	49.2	37.9	3.8	66.6	ND	
03 Nampula	18.4	5.0	92.9	37.3	55.3	3.6	89.6	NO	NO	88.4	77.4	83.4	78.4	60.6	62.8	ND	50.5	42.7	2.8	74.0	ND	
04 Zambezia	14.7	4.7	73.7	42.9	26.4	1.3	75.9	NO	NO	84.0	60.3	71.5	57.6	51.4	39.4	ND	31.2	25.8	22.2	41.5	ND	
05 Tete	40.6	15.3	90.1	43.7	51.7	3.6	83.8	NO	NO	88.7	80.7	75.8	78.8	34.8	37.2	ND	31.5	43.9	7.5	66.8	ND	
06 Manica	33.7	13.2	99.2	75.9	74.0	4.1	49.0	NO	NO	97.0	77.5	80.3	91.6	61.0	73.8	ND	36.6	83.9	0.7	88.6	ND	
07 Sofala	26.6	8.4	95.2	54.9	71.1	6.0	93.5	NO	NO	95.3	85.6	87.4	78.7	69.3	73.6	ND	41.0	63.8	1.9	83.4	ND	
08 Inhambane	33.4	12.4	96.4	55.3	59.4	6.3	77.1	NO	NO	96.2	83.6	86.4	81.7	62.3	57.4	ND	23.3	61.3	1.2	82.3	ND	
09 Gaza	36.7	18.3	96.6	61.2	71.1	3.8	75.5	NO	NO	92.7	89.0	85.6	77.2	56.3	70.2	ND	9.4	70.1	2.3	78.3	ND	
10 Maputo provincia	54.4	33.6	99.0	62.9	84.0	9.2	61.7	NO	NO	99.4	96.7	98.1	93.7	53.7	54.0	ND	21.2	84.2	0.0	96.1	ND	
11 Maputo cidade	58.7	35.9	97.4	69.3	90.8	12.5	71.1	NO	NO	96.4	90.1	95.4	87.6	79.5	66.9	ND	29.1	97.5	0.2	94.1	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9





Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.





Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Nepal DHS 2011


Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	64.3	49.7	58.3	50.1	36.0	4.6	44.7	8.9	30.1	96.5	91.8	88.0	86.8	46.7	39.0	49.5	NO	88.0	3.6	69.8	63.6	
Wealth quintiles																						
Q1	55.9	40.4	33.3	28.3	10.7	1.0	38.4	4.4	11.5	94.2	88.1	86.0	86.6	46.5	39.3	34.9	NO	66.5	9.8	43.0	52.4	
Q2	61.8	46.3	44.7	39.1	23.7	0.8	40.3	9.7	24.3	97.3	89.7	85.2	87.2	45.6	40.3	45.0	NO	89.7	2.6	65.5	58.8	
Q3	62.5	48.2	58.3	48.0	35.9	4.6	43.1	14.1	31.0	94.4	90.5	85.2	86.2	38.0	35.0	54.0	NO	94.9	1.3	78.9	62.6	
Q4	66.0	52.0	77.9	65.1	53.0	7.1	51.2	11.6	40.9	98.9	96.7	92.2	88.0	56.4	45.8	59.1	NO	96.1	0.4	84.4	71.9	
Q5	72.7	59.6	91.8	83.7	81.5	14.1	54.7	7.9	56.1	100.0	98.4	96.1	86.2	54.1	35.7	75.0	NO	92.6	0.7	96.1	81.3	
Equity indicators																						
ratio Q5/Q1	1.3	1.5	2.8	3.0	7.6	14.5	1.4	1.8	4.9	1.1	1.1	1.1	1.0	1.2	0.9	2.1	NO	1.4	0.1	2.2	1.6	
difference Q5 - Q1	16.8	19.1	58.5	55.4	70.8	13.2	16.3	3.5	44.6	5.8	10.3	10.2	-0.4	7.6	-3.7	40.0	NO	26.1	-9.1	53.1	29.0	
Concentration index SII	5.0	7.5	21.2	21.8	36.3	54.1	7.6	23.9	27.2	1.2	2.4	2.1	0.2	4.3	1.5	11.8	NO	5.7	-58.6	15.9	8.7	
	18.6	21.6	67.6	61.4	72.5	16.8	20.5	12.0	48.3	6.4	13.1	11.4	0.2	8.8	-0.3	38.5	NO	31.0	-15.9	62.3	34.9	
Maternal education																						
none	69.8	52.8	42.0	28.7	19.4	1.8	34.6	7.7	18.5	94.3	86.1	79.6	85.9	43.1	39.3	45.2	NO	NA	5.9	57.6	58.8	
primary	60.2	47.0	56.0	51.6	31.9	4.1	45.2	10.3	29.0	98.1	95.3	96.3	89.3	42.4	30.9	46.8	NO	NA	2.4	68.3	61.4	
secondary+	59.1	46.8	79.4	75.3	62.6	9.0	56.5	10.6	43.4	98.5	97.3	94.2	86.6	55.1	44.0	56.9	NO	NA	0.7	90.1	70.9	
Child's sex																						
male	NA	NA	58.7	51.2	35.9	4.2	45.2	9.1	31.3	96.9	92.3	89.7	88.5	52.9	42.8	46.9	NO	NA	3.8	71.4	NA	
female	NA	NA	57.7	48.8	36.3	5.1	44.0	8.8	28.8	96.2	91.3	86.3	85.0	38.1	34.0	52.2	NO	NA	3.4	68.1	NA	
Area of residence																						
urban	74.9	59.6	87.9	71.8	72.7	15.3	48.4	3.8	49.7	98.0	94.9	91.8	83.1	54.1	44.2	69.0	NO	90.6	1.4	87.7	78.9	
rural	62.7	48.2	54.9	47.7	32.3	3.5	44.2	9.1	28.1	96.4	91.5	87.6	87.2	45.9	38.5	47.3	NO	87.6	3.9	67.9	61.9	
Country region																						
01 mountain	65.4	48.3	52.1	42.7	18.9	1.4	48.0	6.7	22.2	93.7	90.4	90.9	90.1	44.6	35.2	45.6	NO	81.7	5.7	62.4	60.4	
02 hill	61.4	48.2	53.2	50.3	30.4	3.7	47.0	4.7	26.4	96.3	93.4	90.4	87.1	53.0	40.3	47.1	NO	76.3	5.7	59.2	62.3	
03 terai	66.4	51.0	63.0	50.9	42.8	5.8	42.4	13.3	33.9	97.1	90.9	85.8	86.1	42.8	38.7	52.0	NO	97.8	1.7	79.2	65.2	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Source: Nepal (DHS 2001 & DHS 2011)
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Nepal (DHS 2001 & DHS 2011)
The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Nepal DHS 2011
The maximum number of interventions for this survey is 8.



Source: Nepal DHS 2011

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Niger DHS 2012

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	46.5	13.9	82.8	32.8	29.3	1.4	53.6	6.7	13.0	84.0	68.5	68.7	59.6	43.0	44.3	53.2	20.7	66.5	12.6	52.2	56.3	
Wealth quintiles																						
Q1	35.8	9.9	71.2	24.3	11.8	0.5	48.0	6.0	9.4	74.9	53.3	61.4	51.3	33.3	34.1	46.5	11.8	37.4	24.6	27.1	45.0	
Q2	36.3	8.8	79.2	30.4	18.3	0.9	48.7	6.4	10.9	83.3	65.0	66.7	55.5	42.1	44.5	51.3	14.1	57.5	15.2	44.4	51.1	
Q3	39.3	9.8	83.6	30.9	21.2	0.7	49.8	6.9	11.5	84.1	68.2	66.7	59.7	44.1	45.2	45.1	21.8	69.7	10.1	51.4	52.6	
Q4	48.9	15.3	84.2	32.0	29.3	1.0	54.0	5.6	12.4	83.8	70.5	72.5	60.1	46.8	47.5	53.4	23.2	74.0	10.2	56.8	58.0	
Q5	61.9	25.8	96.0	46.6	71.0	4.2	68.2	11.6	21.4	93.2	84.4	75.1	72.4	47.6	49.3	71.8	33.6	93.8	2.4	83.3	72.7	
Equity indicators																						
ratio Q5/Q1	1.7	2.6	1.3	1.9	6.0	8.0	1.4	1.9	2.3	1.2	1.6	1.2	1.4	1.4	1.4	1.5	2.8	2.5	0.1	3.1	1.6	
difference Q5 - Q1	26.1	16.0	24.7	22.4	59.2	3.7	20.2	5.6	12.0	18.3	31.1	13.7	21.1	14.3	15.1	25.3	21.8	56.4	-22.3	56.1	27.7	
Concentration index	13.0	23.6	5.6	12.0	35.1	43.6	7.0	5.7	16.3	3.7	8.6	4.4	6.3	6.5	6.6	7.4	20.9	16.4	-33.3	19.8	8.9	
SII	35.2	19.4	26.9	22.4	58.4	3.8	22.2	2.2	12.2	17.8	32.4	16.2	22.4	16.2	16.1	23.5	25.6	61.2	-25.0	57.1	30.7	
Maternal education																						
none	43.0	12.0	80.8	30.5	24.4	1.0	52.0	6.1	11.5	82.3	65.7	67.0	58.2	43.5	43.9	49.5	19.3	NA	14.1	48.3	53.6	
primary	53.8	20.5	91.7	39.4	52.4	2.6	60.1	11.6	18.3	89.8	80.7	73.4	69.2	38.7	44.1	72.5	27.3	NA	4.6	70.9	65.9	
secondary+	67.3	32.3	98.8	57.4	75.1	6.9	66.9	15.1	27.5	99.4	90.1	87.0	65.7	44.8	51.5	72.9	32.8	NA	2.1	83.7	76.3	
Child's sex																						
male	NA	NA	82.2	31.8	29.6	1.3	53.2	6.6	12.7	84.1	67.8	68.9	58.8	40.9	46.2	52.5	20.6	NA	13.5	51.6	NA	
female	NA	NA	83.5	33.8	29.0	1.5	54.1	6.7	13.3	83.9	69.2	68.5	60.5	45.3	42.1	53.9	20.8	NA	11.7	52.7	NA	
Area of residence																						
urban	62.6	29.0	96.9	46.3	83.0	5.4	71.6	12.0	21.8	95.1	86.6	77.9	70.3	48.1	47.1	72.7	36.5	96.8	1.8	85.4	75.2	
rural	41.7	11.3	80.4	30.5	21.2	0.8	50.6	6.5	11.6	82.1	65.5	67.1	57.9	42.0	43.8	49.8	18.2	60.5	14.3	46.9	52.7	
Country region																						
01 Agadez	47.9	19.4	75.5	31.9	57.1	2.2	74.9	23.7	28.1	90.6	75.4	76.9	42.5	43.0	30.9	82.4	24.8	74.3	19.8	63.0	64.6	
02 Diffa	38.6	12.1	57.3	20.3	32.0	0.3	80.2	0.5	0.5	74.6	52.4	59.0	59.8	55.9	40.5	ND	14.5	74.6	17.8	41.5	ND	
03 Dosso	46.4	18.9	90.8	28.5	33.2	1.1	58.4	26.9	33.1	85.6	79.3	74.7	56.0	44.3	60.7	24.6	44.8	7.4	54.6	61.2		
04 Maradi	48.7	11.2	83.7	43.4	25.1	0.8	42.3	2.1	8.1	87.3	68.5	69.0	72.9	43.1	39.9	42.4	17.6	72.9	10.1	58.5	55.3	
05 Tahoua	29.0	6.5	77.5	25.9	24.7	1.2	50.6	4.4	8.3	79.7	65.2	66.2	54.5	34.0	42.3	48.7	14.2	56.3	17.0	40.6	48.3	
06 Tillaberi	41.5	12.0	89.8	23.6	28.8	1.3	45.4	7.5	16.9	86.8	73.5	74.8	53.8	46.9	50.2	53.9	28.5	73.1	9.6	56.4	57.7	
07 Zinder	53.7	17.2	78.1	34.6	20.1	0.5	63.4	3.3	6.8	79.8	58.6	61.2	56.3	43.3	45.8	56.9	19.9	67.4	17.5	45.5	54.8	
08 Niamey	64.5	33.9	97.7	48.4	86.8	9.3	62.3	27.0	23.8	96.1	87.7	80.0	64.0	46.8	47.0	68.3	38.5	97.0	0.9	85.0	75.7	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9



Source: Niger (DHS 1998 & DHS 2012)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Niger (DHS 1998 & DHS 2012)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Niger DHS 2012

The maximum number of interventions for this survey is 9.



Source: Niger DHS 2012

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.


Nigeria MICS 2011																						
Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.																						
	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	47.5	17.5	66.2	56.6	48.7	4.7	22.9	NO	NO	62.4	44.6	55.6	64.9	27.9	26.0	39.7	16.5	58.5	35.1	25.7	47.6	
Wealth quintiles																						
Q1	25.8	5.7	30.0	22.4	11.0	0.8	18.3	NO	NO	28.1	16.4	27.2	47.3	21.5	12.0	27.8	12.5	29.0	71.3	5.2	23.2	
Q2	36.9	10.6	50.6	37.5	25.8	1.4	21.3	NO	NO	48.8	27.9	42.0	57.5	26.4	20.7	33.9	18.7	47.8	49.0	12.2	35.5	
Q3	42.4	17.0	73.0	61.5	49.8	3.8	23.0	NO	NO	66.2	45.5	55.3	65.5	32.2	35.1	47.2	16.9	66.5	29.6	24.7	49.1	
Q4	51.8	24.1	87.8	77.8	72.7	5.6	27.3	NO	NO	83.4	59.1	73.4	76.7	33.7	37.7	45.0	17.2	77.9	11.0	41.4	60.0	
Q5	63.6	31.0	95.1	88.6	89.7	12.5	25.1	NO	NO	92.7	80.5	86.1	82.1	38.3	56.3	74.5	17.5	71.5	3.4	52.1	74.3	
Equity indicators																						
ratio Q5/Q1	2.5	5.4	3.2	3.9	8.2	15.8	1.4	NO	NO	3.3	4.9	3.2	1.7	1.8	4.7	2.7	1.4	2.5	0.0	10.0	3.2	
difference Q5 - Q1	37.8	25.3	65.1	66.2	78.8	11.7	6.7	NO	NO	64.5	64.1	58.9	34.8	16.8	44.3	46.7	5.0	42.4	-67.9	46.9	51.1	
Concentration index	15.3	30.2	21.3	25.4	35.0	48.8	7.7	NO	NO	21.7	29.1	22.3	11.7	12.1	30.9	18.5	4.6	16.4	-41.8	39.1	20.9	
SII	43.4	33.1	77.6	77.9	87.0	16.3	10.0	NO	NO	75.1	72.4	69.0	44.1	20.1	46.5	41.9	4.8	54.7	-79.6	59.4	59.6	
Maternal education																						
none	25.9	5.8	39.4	29.6	15.0	0.6	19.9	NO	NO	33.6	16.7	29.1	51.9	22.9	18.6	32.3	15.2	NA	62.3	7.2	26.2	
primary	47.7	20.7	72.7	60.8	51.3	3.6	23.0	NO	NO	71.5	50.2	61.5	68.7	33.1	26.9	40.8	17.1	NA	23.4	26.0	51.2	
secondary+	58.1	28.7	89.3	80.8	80.3	9.2	25.8	NO	NO	88.6	71.2	80.3	78.5	36.3	43.5	57.9	17.6	NA	7.5	48.6	67.0	
Child's sex																						
male	NA	NA	ND	ND	ND	ND	ND	NO	NO	64.0	44.4	57.2	64.9	27.7	27.4	38.8	16.2	NA	34.8	25.8	NA	
female	NA	NA	ND	ND	ND	ND	ND	NO	NO	60.7	44.8	53.8	65.0	28.0	24.4	40.8	16.7	NA	35.3	25.6	NA	
Area of residence																						
urban	55.0	25.0	87.6	79.5	73.9	8.8	23.4	NO	NO	82.6	65.0	73.1	75.9	34.5	44.5	53.0	15.9	72.6	13.9	40.4	62.7	
rural	42.3	13.9	56.4	46.0	37.1	2.8	22.7	NO	NO	52.7	34.9	47.3	60.1	25.9	20.6	36.1	16.7	51.3	44.3	19.3	40.6	
Country region																						
01 abia	84.2	47.9	95.0	88.5	91.5	8.5	19.1	NO	NO	92.2	81.5	79.2	80.2	50.6	39.8	ND	8.6	83.9	5.1	48.6	ND	
02 adamawa	17.7	5.5	67.1	54.5	37.3	1.1	25.0	NO	NO	74.4	53.6	71.1	66.6	37.7	20.3	39.0	20.8	54.8	24.7	26.6	42.9	
03 akwa ibom	46.6	26.1	67.3	57.2	39.7	9.0	28.6	NO	NO	80.8	68.6	79.0	85.7	4.2	7.0	ND	28.1	76.3	12.8	40.2	ND	
04 anambra	83.1	50.5	93.6	86.0	91.5	8.1	26.5	NO	NO	85.9	73.4	84.1	79.9	33.6	24.9	ND	25.8	64.3	8.6	52.7	ND	
05 bauchi	23.9	4.8	31.2	29.0	7.9	0.5	6.5	NO	NO	26.9	18.4	33.6	18.4	34.2	12.1	32.6	12.6	44.6	69.0	5.6	25.3	
06 bayelsa	18.1	9.3	47.9	37.6	37.0	2.1	26.3	NO	NO	68.3	35.6	61.5	71.9	42.2	42.4	ND	6.6	27.5	34.0	22.2	ND	
07 benue	35.1	12.4	69.2	46.8	59.6	2.3	32.5	NO	NO	71.8	43.5	50.0	49.5	24.9	25.4	ND	3.9	49.0	31.3	17.7	ND	
08 borno	15.4	3.2	43.4	32.5	19.2	2.3	26.6	NO	NO	42.0	16.9	17.3	33.0	12.4	12.8	ND	2.2	59.7	70.6	4.7	ND	
09 cross river	38.2	19.6	67.5	60.0	43.2	2.8	32.0	NO	NO	87.2	58.2	71.1	75.2	26.9	26.3	ND	40.2	49.4	13.7	34.4	ND	
10 delta	39.6	18.3	81.7	72.4	72.7	6.9	30.1	NO	NO	81.0	60.3	66.5	61.4	23.2	20.6	ND	15.2	75.1	21.3	38.3	ND	
11 ebonyi	89.5	58.7	80.3	57.0	58.3	3.6	30.7	NO	NO	95.7	74.0	85.2	67.5	56.7	35.7	53.6	7.5	59.3	12.7	38.4	74.0	
12 edo	38.5	18.5	86.7	77.6	83.0	10.9	41.1	NO	NO	94.8	64.3	84.2	72.2	23.8	13.7	ND	4.0	73.2	9.8	37.6	ND	
13 ekiti	61.6	30.1	95.9	95.4	89.8	4.5	15.4	NO	NO	94.7	93.2	90.4	88.6	ND	ND	ND	27.0	74.4	2.0	55.6	ND	
14 enugu	78.2	40.9	98.6	86.8	95.3	13.6	24.6	NO	NO	92.1	83.9	78.0	83.7	ND	ND	ND	5.1	39.6	4.4	52.3	ND	
15 gombe	66.3	19.9	68.1	44.9	21.7	4.2	26.4	NO	NO	52.7	37.8	54.2	69.0	20.9	23.5	ND	40.2	38.8	37.4	18.5	ND	
16 imo	75.6	39.3	97.6	89.0	97.3	10.8	29.7	NO	NO	90.0	74.6	85.5	78.7	41.3	38.9	ND	3.6	86.4	4.0	54.5	ND	
17 jigawa	7.8	1.0	42.1	31.7	12.4	1.0	16.6	NO	NO	23.9	7.3	20.6	64.6	28.6	25.7	28.3	33.5	64.9	58.1	7.7	19.6	
18 kaduna	26.3	9.0	76.6	67.1	37.6	1.2	17.2	NO	NO	70.4	30.4	58.7	66.0	29.9	42.4	51.4	34.8	70.4	23.9	23.4	42.9	
19 kano	3.8	0.7	55.5	44.0	21.0	0.5	23.2	NO	NO	33.8	20.4	34.4	45.8	44.2	61.1	ND	22.2	51.4	57.8	12.0	ND	
20 katsina	23.6	3.7	16.9	13.9	9.3	1.1	16.6	NO	NO	32.6	11.1	39.4	71.9	12.3	14.9	16.7	26.7	43.2	61.1	4.2	18.7	
21 kebbi	16.5	4.1	32.5	16.0	7.6	1.4	20.1	NO	NO	19.0	4.6	17.6	68.4	16.0	12.9	37.0	11.1	43.8	69.1	2.7	18.6	
22 kogi	30.5	11.9	85.8	68.4	75.0	4.9	41.9	NO	NO	76.4	47.1	68.3	65.0	ND	ND	ND	12.0	37.4	27.6	27.7	ND	
23 kwara	67.1	37.1	91.7	82.7	81.8	9.5	29.4	NO	NO	95.7	75.7	76.9	83.5	42.9	40.9	ND	12.2	72.4	11.9	43.7	ND	
24 lagos	58.6	28.5	92.8	91.2	85.9	15.7	22.6	NO	NO	90.4	79.5	85.3	76.8	28.2	62.3	ND	7.0	53.4	3.7	53.2	ND	
25 nasarawa	38.8	12.2	70.8	51.8	53.9	6.8	28.1	NO	NO	63.3	31.5	52.3	58.7	37.6	29.8	ND	17.6	36.9	40.6	16.4	ND	
26 niger	37.4	7.8	65.5	44.0	35.1	0.7	12.8	NO	NO	42.0	23.7	35.8	60.6	34.6	34.4	71.1	10.4	69.6	48.1	13.1	43.0	
27 ogun	59.3	30.2	89.7	84.5	82.1	11.7	18.1	NO	NO	80.6	60.8	69.4	67.3	26.2	14.2	ND	17.0	73.2	18.8	37.5	ND	
28 ondo	59.6	34.4	82.0	81.5	79.0	7.5	27.7	NO	NO	82.5	52.1	74.8	81.2	35.8	53.9	ND	3.9	54.8	12.3	37.7	ND	
29 osun	62.1	32.5	97.2	97.5	89.8	4.1	7.9	NO	NO	95.4	87.6	81.9	91.2	45.2	33.7	ND	5.8	74.7	8.0	45.5	ND	
30 oyo	48.7	21.9	85.1	69.7	69.6	3.5	20.3	NO	NO	78.9	62.3	66.3	73.8	ND	ND	ND	9.5	74.9	22.9	31.5	ND	
31 plateau	41.9	18.8	77.6	60.3	49.8	5.2	34.2	NO	NO	80.1	60.8	60.9	63.0	18.5	8.4	ND	31.8	46.2	17.2	28.3	ND	
32 rivers	61.0	33.0	80.3	72.2	72.4	4.6	26.1	NO	NO	80.1	64.0	70.4	82.0	56.2	56.6	ND	26.3	86.4	7.1	45.3	ND	
33 sokoto	21.5	3.8	16.6	8.5	7.4	0.4	39.3	NO	NO	9.7	6.7	7.2	28.6	21.0	5.3	2.6	6.9	19.5	91.6	1.7	13.2	
34 taraba	32.3	9.6	44.5	31.5	17.6	1.8	30.7	NO	NO	53.7	30.5	46.4	49.0	28.8	13.6	ND	4.0	31.5	52.0	7.2	ND	
35 yobe	20.9	5.1	45.4	26.4	20.5	0.2	13.7	NO	NO	28.8	12.1	28.8	50.7	10.2	8.1	24.1	7.3	62.1	60.4	10.6	22.9	
36 zamfara	18.9	4.8	15.5	13.6	9.8</																	

Pakistan DHS 2012

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	63.8	35.4	73.1	36.6	52.1	14.1	19.5	25.3	42.9	85.2	65.3	61.4	72.1	35.8	38.0	81.5	NO	60.3	14.2	52.6	64.3	
Wealth quintiles																						
Q1	45.9	20.8	50.9	12.9	29.8	4.3	20.9	18.1	26.7	70.6	29.9	35.1	62.9	32.1	33.6	79.6	NO	32.0	35.7	17.5	46.7	
Q2	56.1	29.7	61.5	21.7	38.1	6.8	18.2	28.2	39.4	84.3	67.5	60.6	76.7	25.7	32.3	76.8	NO	43.8	15.7	40.3	57.8	
Q3	66.8	38.2	76.7	30.9	51.2	11.2	18.7	25.4	41.8	86.7	69.2	62.5	77.3	39.2	42.2	81.3	NO	67.2	7.2	61.0	66.7	
Q4	68.8	41.5	86.9	49.8	68.9	20.7	16.9	36.0	52.5	90.4	78.9	72.1	74.6	41.8	39.0	85.0	NO	81.7	3.4	72.1	73.1	
Q5	75.0	45.8	96.6	77.4	85.2	33.9	23.2	26.8	59.2	97.3	88.0	82.8	69.7	45.0	48.2	87.0	NO	76.9	1.7	86.4	80.3	
Equity indicators																						
ratio Q5/Q1	1.6	2.2	1.9	6.0	2.9	7.8	1.1	1.5	2.2	1.4	2.9	2.4	1.1	1.4	1.4	1.1	NO	2.4	0.0	4.9	1.7	
difference Q5 - Q1	29.1	25.0	45.7	64.5	55.4	29.6	2.3	8.7	32.5	26.8	58.1	47.6	6.8	12.8	14.6	7.5	NO	44.8	-34.0	68.9	33.6	
Concentration index	8.7	14.5	13.4	34.7	22.0	41.0	0.9	12.8	15.7	5.9	16.7	14.8	2.1	9.1	7.1	2.6	NO	17.3	-52.7	27.4	10.2	
SII	33.2	30.5	56.3	69.5	63.8	35.5	0.8	17.9	37.5	30.8	61.0	51.1	8.3	19.2	15.8	11.0	NO	60.2	-46.9	76.4	40.3	
Maternal education																						
none	58.0	30.2	59.9	20.1	37.7	6.5	19.6	23.1	34.6	78.4	51.1	47.2	70.4	30.7	35.0	80.0	NO	NA	22.1	34.8	55.6	
primary	68.1	40.8	81.4	39.0	57.0	16.0	15.0	32.2	47.2	89.2	74.4	70.0	75.9	37.6	38.2	80.3	NO	NA	5.6	64.1	68.8	
secondary+	71.8	43.0	94.7	68.3	80.9	29.6	22.1	28.6	56.2	95.5	86.4	82.7	73.2	46.5	45.3	86.2	NO	NA	2.2	84.4	78.5	
Child's sex																						
male	NA	NA	73.1	37.7	53.0	15.0	18.9	27.1	43.9	86.3	67.4	63.0	72.1	37.9	41.5	82.3	NO	NA	13.3	53.1	NA	
female	NA	NA	73.0	35.3	51.2	13.1	20.1	23.5	41.8	84.0	63.2	59.7	72.0	33.5	34.4	80.5	NO	NA	15.1	52.0	NA	
Area of residence																						
urban	72.4	44.8	87.8	61.6	71.0	23.6	21.3	31.9	52.4	93.0	79.1	74.3	68.0	41.6	41.5	86.3	NO	75.7	4.1	71.4	74.7	
rural	58.8	30.7	66.7	25.8	44.4	10.2	18.7	23.8	38.9	81.7	59.1	55.6	73.8	33.4	36.6	79.7	NO	52.8	18.5	44.6	59.6	
Country region																						
01 Punjab	69.7	40.7	77.8	38.5	52.5	16.9	13.9	33.8	51.5	91.6	76.3	70.0	77.9	37.4	35.2	87.0	NO	64.2	6.5	63.1	69.8	
02 Sindh	58.6	29.5	78.2	44.4	60.5	15.4	21.7	20.3	41.1	78.5	38.6	44.6	59.9	33.6	45.2	82.9	NO	47.5	22.5	37.5	59.6	
03 Khyber Pakhtunkhwa	52.4	28.1	60.5	24.0	48.3	4.6	26.8	10.5	22.4	79.7	70.2	57.8	81.2	33.2	35.5	67.1	NO	65.6	19.6	47.8	57.2	
04 Balochistan	38.4	19.5	30.6	12.2	17.8	1.5	42.5	13.4	14.8	48.9	27.9	37.3	45.3	26.9	41.5	65.6	NO	61.1	47.7	14.3	36.1	
05 Gilgit Baltistan	61.9	33.6	64.0	30.9	43.7	3.3	61.0	0.9	3.5	78.6	55.3	51.0	8.8	67.5	72.5	84.2	NO	76.5	28.2	42.9	63.7	
06 Islamabad (ICT)	82.7	59.4	94.3	82.1	88.1	26.6	25.8	23.7	55.1	96.5	91.9	85.2	50.6	62.8	53.9	88.6	NO	65.3	2.3	80.8	85.3	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8



Source: Pakistan (DHS 2006 & DHS 2012)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Pakistan (DHS 2006 & DHS 2012)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Pakistan DHS 2012

The maximum number of interventions for this survey is 8.



Source: Pakistan DHS 2012

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Peru DHS 2009

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	91.4	73.2	94.3	92.5	82.5	21.4	52.7	47.0	89.9	93.7	74.2	76.1	4.8	58.4	32.0	72.1	NO	83.1	3.0	58.4	81.4	
Wealth quintiles																						
Q1	88.5	68.3	83.0	84.0	53.5	5.9	66.6	40.3	72.9	87.8	71.9	75.4	7.7	49.1	20.4	72.0	NO	54.3	9.5	33.7	73.8	
Q2	89.0	72.3	94.4	91.7	80.2	12.4	61.6	61.9	91.7	92.8	77.0	74.1	6.2	57.3	24.0	77.7	NO	78.9	2.1	56.8	81.4	
Q3	92.0	75.3	98.1	94.7	94.9	23.6	50.7	64.6	95.6	96.4	73.1	77.0	4.1	61.7	33.0	62.5	NO	86.1	0.6	66.3	82.9	
Q4	92.5	76.0	99.1	96.6	98.3	32.9	40.4	ND	95.8	97.0	73.2	76.4	1.9	64.5	41.8	75.6	NO	96.4	0.4	74.7	85.3	
Q5	95.3	73.6	99.4	97.9	99.5	47.0	35.8	ND	98.5	96.2	77.0	78.7	2.3	66.2	61.2	74.3	NO	99.8	0.0	72.2	86.8	
Equity indicators																						
ratio Q5/Q1	1.1	1.1	1.2	1.2	1.9	8.0	0.5	ND	1.4	1.1	1.1	1.0	0.3	1.3	3.0	1.0	NO	1.8	0.0	2.1	1.2	
difference Q5 - Q1	6.8	5.3	16.4	13.8	46.0	41.2	-30.7	ND	25.7	8.4	5.1	3.3	-5.5	17.0	40.8	2.3	NO	45.5	-9.5	38.5	13.0	
Concentration index	1.5	1.7	3.6	3.1	12.3	37.0	-12.6	16.8	5.7	2.3	0.5	1.1	-26.6	5.7	20.0	0.9	NO	11.0	-68.2	14.7	2.9	
SI	8.3	7.0	25.5	17.9	64.6	47.6	-39.0	35.8	33.3	12.3	2.5	3.9	-8.2	20.9	39.9	-1.0	NO	57.9	-18.0	49.2	15.0	
Maternal education																						
none	86.9	60.5	88.9	87.4	54.8	5.2	73.9	45.3	72.7	85.1	69.4	65.1	10.0	62.2	15.8	63.1	NO	NA	8.3	45.4	74.0	
primary	89.2	71.5	87.8	86.6	63.3	8.5	63.8	44.0	80.0	91.0	72.8	74.4	6.7	52.1	21.7	68.1	NO	NA	6.5	44.2	75.9	
secondary+	92.7	74.7	97.4	95.3	93.3	28.6	46.8	53.1	94.5	95.3	75.1	77.4	3.6	61.4	38.1	75.4	NO	NA	1.0	66.3	84.3	
Child's sex																						
male	NA	NA	94.1	91.4	82.8	22.3	51.8	48.7	89.2	92.8	73.9	75.0	4.8	57.5	33.5	71.7	NO	NA	3.2	58.6	NA	
female	NA	NA	94.5	93.5	82.2	20.5	53.7	45.1	90.6	94.6	74.6	77.3	4.8	59.4	30.3	72.4	NO	NA	2.8	58.2	NA	
Area of residence																						
urban	92.2	74.6	97.9	94.8	94.4	29.1	46.5	45.3	95.0	95.4	74.7	75.6	2.9	61.4	38.9	70.2	NO	91.1	1.0	67.5	83.7	
rural	89.6	70.0	87.1	87.6	61.0	7.5	65.1	47.4	79.9	90.2	73.3	77.1	8.3	52.8	19.2	74.6	NO	65.4	6.7	41.6	76.7	
Country region																						
01 Amazonas	95.0	77.3	82.5	86.2	64.1	9.9	74.6	38.5	80.1	93.4	77.9	78.4	9.7	65.8	16.3	88.1	NO	70.3	7.4	47.7	82.7	
02 Ancash	94.7	78.6	92.7	94.9	83.1	14.7	65.8	ND	93.3	96.5	86.7	78.9	7.9	50.2	32.8	76.4	NO	89.5	1.6	66.1	84.2	
03 Apurimac	89.5	77.5	98.3	95.9	94.1	13.1	63.0	ND	97.7	95.6	77.4	80.7	27.0	55.0	23.1	ND	NO	85.4	0.4	74.0	ND	
04 Arequipa	93.9	75.7	99.0	97.0	94.4	27.4	40.9	ND	97.6	96.0	70.3	66.9	1.5	ND	ND	ND	NO	88.4	1.0	70.4	ND	
05 Ayacucho	88.2	69.0	95.6	94.1	92.5	9.0	84.0	ND	98.4	97.0	68.0	79.5	12.4	61.6	16.0	81.0	NO	88.2	0.1	66.9	83.2	
06 Cajamarca	90.3	69.6	94.3	92.6	64.9	11.0	76.5	53.1	81.3	86.4	75.4	83.0	10.6	46.6	15.0	ND	NO	81.8	3.3	53.7	ND	
07 Callao	91.9	77.2	100.0	98.6	98.9	34.2	45.1	ND	87.3	ND	ND	ND	1.3	ND	ND	ND	NO	93.5	1.3	73.8	ND	
08 Cusco	88.7	71.9	97.7	95.4	79.2	11.7	66.6	ND	92.8	92.8	78.0	75.9	5.1	70.2	12.1	ND	NO	83.6	1.4	53.2	ND	
09 Huancavelica	83.9	71.5	88.1	94.5	70.3	5.5	68.3	76.7	91.8	96.2	82.5	82.6	20.7	55.3	20.5	ND	NO	79.0	1.1	59.2	ND	
10 Huanuco	88.9	68.2	95.4	95.5	78.4	8.8	75.2	69.0	93.4	94.0	82.0	82.4	12.2	57.2	29.5	87.8	NO	68.1	1.7	54.7	84.2	
11 Ica	94.4	75.8	97.2	91.3	97.7	23.4	46.8	ND	92.1	96.7	75.9	74.4	1.1	64.7	49.0	ND	NO	89.2	1.5	64.8	ND	
12 Junin	88.4	69.0	87.3	87.8	70.1	13.4	46.1	40.3	84.5	88.1	74.3	69.0	6.2	52.8	15.0	ND	NO	86.0	4.3	51.9	ND	
13 La Libertad	91.3	66.7	96.2	91.4	75.0	20.5	74.0	43.0	87.1	93.6	73.2	60.8	1.2	53.3	19.0	ND	NO	87.6	4.5	48.7	ND	
14 Lambayeque	92.0	74.7	97.0	92.6	90.1	27.2	53.4	ND	94.0	94.4	60.6	75.1	1.9	58.4	47.3	ND	NO	77.0	2.9	60.5	ND	
15 Lima	93.1	76.1	99.0	96.8	97.8	36.7	35.0	ND	97.2	96.7	71.5	75.1	0.9	62.6	43.7	72.6	NO	89.5	0.2	64.0	84.5	
16 Loreto	89.5	67.1	71.6	73.8	52.7	9.5	48.4	14.0	59.3	84.4	70.2	74.7	8.4	52.7	39.5	65.7	NO	48.8	17.4	37.0	70.9	
17 Madre de Dios	90.2	70.9	96.1	94.5	90.6	16.2	68.1	ND	96.9	95.9	57.0	53.8	13.0	63.7	33.9	58.7	NO	82.4	1.3	50.7	77.6	
18 Moquegua	92.5	73.3	99.6	97.2	97.1	30.9	50.7	ND	100.0	96.4	83.7	83.0	6.2	63.2	17.7	ND	NO	96.0	0.4	71.6	ND	
19 Pasco	89.7	73.3	89.5	89.0	80.8	10.4	58.5	66.6	89.6	90.7	74.4	78.4	7.3	36.3	21.6	71.0	NO	80.6	1.9	56.1	77.2	
20 Piura	90.1	73.8	94.5	91.4	85.6	27.5	48.2	37.9	90.3	97.2	76.0	84.8	1.3	57.5	35.5	83.9	NO	75.0	1.0	64.9	83.9	
21 Puno	90.0	68.5	94.3	85.6	64.2	7.4	48.7	77.1	92.6	91.1	70.6	68.6	0.7	44.7	7.6	ND	NO	77.5	6.1	44.1	ND	
22 San Martin	92.0	75.1	84.8	91.6	66.1	12.9	42.4	35.9	81.3	88.2	83.4	85.2	4.4	65.2	29.0	51.5	NO	75.3	7.4	48.8	77.6	
23 Tacna	93.3	82.0	99.6	94.7	95.0	29.6	42.9	ND	96.4	100.0	77.7	79.3	0.4	73.6	24.8	ND	NO	87.2	0.0	65.4	ND	
24 Tumbes	94.1	76.8	97.5	94.2	94.8	35.5	60.0	ND	96.5	95.7	88.8	91.4	3.6	84.2	63.5	ND	NO	73.9	0.3	71.1	ND	
25 Ucayali	85.8	64.4	87.3	77.6	62.1	7.0	85.3	9.0	66.8	84.7	72.7	72.8	3.3	59.5	45.0	68.1	NO	68.0	10.9	49.6	75.2	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Philippines DHS 2008

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	69.4	50.7	91.1	77.8	62.2	9.5	53.5	29.7	NO	93.9	85.6	84.5	75.9	59.6	46.5	49.8	NO	88.8	5.5	78.5	72.3	
Wealth quintiles																						
Q1	59.1	40.8	77.1	61.1	25.7	1.3	59.0	29.6	NO	85.1	71.6	71.4	67.1	58.5	37.3	41.6	NO	68.7	15.6	53.3	59.0	
Q2	69.9	52.7	91.4	71.5	55.6	5.1	54.1	31.6	NO	94.1	86.7	85.1	78.1	57.0	42.2	52.1	NO	88.4	4.4	78.4	71.5	
Q3	72.0	54.0	95.9	82.4	75.8	7.3	50.9	28.7	NO	97.5	88.5	86.8	80.3	58.0	55.5	50.8	NO	92.1	1.5	89.0	76.1	
Q4	74.1	55.8	97.6	88.9	86.0	15.5	50.3	26.1	NO	98.0	93.4	93.2	81.9	64.4	57.1	59.1	NO	96.3	0.5	92.5	80.8	
Q5	70.9	50.0	98.3	93.1	94.4	27.7	50.3	30.7	NO	98.3	94.0	91.3	74.7	65.0	54.7	64.4	NO	98.5	0.2	94.1	81.8	
Equity indicators																						
ratio Q5/Q1	1.2	1.2	1.3	1.5	3.7	20.8	0.9	1.0	NO	1.2	1.3	1.3	1.1	1.1	1.5	1.5	NO	1.4	0.0	1.8	1.4	
difference Q5 - Q1	11.8	9.2	21.2	32.0	68.7	26.4	-8.7	1.1	NO	13.2	22.4	19.8	7.7	6.5	17.4	22.7	NO	29.8	-15.3	40.8	22.8	
Concentration index	3.3	3.7	5.0	8.9	23.6	48.4	-3.7	-1.7	NO	3.2	5.5	5.2	3.0	2.4	11.1	7.7	NO	6.6	-64.0	11.4	6.0	
SII	13.5	10.8	30.6	41.6	78.9	31.2	-11.7	-1.9	NO	19.4	28.7	26.7	13.4	7.5	27.2	24.9	NO	37.9	-27.5	53.8	27.3	
Maternal education																						
none	39.3	18.5	44.0	31.7	10.9	0.0	73.7	30.1	NO	45.7	35.8	32.5	46.5	ND	ND	ND	NO	NA	49.0	18.0	ND	
primary	64.9	45.3	80.6	62.0	33.7	2.2	55.2	28.3	NO	85.0	73.5	71.8	69.6	54.8	36.2	38.5	NO	NA	12.9	57.2	61.3	
secondary+	71.2	53.2	95.2	83.5	72.8	12.1	52.5	30.5	NO	97.6	90.4	89.4	78.5	61.9	50.9	55.7	NO	NA	2.1	86.9	76.7	
Child's sex																						
male	NA	NA	90.6	76.8	61.8	9.5	52.8	31.6	NO	94.3	86.8	85.0	76.3	60.1	49.3	46.5	NO	NA	5.3	78.5	NA	
female	NA	NA	91.6	78.9	62.7	9.5	54.3	27.5	NO	93.4	84.3	83.8	75.4	58.8	43.1	54.9	NO	NA	5.8	78.5	NA	
Area of residence																						
urban	71.7	53.4	94.2	83.0	77.5	13.8	52.5	24.9	NO	96.2	88.2	86.8	76.1	63.5	57.7	54.4	NO	93.4	2.4	84.8	76.9	
rural	67.0	48.0	88.1	72.6	47.7	5.3	54.4	32.3	NO	91.6	83.1	82.1	75.6	56.0	36.3	46.9	NO	84.2	8.6	72.4	68.0	
Country region																						
01 i - ilocos region	74.4	54.2	90.1	72.7	81.9	10.3	54.2	18.0	NO	96.9	81.8	84.9	70.5	60.6	63.3	ND	NO	98.8	4.2	80.2	ND	
02 ii - cagayan valley	73.3	54.3	94.8	67.0	59.2	7.2	61.7	23.8	NO	97.0	82.5	88.9	76.2	ND	ND	ND	NO	93.9	1.4	82.7	ND	
03 iii - central luzon	76.6	57.8	95.6	79.2	81.9	15.4	26.3	31.5	NO	95.9	82.9	85.4	80.8	61.9	51.0	ND	NO	98.1	1.2	87.0	ND	
04 v - bicol region	55.0	39.4	92.0	75.3	49.9	4.0	47.1	89.5	NO	93.9	79.9	78.3	78.0	ND	ND	49.3	NO	75.3	5.1	70.3	ND	
05 vi - western visayas	68.4	51.9	94.6	81.6	60.4	5.9	66.9	19.3	NO	96.1	95.0	91.5	78.6	57.5	37.5	66.2	NO	77.1	4.9	83.0	75.7	
06 vii - central visayas	72.2	55.7	97.1	86.8	66.8	6.9	75.3	18.4	NO	97.7	92.3	86.2	81.5	63.3	60.9	48.0	NO	85.7	1.2	84.7	75.4	
07 viii - eastern visayas	63.2	47.5	90.2	69.7	43.1	5.3	58.6	10.9	NO	93.9	84.9	83.4	78.7	46.6	37.1	ND	NO	88.3	6.2	70.8	ND	
08 ix - zamboanga peninsula	61.5	43.8	85.9	77.2	38.4	4.7	40.6	20.5	NO	90.5	87.6	83.0	70.1	ND	ND	ND	NO	84.8	11.9	73.5	ND	
09 x - northern mindanao	74.0	53.2	92.2	83.1	47.8	4.5	75.1	37.9	NO	92.3	91.8	87.9	74.8	ND	ND	ND	NO	86.9	5.4	73.5	ND	
10 xi - davao peninsula	80.3	60.2	93.6	83.3	51.4	6.7	57.1	22.1	NO	95.2	88.9	88.9	84.1	ND	ND	ND	NO	84.4	3.4	80.7	ND	
11 xii - soccsksargen	71.7	55.1	86.1	76.6	35.6	6.3	58.4	16.5	NO	94.6	84.9	80.1	72.7	45.4	28.6	48.0	NO	88.0	11.2	71.2	66.7	
12 xiii - caraga	66.5	51.7	96.6	75.2	49.9	5.5	60.0	31.9	NO	100.0	94.7	96.5	81.1	67.0	51.7	ND	NO	93.9	1.5	81.9	ND	
13 national capital region	72.3	54.1	94.4	85.7	86.8	14.9	49.1	29.4	NO	98.1	89.1	87.7	80.2	59.8	52.1	ND	NO	96.8	1.0	88.3	ND	
14 cordillera admin region	76.9	54.9	91.8	59.8	67.4	11.7	56.2	34.7	NO	92.7	85.8	90.8	69.9	ND	ND	ND	NO	91.3	3.8	83.8	ND	
15 arm	31.6	15.1	46.7	49.7	19.2	2.7	51.9	22.7	NO	58.1	41.1	39.8	48.0	34.7	27.5	ND	NO	61.3	45.1	24.7	ND	
16 iva - calabarzon	66.5	46.8	95.4	80.5	74.5	16.3	53.3	24.2	NO	95.7	91.2	90.5	73.3	70.8	61.5	ND	NO	94.2	1.6	84.7	ND	
17 ivb - mimaropa	71.0	53.6	85.4	67.2	39.1	5.9	44.9	44.0	NO	87.4	81.9	77.6	71.8	64.6	41.6	40.9	NO	82.8	7.3	70.8	67.1	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8



Source: Philippines (DHS 1998 & DHS 2008)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Philippines (DHS 1998 & DHS 2008)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Philippines DHS 2008

The maximum number of interventions for this survey is 8.



Source: Philippines DHS 2008

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Rwanda DHS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	71.3	51.6	98.0	35.4	69.0	7.1	70.7	4.4	4.7	99.1	96.9	95.0	92.9	20.8	29.1	50.2	68.5	73.5	0.3	92.6	72.9	
Wealth quintiles																						
Q1	62.5	43.1	96.6	34.1	61.2	4.9	69.8	2.7	3.5	98.5	96.1	94.0	91.5	21.8	21.9	40.3	61.9	65.4	0.6	88.7	68.3	
Q2	66.2	47.4	97.4	34.5	63.5	5.2	69.6	3.7	4.6	98.6	95.7	93.0	91.7	21.0	30.4	49.6	64.6	67.7	0.4	89.5	70.5	
Q3	73.5	52.8	98.6	32.6	66.7	7.0	70.9	5.2	4.2	99.3	97.1	94.9	92.3	20.4	32.0	48.7	70.7	71.6	0.1	92.5	73.1	
Q4	75.6	57.2	99.1	34.4	72.6	5.7	75.5	5.6	4.4	100.0	97.9	97.0	95.2	18.1	29.6	46.6	73.4	75.7	0.1	96.0	74.2	
Q5	77.7	57.1	98.9	42.5	85.9	14.4	68.2	12.1	7.6	99.8	98.7	97.4	94.6	22.0	37.0	74.8	74.9	87.1	0.1	98.1	79.9	
Equity indicators																						
ratio Q5/Q1	1.2	1.3	1.0	1.2	1.4	2.9	1.0	4.5	2.2	1.0	1.0	1.0	1.0	1.0	1.7	1.9	1.2	1.3	0.2	1.1	1.2	
difference Q5 - Q1	15.2	14.0	2.3	8.4	24.6	9.6	-1.6	9.4	4.2	1.3	2.6	3.4	3.1	0.1	15.1	34.6	13.0	21.7	-0.5	9.5	11.6	
Concentration index	4.6	6.2	0.6	3.8	6.8	22.3	0.3	25.3	13.7	0.3	0.6	0.9	0.9	-1.2	8.7	10.5	4.5	5.9	-44.7	2.3	2.9	
SII	19.6	18.8	3.4	7.4	27.3	9.0	1.9	6.5	3.8	2.3	3.6	5.2	4.8	-2.1	15.8	32.4	17.5	25.6	-0.8	13.0	13.4	
Maternal education																						
none	63.3	43.3	96.4	32.7	57.1	4.7	67.3	4.8	3.2	98.5	95.8	90.8	92.8	18.1	21.3	40.6	60.6	NA	0.5	87.5	67.5	
primary	71.8	52.6	98.4	35.1	69.9	6.3	71.9	4.4	4.8	99.2	97.0	95.6	92.8	21.4	30.1	49.2	69.7	NA	0.2	93.2	73.1	
secondary+	81.8	60.3	98.7	43.1	87.7	18.6	68.8	ND	6.5	99.5	98.3	98.5	93.9	20.7	35.4	73.3	76.1	NA	0.0	98.6	80.8	
Child's sex																						
male	NA	NA	98.0	34.5	69.8	7.8	70.9	3.3	4.7	99.5	97.1	95.0	93.4	21.1	31.3	50.1	68.2	NA	0.2	92.7	NA	
female	NA	NA	98.1	36.4	68.2	6.4	70.6	5.4	4.7	98.8	96.8	95.0	92.4	20.4	26.6	50.5	68.9	NA	0.3	92.4	NA	
Area of residence																						
urban	75.2	53.1	98.3	40.4	82.4	15.9	65.6	9.3	7.4	99.7	96.3	97.3	95.4	20.3	26.3	75.8	72.8	88.4	0.1	97.2	78.2	
rural	70.7	51.4	98.0	34.7	67.2	5.9	71.5	4.0	4.3	99.1	97.0	94.8	92.6	20.9	29.5	45.1	68.0	71.2	0.3	91.9	71.9	
Country region																						
01 kigali city	75.7	53.6	99.0	37.0	83.1	15.9	63.1	6.7	8.2	99.6	98.5	98.2	96.9	23.6	32.5	74.2	72.4	92.3	0.2	97.8	78.9	
02 south	74.9	55.3	97.6	39.2	66.4	7.1	71.2	3.8	5.7	99.0	96.8	97.6	91.0	21.9	27.1	46.7	67.4	74.9	0.3	92.5	73.4	
03 west	61.6	42.7	97.9	35.3	71.0	5.9	74.2	3.6	2.7	98.3	95.0	91.1	93.6	16.0	29.4	45.3	69.6	73.4	0.4	93.4	68.7	
04 north	77.2	56.9	98.3	38.3	63.8	5.1	64.5	6.5	6.8	100.0	99.2	97.4	94.9	20.6	25.5	47.1	65.0	72.7	0.2	92.1	73.9	
05 east	70.9	52.3	98.0	29.6	67.5	6.3	73.9	4.0	3.4	99.5	97.2	94.2	91.4	24.1	32.8	52.4	69.3	65.0	0.2	90.2	73.4	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Sao Tome and Principe DHS 2008


Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	50.8	38.4	97.9	72.4	81.7	5.3	45.4	20.8	NO	96.1	87.4	84.0	47.8	62.8	49.0	74.7	56.2	94.1	0.7	86.3	74.7	
Wealth quintiles																						
Q1	45.0	35.5	96.6	57.7	73.6	2.7	45.2	25.0	NO	96.8	86.5	78.8	42.3	63.0	61.5	86.2	42.8	91.0	1.4	82.0	73.3	
Q2	48.1	35.7	97.1	66.0	73.2	4.7	42.8	11.4	NO	94.8	84.2	81.8	40.6	64.3	46.2	60.6	49.5	89.1	0.3	81.5	70.7	
Q3	46.1	34.4	99.9	73.4	84.8	5.5	48.4	27.9	NO	97.4	88.2	88.9	46.0	62.6	37.6	ND	62.4	94.8	1.3	86.6	ND	
Q4	55.8	41.6	97.8	77.2	87.3	5.8	47.8	ND	NO	97.7	88.3	88.4	54.1	54.7	45.3	67.9	63.3	96.4	0.0	91.5	75.4	
Q5	57.9	44.1	98.3	90.7	92.9	8.6	42.8	ND	NO	94.1	91.0	83.8	58.7	73.6	58.3	ND	64.9	99.4	0.6	91.4	ND	
Equity indicators																						
ratio Q5/Q1	1.3	1.2	1.0	1.6	1.3	3.2	0.9	ND	NO	1.0	1.1	1.1	1.4	1.2	0.9	ND	1.5	1.1	0.5	1.1	ND	
difference Q5 - Q1	12.9	8.6	1.6	33.0	19.3	6.0	-2.4	ND	NO	-2.7	4.5	5.1	16.4	10.6	-3.3	ND	22.2	8.4	-0.8	9.4	ND	
Concentration index SII	5.5	5.2	0.4	8.7	5.3	17.4	0.2	-3.9	NO	0.0	1.4	2.3	8.0	-0.1	-3.3	-3.5	8.9	2.0	-26.8	3.0	1.8	
Maternal education																						
none	31.8	18.3	93.5	53.3	73.4	2.9	39.4	ND	NO	ND	ND	ND	35.0	ND	ND	ND	48.8	NA	1.2	81.5	ND	
primary	53.2	40.7	98.3	70.1	80.1	4.9	44.6	22.7	NO	95.0	87.6	84.8	44.9	63.2	46.7	74.9	53.8	NA	0.7	84.7	75.2	
secondary+	48.7	38.0	97.7	81.8	88.0	6.8	48.7	ND	NO	98.7	87.9	83.3	58.5	67.1	63.7	ND	64.0	NA	0.9	91.6	ND	
Child's sex																						
male	NA	NA	96.5	70.3	80.7	4.5	43.9	23.6	NO	95.4	87.8	86.3	46.6	65.7	49.3	70.3	55.8	NA	1.3	85.9	NA	
female	NA	NA	99.3	74.5	82.7	6.1	47.0	17.7	NO	96.9	87.0	81.3	48.9	59.5	48.8	79.8	56.5	NA	0.2	86.8	NA	
Area of residence																						
urban	44.5	33.3	98.4	75.9	88.7	6.5	45.1	16.5	NO	95.0	88.8	81.6	48.2	54.2	44.5	68.2	65.4	99.2	0.5	88.3	72.0	
rural	57.9	44.1	97.5	68.9	75.1	4.2	45.7	22.4	NO	97.0	86.3	86.0	47.4	69.0	52.3	77.1	47.5	88.9	1.0	84.4	76.8	
Country region																						
01 região centro	48.9	37.9	97.3	75.0	84.5	5.8	47.3	13.8	NO	97.3	88.7	81.3	51.0	63.9	44.8	73.5	56.7	97.0	0.6	88.5	74.4	
02 região sul	49.2	33.5	98.3	73.7	75.0	5.3	44.5	34.7	NO	95.5	92.5	89.1	46.9	55.2	78.6	ND	58.6	92.9	0.8	83.7	ND	
03 região norte	54.5	40.3	99.0	61.6	78.4	4.5	45.0	26.1	NO	93.6	79.9	84.8	35.3	62.4	53.4	81.4	54.2	93.7	1.2	81.5	75.2	
04 região do prncipe	64.8	50.7	99.6	85.7	81.4	2.7	25.4	ND	NO	96.4	96.4	96.4	71.2	ND	ND	ND	52.3	64.1	0.5	90.5	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Source: Sao Tome and Principe DHS 2008
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Sao Tome and Principe DHS 2008
The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Sao Tome and Principe DHS 2008
The maximum number of interventions for this survey is 9.



Source: Sao Tome and Principe DHS 2008

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Senegal DHS 2010


Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	30.4	13.1	93.3	50.0	65.0	5.9	50.3	25.6	41.4	94.7	82.6	82.1	78.3	42.1	22.4	49.9	34.3	77.8	2.3	81.9	60.2	
Wealth quintiles																						
Q1	13.7	4.8	82.4	32.3	29.7	1.8	44.5	18.1	29.3	90.0	74.5	74.4	70.4	40.9	20.5	32.1	38.4	54.0	7.0	60.5	46.2	
Q2	19.7	7.4	92.9	41.4	51.1	2.1	49.9	30.6	43.9	96.1	84.9	82.0	80.2	35.8	19.4	38.4	41.0	62.2	1.6	80.1	54.0	
Q3	28.5	13.0	95.4	51.4	74.4	5.1	52.9	33.1	42.5	95.0	85.1	83.4	80.4	44.0	21.4	55.9	40.2	81.2	1.2	86.4	62.7	
Q4	36.4	16.9	98.3	60.0	88.0	7.7	53.8	45.2	42.5	95.3	82.6	84.5	81.5	39.5	21.9	47.5	27.7	94.7	0.3	93.0	64.6	
Q5	46.8	24.5	99.5	68.9	94.9	15.4	51.1	ND	53.7	98.7	88.3	88.9	80.3	53.9	30.7	69.0	20.8	97.2	0.5	94.2	74.1	
Equity indicators																						
ratio Q5/Q1	3.4	5.1	1.2	2.1	3.2	8.5	1.1	ND	1.8	1.1	1.2	1.2	1.1	1.3	1.5	2.2	0.5	1.8	0.1	1.6	1.6	
difference Q5 - Q1	33.1	19.6	17.1	36.6	65.2	13.6	6.6	ND	24.4	8.7	13.7	14.4	10.0	13.0	10.2	36.9	-17.6	43.2	-6.5	33.7	27.9	
Concentration index	22.8	30.4	3.7	15.6	21.9	44.4	3.1	20.8	10.0	1.5	2.8	3.3	2.7	4.3	7.8	15.5	-10.5	12.7	-57.3	8.7	8.8	
SII	40.7	24.9	24.1	44.3	77.1	16.8	9.2	29.4	23.3	8.3	12.3	15.4	11.6	12.0	9.9	40.5	-22.3	59.2	-9.8	42.5	32.6	
Maternal education																						
none	22.8	8.8	91.4	45.1	58.1	4.0	50.3	24.2	38.8	93.5	80.5	79.2	76.5	38.8	19.5	43.1	34.4	NA	3.1	78.0	55.3	
primary	41.0	22.1	97.5	58.1	80.0	8.7	51.0	33.3	47.1	96.5	84.5	85.9	83.1	49.9	26.8	56.5	34.8	NA	0.5	91.2	67.7	
secondary+	48.5	27.0	98.1	66.9	87.8	14.6	48.6	43.1	48.8	100.0	95.3	96.1	82.0	50.0	35.9	72.4	31.8	NA	0.0	91.8	74.5	
Child's sex																						
male	NA	NA	93.5	49.4	65.0	6.5	49.0	25.7	40.2	93.9	84.3	82.1	78.9	41.1	22.8	51.5	34.1	NA	2.3	82.3	NA	
female	NA	NA	93.2	50.7	64.9	5.2	51.7	25.4	42.7	95.5	80.8	82.1	77.7	43.3	22.0	47.8	34.5	NA	2.3	81.5	NA	
Area of residence																						
urban	41.7	22.0	98.5	62.1	90.4	10.8	52.0	44.6	46.3	96.6	83.6	84.8	81.4	44.0	24.4	60.5	30.5	92.7	0.5	92.3	68.8	
rural	19.0	7.0	89.7	41.5	49.1	2.7	49.1	23.1	38.5	93.5	82.0	80.4	76.3	40.7	20.9	38.1	36.7	65.8	3.5	75.1	53.0	
Country region																						
01 dakar	42.4	23.9	99.3	63.8	94.3	15.4	47.8	ND	44.6	95.0	79.4	83.8	80.5	45.7	26.6	64.1	17.4	95.9	0.5	91.3	69.4	
02 ziguinchor	38.0	17.9	95.1	58.3	67.3	4.8	58.5	ND	50.2	100.0	95.1	93.7	77.5	42.3	35.5	ND	49.1	49.4	0.4	84.8	ND	
03 diourbel	16.3	5.6	93.3	48.9	68.3	3.0	38.7	40.8	48.6	92.3	83.0	80.5	59.6	41.1	10.3	40.7	29.4	87.4	2.5	78.3	55.6	
04 saint-louis	36.6	17.7	92.4	50.1	68.7	5.2	37.6	18.8	27.8	96.5	77.1	80.0	74.4	40.2	24.3	44.6	53.9	76.6	2.2	80.7	60.7	
05 tambacounda	13.8	4.3	79.0	39.3	32.4	1.7	55.4	11.2	25.6	87.9	71.7	74.9	82.8	52.5	26.4	53.3	36.3	48.6	8.0	54.4	50.0	
06 kaolack	25.1	11.7	95.0	41.0	49.3	1.6	19.8	40.0	53.0	98.4	83.4	79.4	83.0	45.3	19.2	26.7	47.0	79.2	0.8	86.2	54.7	
07 thies	38.9	16.7	98.9	56.3	85.3	7.1	77.8	42.3	57.1	98.8	91.0	90.8	91.2	38.0	25.5	33.9	26.4	84.8	0.2	93.0	65.0	
08 louga	21.3	7.8	94.0	57.0	63.3	3.3	61.2	23.4	44.0	92.6	84.2	82.5	75.8	49.9	22.8	51.7	26.0	93.9	4.5	84.9	59.1	
09 fatick	24.2	10.9	94.6	45.3	52.7	2.1	34.7	49.6	47.9	96.3	88.9	82.4	75.6	41.4	25.2	52.6	28.4	60.9	1.8	77.2	58.3	
10 kolda	30.4	12.0	88.0	28.2	33.3	2.3	55.9	10.3	21.9	88.1	75.1	76.6	84.5	35.6	20.1	42.9	58.3	28.3	5.0	68.1	52.2	
11 matam	8.9	3.2	83.0	35.8	45.8	2.9	59.3	8.1	20.2	87.8	73.1	69.6	69.5	30.8	20.1	25.4	41.3	83.4	8.6	70.4	44.1	
12 kaffrine	15.3	5.4	83.5	36.9	44.0	1.7	53.3	13.6	17.0	96.9	91.6	81.8	76.9	35.0	17.2	39.9	35.6	85.3	2.1	78.8	51.8	
13 kedougou	18.0	7.1	82.9	46.1	25.4	3.6	49.1	11.2	17.6	91.0	58.8	76.5	73.9	27.1	21.0	42.4	55.2	72.1	2.9	68.0	44.6	
14 sedhiou	23.1	7.4	89.0	39.3	34.9	3.0	64.1	25.9	34.0	96.9	85.6	82.4	87.5	38.3	23.5	47.6	64.2	21.8	0.8	78.5	53.9	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Source: Senegal (DHS 1997 & DHS 2010)
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Senegal (DHS 1997 & DHS 2010)
The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Senegal DHS 2010
The maximum number of interventions for this survey is 9.



Source: Senegal DHS 2010

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Sierra Leone MICS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	29.4	11.0	93.0	74.7	62.5	4.5	44.6	NO	NO	95.5	76.0	81.8	90.4	54.8	72.7	73.7	29.9	57.1	6.3	37.0	63.4	
Wealth quintiles																						
Q1	18.3	6.0	91.7	67.7	44.0	3.8	42.3	NO	NO	94.0	77.2	82.8	88.0	53.5	74.5	71.9	26.2	19.7	8.7	32.1	57.9	
Q2	17.1	5.7	93.1	72.5	55.5	3.5	49.7	NO	NO	95.3	73.6	79.4	89.7	53.7	73.1	74.8	27.4	45.3	7.2	33.9	59.0	
Q3	26.4	9.9	91.2	75.1	64.1	3.9	45.5	NO	NO	95.8	73.1	80.0	90.5	54.5	69.9	75.6	35.1	57.2	5.7	41.3	62.4	
Q4	35.6	13.8	94.1	77.3	71.8	3.8	42.2	NO	NO	95.2	78.2	82.3	92.3	57.6	75.7	76.7	31.1	73.4	5.4	39.2	67.3	
Q5	46.8	22.3	96.1	83.7	85.0	8.6	42.5	NO	NO	97.9	80.0	86.6	92.5	56.2	69.5	63.0	30.5	89.6	3.1	40.4	70.8	
Equity indicators																						
ratio Q5/Q1	2.6	3.7	1.0	1.2	1.9	2.2	1.0	NO	NO	1.0	1.0	1.0	1.1	1.1	0.9	0.9	1.2	4.5	0.4	1.3	1.2	
difference Q5 - Q1	28.5	16.3	4.4	16.1	41.0	4.8	0.2	NO	NO	4.0	2.8	3.8	4.5	2.8	-5.0	-8.9	4.2	69.9	-5.6	8.3	12.9	
Concentration index	22.4	29.9	0.7	3.8	12.2	15.6	-1.2	NO	NO	0.7	1.1	1.1	0.9	1.9	-0.6	0.0	4.0	24.8	-15.7	5.5	4.3	
SII	37.8	19.8	4.3	17.5	45.6	4.1	-2.9	NO	NO	3.5	4.2	3.8	5.9	4.7	-3.2	-0.6	7.1	75.3	-6.3	11.4	16.9	
Maternal education																						
none	23.3	8.0	92.0	71.5	56.9	4.3	46.6	NO	NO	94.9	73.7	80.9	90.0	53.6	73.6	74.9	29.4	NA	7.2	34.6	60.7	
primary	36.0	15.1	94.8	80.5	68.8	4.7	41.2	NO	NO	97.5	78.9	84.4	91.6	57.5	71.1	72.3	31.0	NA	3.6	46.0	66.9	
secondary+	47.4	24.5	95.2	81.8	78.8	5.2	39.8	NO	NO	96.4	83.5	83.4	91.3	59.3	68.9	67.0	31.6	NA	3.3	42.0	71.1	
Child's sex																						
male	NA	NA	ND	ND	ND	ND	ND	NO	NO	95.6	77.2	84.4	90.0	54.9	72.4	72.4	29.6	NA	6.7	36.6	NA	
female	NA	NA	ND	ND	ND	ND	ND	NO	NO	95.4	74.9	79.2	90.9	54.8	72.9	75.2	30.2	NA	5.9	37.4	NA	
Area of residence																						
urban	40.1	16.8	94.3	77.5	71.8	6.0	39.0	NO	NO	94.9	77.9	86.5	91.1	55.8	65.9	71.7	26.8	76.2	5.3	38.0	67.8	
rural	24.4	8.7	92.5	73.6	58.9	3.9	46.8	NO	NO	95.7	75.3	79.9	90.2	54.5	74.9	74.4	31.1	48.2	6.6	36.6	61.5	
Country region																						
01 East	29.3	11.6	96.7	83.2	75.8	6.0	42.3	NO	NO	95.8	75.3	74.8	92.1	48.8	69.5	75.4	28.1	64.7	4.9	44.0	64.5	
02 North	21.9	6.8	88.7	64.9	46.3	2.5	49.6	NO	NO	94.4	72.4	80.3	91.0	57.2	77.2	74.6	30.8	42.1	8.1	30.4	58.8	
03 South	30.3	12.4	93.0	75.7	63.0	4.4	41.0	NO	NO	96.0	79.6	89.8	86.9	56.9	69.0	68.9	34.7	51.5	5.4	40.9	64.4	
04 West	43.7	20.1	97.5	81.9	80.2	7.4	42.8	NO	NO	97.1	81.1	86.2	92.5	58.2	68.8	73.0	20.1	90.7	5.1	33.2	71.1	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9





Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.





Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Somalia MICS 2006

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	NO	14.6	26.1	NO	33.0	NO	26.3	NO	NO	29.7	14.1	28.8	24.2	6.8	13.2	13.0	NO	29.1	76.5	2.9	NO	
Wealth quintiles																						
Q1	NO	11.9	8.4	NO	10.6	NO	23.5	NO	NO	18.7	5.4	22.2	17.9	5.1	6.5	4.6	NO	3.3	92.5	0.4	NO	
Q2	NO	13.8	12.8	NO	14.3	NO	28.6	NO	NO	14.3	6.5	18.5	24.2	4.4	5.6	7.7	NO	10.6	90.6	0.1	NO	
Q3	NO	13.8	23.4	NO	19.6	NO	25.6	NO	NO	27.5	14.3	26.7	23.0	7.2	12.5	13.1	NO	20.0	81.7	1.8	NO	
Q4	NO	15.0	34.9	NO	45.1	NO	24.3	NO	NO	33.5	14.5	30.3	28.8	9.1	23.2	18.8	NO	37.9	69.4	3.8	NO	
Q5	NO	18.8	51.4	NO	76.8	NO	29.7	NO	NO	52.9	28.6	45.3	27.5	11.2	31.0	27.7	NO	73.9	45.1	8.7	NO	
Equity indicators																						
ratio Q5/Q1	NO	1.6	6.1	NO	7.2	NO	1.3	NO	NO	2.8	5.3	2.0	1.5	2.2	4.8	6.0	NO	22.5	0.5	19.9	NO	
difference Q5 - Q1	NO	6.9	43.1	NO	66.2	NO	6.2	NO	NO	34.2	23.2	23.1	9.6	6.1	24.5	23.0	NO	70.6	-47.4	8.3	NO	
Concentration index	NO	8.5	33.6	NO	40.0	NO	2.3	NO	NO	24.8	31.5	17.2	8.9	18.2	35.2	34.5	NO	48.7	-12.4	58.0	NO	
SII	NO	7.1	51.6	NO	73.3	NO	3.5	NO	NO	43.1	27.9	28.9	11.9	7.4	29.2	27.5	NO	77.8	-55.6	12.7	NO	
Maternal education																						
none	NO	13.6	20.5	NO	24.5	NO	26.2	NO	NO	23.3	10.5	23.3	22.8	6.1	11.0	9.8	NO	NA	83.8	1.4	NO	
primary	NO	15.7	47.7	NO	59.3	NO	35.5	NO	NO	44.9	19.1	41.3	29.5	12.9	24.9	26.5	NO	NA	57.9	5.3	NO	
secondary+	NO	22.6	53.3	NO	72.6	NO	30.0	NO	NO	63.2	24.4	44.3	35.7	ND	ND	ND	NO	NA	41.3	6.9	NO	
Child's sex																						
male	NO	NA	ND	NO	ND	NO	ND	NO	NO	29.7	15.7	29.4	24.9	7.0	13.3	14.4	NO	NA	76.1	3.2	NO	
female	NO	NA	ND	NO	ND	NO	ND	NO	NO	29.8	12.2	28.1	23.5	6.4	13.1	11.4	NO	NA	76.9	2.5	NO	
Area of residence																						
urban	NO	16.9	45.5	NO	65.0	NO	26.6	NO	NO	46.6	26.1	38.9	29.2	8.8	25.1	23.7	NO	58.3	52.9	7.1	NO	
rural	NO	13.4	14.9	NO	14.5	NO	26.1	NO	NO	19.5	6.8	22.7	21.5	6.0	8.5	7.7	NO	11.2	89.8	0.5	NO	
Country region																						
01 north west	NO	25.6	31.8	NO	41.3	NO	35.1	NO	NO	36.3	4.7	32.2	25.9	15.9	30.1	15.9	NO	40.3	75.0	1.8	NO	
02 north east	NO	11.9	25.6	NO	36.8	NO	38.5	NO	NO	18.5	6.4	15.5	15.2	13.4	25.0	22.0	NO	24.3	83.7	1.2	NO	
03 central south	NO	11.6	24.4	NO	29.7	NO	21.4	NO	NO	29.3	18.7	29.9	25.1	4.9	9.9	12.3	NO	25.5	75.8	3.4	NO	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

South Africa DHS 1998

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	79.0	56.3	95.0	73.9	84.4	15.5	44.1	NO	NO	96.8	76.8	82.2	NO	37.0	51.2	75.3	NO	82.5	3.3	49.0	77.1	
Wealth quintiles																						
Q1	58.9	35.9	95.5	65.4	67.8	10.7	41.6	NO	NO	95.5	63.9	73.5	NO	30.6	51.8	75.7	NO	42.0	6.4	18.9	67.3	
Q2	67.8	46.0	94.7	73.7	81.2	11.4	47.8	NO	NO	97.2	76.0	83.1	NO	44.0	55.3	73.6	NO	80.1	3.5	46.0	74.5	
Q3	78.8	55.8	96.3	73.6	88.5	14.8	42.3	NO	NO	96.1	79.0	85.8	NO	41.0	50.9	75.1	NO	92.0	2.4	54.9	79.0	
Q4	84.6	62.9	94.7	74.0	94.9	16.9	40.0	NO	NO	97.8	86.1	86.3	NO	42.7	45.1	76.9	NO	99.0	2.3	67.3	82.3	
Q5	91.8	71.3	93.5	87.1	98.1	29.8	49.9	NO	NO	98.1	84.8	84.5	NO	19.9	47.2	75.7	NO	99.4	0.7	68.8	80.8	
Equity indicators																						
ratio Q5/Q1	1.6	2.0	1.0	1.3	1.4	2.8	1.2	NO	NO	1.0	1.3	1.2	NO	0.7	0.9	1.0	NO	2.4	0.1	3.6	1.2	
difference Q5 - Q1	32.9	35.3	-1.9	21.7	30.4	19.1	8.3	NO	NO	2.5	20.9	11.0	NO	-10.6	-4.7	0.0	NO	57.3	-5.7	49.9	13.5	
Concentration index	8.5	13.4	-0.3	4.3	7.7	20.9	1.2	NO	NO	0.5	6.0	3.4	NO	3.2	-2.4	0.6	NO	13.7	-35.7	21.7	3.6	
SII	39.7	42.6	-1.5	19.4	40.2	19.1	2.1	NO	NO	2.7	26.9	14.5	NO	1.9	-7.7	1.4	NO	72.8	-6.9	58.9	17.4	
Maternal education																						
none	56.8	33.2	91.9	66.3	59.7	11.3	39.4	NO	NO	92.5	65.8	64.0	NO	37.6	55.2	72.8	NO	NA	10.9	23.6	65.1	
primary	71.3	47.2	95.5	70.8	76.5	12.6	46.5	NO	NO	95.5	72.3	79.9	NO	34.1	47.5	76.5	NO	NA	4.1	37.3	73.4	
secondary+	85.2	64.6	95.3	76.2	91.5	17.5	43.6	NO	NO	97.9	80.2	85.6	NO	38.4	52.7	75.0	NO	NA	1.8	57.9	80.4	
Child's sex																						
male	NA	NA	94.6	72.6	84.3	16.0	43.7	NO	NO	96.9	75.1	83.7	NO	40.6	50.2	75.1	NO	NA	3.5	49.4	NA	
female	NA	NA	95.5	75.2	84.5	15.1	44.4	NO	NO	96.7	78.3	80.8	NO	32.8	52.4	75.4	NO	NA	3.1	48.6	NA	
Area of residence																						
urban	85.4	63.7	95.4	76.4	93.4	19.4	44.0	NO	NO	98.0	82.5	85.1	NO	39.1	48.8	77.7	NO	98.2	1.8	63.2	81.4	
rural	68.2	45.1	94.6	71.3	75.5	11.7	44.1	NO	NO	95.6	71.0	79.3	NO	35.5	52.8	72.9	NO	63.7	4.8	34.6	71.9	
Country region																						
01 western cape	93.1	70.9	91.8	75.1	96.1	21.5	63.1	NO	NO	98.3	75.8	83.7	NO	31.4	44.5	54.9	NO	99.0	0.9	56.5	78.4	
02 eastern cape	68.4	46.4	94.6	62.1	74.6	13.1	52.3	NO	NO	95.6	68.1	75.4	NO	31.4	54.6	73.2	NO	56.6	7.1	30.5	70.7	
03 northern cape	88.2	65.3	94.3	75.0	90.3	13.6	63.4	NO	NO	97.5	89.0	90.5	NO	46.1	46.5	71.6	NO	96.0	1.0	61.6	83.1	
04 free state	87.7	66.1	95.2	70.6	88.0	13.6	53.4	NO	NO	95.1	82.1	80.8	NO	69.8	55.2	79.0	NO	97.0	1.3	60.3	84.9	
05 kwazulu natal	74.3	50.8	95.8	75.9	82.5	18.0	34.1	NO	NO	97.0	62.3	82.5	NO	29.7	64.8	77.5	NO	67.2	2.5	30.9	73.4	
06 north west	83.7	66.1	94.3	71.1	88.3	14.5	38.1	NO	NO	95.7	82.2	87.0	NO	60.6	55.6	70.7	NO	90.2	3.6	56.4	81.9	
07 gauteng	82.6	59.8	95.7	79.8	94.0	19.3	34.1	NO	NO	97.6	86.8	84.4	NO	36.1	47.2	84.1	NO	98.3	2.6	69.0	81.8	
08 mpumalanga	72.5	48.5	95.0	71.7	76.0	9.7	46.7	NO	NO	96.4	77.7	83.7	NO	39.0	45.1	73.2	NO	94.2	3.2	50.8	75.0	
09 northern province	67.5	45.4	95.8	77.2	78.5	10.7	46.9	NO	NO	96.9	85.1	80.4	NO	39.0	31.0	68.6	NO	84.1	3.8	53.1	74.0	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 6




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Swaziland MICS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	83.8	65.2	96.8	76.6	82.0	12.3	54.5	NO	NO	98.2	90.6	97.8	64.6	48.1	57.0	57.6	1.4	67.3	4.3	30.7	80.1	
Wealth quintiles																						
Q1	74.5	58.2	98.4	71.6	65.0	10.2	60.0	NO	NO	99.2	89.7	99.2	62.9	34.4	58.0	61.9	2.6	41.1	4.8	27.3	74.7	
Q2	77.6	61.1	96.1	71.6	75.9	9.7	49.4	NO	NO	98.6	91.7	97.2	63.6	48.5	55.8	46.1	0.8	59.7	4.7	30.3	76.4	
Q3	83.5	63.3	97.6	77.2	86.9	13.2	53.7	NO	NO	98.4	94.0	98.2	62.3	56.9	60.5	57.1	1.8	66.3	3.2	34.2	82.2	
Q4	87.3	69.0	96.0	78.9	89.2	9.3	58.1	NO	NO	94.9	92.1	94.6	67.0	53.3	49.8	58.1	0.4	77.0	5.9	30.4	82.3	
Q5	90.7	70.2	95.6	84.6	94.0	20.3	50.5	NO	NO	100.0	83.6	100.0	69.0	53.8	60.3	63.3	1.3	92.4	2.6	32.9	84.0	
Equity indicators																						
ratio Q5/Q1	1.2	1.2	1.0	1.2	1.4	2.0	0.8	NO	NO	1.0	0.9	1.0	1.1	1.6	1.0	1.0	0.5	2.3	0.5	1.2	1.1	
difference Q5 - Q1	16.2	12.0	-2.8	13.0	29.0	10.1	-9.5	NO	NO	0.8	-6.1	0.8	6.2	19.4	2.3	1.4	-1.3	51.4	-2.2	5.6	9.3	
Concentration index	4.0	3.8	-0.5	3.8	7.4	13.5	-1.1	NO	NO	-0.3	-0.6	-0.2	1.7	8.6	-0.3	1.7	-24.0	14.9	-7.5	4.0	2.4	
SII	21.0	16.0	-2.8	16.1	35.9	9.1	-4.7	NO	NO	-2.0	-3.6	-1.4	7.0	25.9	-2.3	1.2	-1.8	57.3	-1.4	6.4	12.2	
Maternal education																						
none	77.3	54.5	93.5	81.0	60.7	4.6	54.4	NO	NO	98.5	90.2	99.1	58.6	50.3	59.1	53.4	3.3	NA	5.1	17.2	75.2	
primary	77.4	59.1	96.9	68.2	71.1	12.1	62.4	NO	NO	98.2	92.1	98.1	62.8	44.3	57.9	49.7	1.5	NA	6.4	27.6	75.9	
secondary+	87.5	69.5	97.0	79.8	88.4	13.1	51.1	NO	NO	98.1	89.8	97.4	67.1	50.1	55.8	65.2	1.0	NA	2.7	36.2	82.9	
Child's sex																						
male	NA	NA	ND	ND	ND	ND	ND	NO	NO	98.7	90.8	97.9	62.1	53.0	55.8	57.2	1.7	NA	4.7	31.5	NA	
female	NA	NA	ND	ND	ND	ND	ND	NO	NO	97.6	90.4	97.7	66.8	43.4	58.1	58.0	1.2	NA	3.9	30.0	NA	
Area of residence																						
urban	89.1	71.6	94.8	79.7	89.3	11.6	52.6	NO	NO	99.4	89.1	98.8	67.4	57.3	64.7	61.2	0.9	91.1	3.0	36.0	83.6	
rural	81.5	62.5	97.4	75.6	79.6	12.6	55.1	NO	NO	97.9	90.9	97.6	63.9	46.1	55.4	56.8	1.6	60.1	4.6	29.6	78.9	
Country region																						
01 Hhohho	82.0	62.7	94.1	76.3	82.2	21.9	55.7	NO	NO	97.2	87.8	97.1	52.1	50.9	67.9	51.9	0.7	79.3	4.7	29.8	78.5	
02 Manzini	86.4	69.1	98.5	80.5	90.3	9.5	49.6	NO	NO	99.1	86.6	99.1	68.9	50.7	50.3	57.5	0.7	74.6	5.1	34.1	81.9	
03 Shiselweni	82.6	63.7	97.1	76.7	78.4	8.8	56.3	NO	NO	97.2	93.7	95.2	79.2	39.2	56.3	60.8	0.3	49.1	3.0	27.9	78.8	
04 Lubombo	82.9	63.3	96.9	70.4	72.3	9.2	58.7	NO	NO	99.2	96.2	100.0	54.3	51.0	54.1	58.6	5.0	62.4	4.3	30.7	80.0	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9





Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.





Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Tajikistan DHS 2012

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	55.0	27.9	78.8	52.5	87.4	4.0	51.4	33.6	54.1	98.3	93.2	95.2	76.5	60.8	60.3	62.7	NO	76.2	1.7	74.9	74.0	
Wealth quintiles																						
Q1	48.2	24.9	66.3	29.3	73.9	2.7	42.9	33.8	52.9	95.9	92.9	92.7	77.9	58.1	53.0	ND	NO	64.8	5.2	64.0	ND	
Q2	53.1	24.5	70.9	40.4	84.9	2.4	43.7	38.1	54.6	99.7	95.6	97.7	82.8	56.2	52.2	ND	NO	68.0	1.3	72.3	ND	
Q3	52.9	25.2	81.7	55.5	89.7	4.2	51.7	29.9	48.2	99.0	93.3	95.0	76.0	73.3	72.4	ND	NO	74.8	1.2	75.8	ND	
Q4	54.3	28.8	89.7	68.5	93.6	5.1	59.5	27.9	57.3	98.5	91.9	96.0	76.5	66.0	64.6	ND	NO	81.6	0.3	81.8	ND	
Q5	64.8	35.9	86.7	71.4	96.1	6.2	60.9	33.1	58.5	98.0	91.6	94.4	68.1	52.5	62.1	ND	NO	91.8	0.4	81.3	ND	
Equity indicators																						
ratio Q5/Q1	1.3	1.4	1.3	2.4	1.3	2.3	1.4	1.0	1.1	1.0	1.0	1.0	0.9	0.9	1.2	ND	NO	1.4	0.1	1.3	ND	
difference Q5 - Q1	16.6	11.0	20.4	42.1	22.1	3.5	18.1	-0.7	5.6	2.1	-1.3	1.7	-9.7	-5.6	9.2	ND	NO	27.0	-4.8	17.3	ND	
Concentration index	5.5	8.0	6.4	18.0	5.0	20.0	8.3	-3.2	2.0	0.3	-0.6	0.0	-2.5	0.0	4.2	ND	NO	7.5	-50.1	5.1	ND	
SII	17.9	13.2	30.1	53.4	27.4	4.9	25.5	-5.1	6.2	1.6	-3.1	0.9	-12.2	0.4	16.5	ND	NO	33.5	-6.6	22.0	ND	
Maternal education																						
none	44.4	23.9	51.6	19.1	70.3	3.8	37.2	ND	45.8	92.5	88.4	91.5	68.8	ND	ND	ND	NO	NA	9.2	55.1	ND	
primary	41.5	18.9	76.8	34.8	81.8	2.5	45.8	31.5	44.7	100.0	90.8	93.6	77.6	56.6	58.9	ND	NO	NA	1.3	66.8	ND	
secondary+	55.7	28.4	79.6	54.3	88.2	4.1	52.1	35.4	54.9	98.3	93.5	95.4	76.6	61.7	60.5	63.8	NO	NA	1.5	75.9	74.6	
Child's sex																						
male	NA	NA	79.8	53.4	88.0	3.8	52.5	33.1	56.1	98.3	94.2	95.0	76.8	60.2	62.1	67.6	NO	NA	1.7	76.0	NA	
female	NA	NA	77.7	51.4	86.7	4.2	50.3	34.1	51.9	98.2	92.2	95.5	76.2	61.6	57.9	59.1	NO	NA	1.6	73.7	NA	
Area of residence																						
urban	60.0	31.5	82.7	64.0	93.4	6.1	55.6	29.6	58.2	98.5	91.8	93.7	72.9	54.5	57.8	ND	NO	94.1	0.5	82.7	ND	
rural	53.3	26.8	77.7	49.1	85.7	3.5	50.3	34.0	53.0	98.2	93.6	95.6	77.5	63.0	61.2	59.7	NO	70.6	2.0	72.6	73.2	
Country region																						
01 Dushanbe	56.6	31.7	80.8	65.0	95.6	9.7	52.9	ND	54.9	97.6	86.9	93.3	62.5	63.1	56.9	ND	NO	98.4	0.1	80.8	ND	
02 GBAO	60.3	35.0	85.1	48.1	92.5	6.0	51.8	49.4	60.9	98.8	86.8	96.4	79.4	72.9	78.1	ND	NO	58.7	0.3	75.4	ND	
03 Sughd	63.8	35.3	94.1	82.9	95.2	4.7	76.6	45.8	66.8	100.0	95.9	96.9	78.2	60.9	61.4	ND	NO	86.1	0.3	86.7	ND	
04 DRS	44.7	22.3	78.7	54.8	80.4	3.3	44.6	19.7	40.9	97.0	91.8	95.3	72.7	58.9	68.4	ND	NO	77.1	1.9	70.0	ND	
05 Khatlon	52.1	23.8	66.8	25.9	84.6	2.8	36.8	38.9	53.5	98.2	94.0	94.5	80.7	60.6	57.9	ND	NO	63.1	3.0	68.3	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 7



Source: Tajikistan (MICS 2005 & DHS 2012)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Tajikistan (MICS 2005 & DHS 2012)


The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Tajikistan DHS 2012
The maximum number of interventions for this survey is 7.



Source: Tajikistan DHS 2012

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Tanzania DHS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	57.5	34.4	95.9	42.8	50.6	4.5	48.7	3.3	2.5	95.5	88.0	84.5	60.8	50.4	44.0	70.6	61.4	52.6	2.9	74.4	70.0	
Wealth quintiles																						
Q1	42.6	22.9	94.1	37.1	33.0	1.8	42.4	5.5	4.0	95.5	84.1	79.9	53.3	45.2	40.8	57.0	60.3	32.6	5.6	61.1	60.6	
Q2	49.4	26.7	94.5	34.9	35.8	2.3	42.8	2.0	1.8	95.0	84.1	82.1	54.2	48.5	42.6	74.7	62.2	38.9	3.8	65.7	65.6	
Q3	49.7	28.6	95.6	39.9	47.0	3.5	46.2	2.5	2.0	95.1	87.3	79.8	62.7	47.8	43.3	56.3	60.4	50.2	2.3	74.2	65.1	
Q4	64.5	42.6	97.1	47.1	63.3	5.7	53.2	1.9	1.5	95.9	91.3	90.9	68.7	53.9	54.0	77.6	64.0	65.7	1.3	86.2	75.6	
Q5	75.6	50.6	98.9	58.7	90.4	12.0	62.0	6.9	3.2	96.2	96.9	93.8	69.5	59.1	38.3	93.4	60.0	78.8	0.4	93.7	85.4	
Equity indicators																						
ratio Q5/Q1	1.8	2.2	1.1	1.6	2.7	6.8	1.5	1.3	0.8	1.0	1.2	1.2	1.3	1.3	0.9	1.6	1.0	2.4	0.1	1.5	1.4	
difference Q5 - Q1	33.0	27.6	4.8	21.6	57.4	10.2	19.6	1.4	-0.8	0.7	12.9	13.9	16.2	13.9	-2.5	36.4	-0.3	46.2	-5.2	32.6	24.8	
Concentration index	11.7	17.0	1.0	10.4	21.0	38.2	7.7	-11.0	-6.8	0.3	3.0	3.4	6.0	5.3	1.8	7.8	0.3	18.4	-34.7	9.2	6.8	
SII	40.2	34.8	6.0	25.9	59.8	11.2	23.3	-3.7	-1.4	1.0	15.4	16.7	22.9	15.3	5.5	36.8	1.1	55.1	-6.9	40.1	29.5	
Maternal education																						
none	42.3	22.0	93.5	34.9	34.1	2.2	43.8	2.0	1.8	91.1	78.8	72.9	48.7	47.5	43.1	64.7	59.2	NA	8.0	59.1	60.6	
primary	59.8	36.7	96.5	43.1	53.5	4.4	49.3	4.0	2.8	96.8	90.5	87.8	64.3	50.3	44.2	70.8	62.6	NA	1.2	78.4	71.6	
secondary+	75.4	51.8	97.8	65.3	86.3	14.7	59.3	2.1	1.3	98.6	96.3	93.3	71.3	59.2	45.7	83.4	57.9	NA	0.5	93.8	83.7	
Child's sex																						
male	NA	NA	95.5	42.7	51.8	4.9	48.1	4.7	2.9	97.0	88.2	86.4	61.8	49.4	43.1	73.3	61.3	NA	3.1	76.6	NA	
female	NA	NA	96.3	42.9	49.3	4.0	49.4	2.0	2.0	94.0	87.8	82.7	59.8	51.4	45.0	67.7	61.6	NA	2.7	72.4	NA	
Area of residence																						
urban	70.2	45.9	98.6	54.9	83.0	9.6	61.7	3.3	1.7	98.2	97.0	92.9	65.4	55.2	44.3	86.1	60.5	76.0	0.1	92.5	81.8	
rural	52.9	30.5	95.1	39.2	42.3	3.2	44.8	3.3	2.7	94.8	85.9	82.5	59.6	48.7	43.9	65.3	61.7	45.8	3.5	70.0	66.4	
Country region																						
01 dodoma	47.3	29.4	97.8	41.4	45.9	2.8	42.8	1.7	2.3	100.0	95.3	84.8	63.3	50.9	42.8	ND	78.1	50.2	ND	ND	ND	
02 arusha	52.1	40.3	94.1	53.2	47.2	5.1	83.4	4.1	3.1	100.0	100.0	91.4	69.9	66.5	44.2	ND	42.3	81.8	ND	ND	ND	
03 kilimanjaro	80.4	64.8	100.0	59.4	86.1	11.0	55.2	ND	0.0	96.9	96.9	96.9	60.5	ND	ND	ND	63.2	79.9	ND	ND	ND	
04 tanga	83.1	53.7	99.2	42.0	44.5	4.7	42.0	3.5	2.6	93.5	85.7	84.8	57.6	ND	ND	ND	49.5	45.9	ND	ND	ND	
05 morogoro	67.4	46.7	98.3	49.3	60.6	5.8	66.3	2.4	1.0	100.0	95.4	92.4	77.1	63.5	54.2	ND	27.8	68.3	ND	ND	ND	
06 pwani	68.3	41.6	99.5	65.7	74.0	5.8	75.0	4.2	1.0	100.0	98.2	92.2	58.2	ND	ND	ND	76.7	58.7	ND	ND	ND	
07 dar es salaam	79.0	50.4	100.0	72.6	91.0	13.4	69.1	ND	0.9	100.0	100.0	98.4	67.4	49.8	24.5	ND	56.5	59.4	ND	ND	ND	
08 lindi	63.1	40.5	99.6	39.3	52.1	3.4	41.1	29.7	12.0	94.8	83.3	83.4	57.0	46.3	36.7	ND	63.1	29.5	ND	ND	ND	
09 mtwara	61.4	38.0	99.0	44.7	59.5	5.8	64.8	2.3	6.8	100.0	100.0	94.0	69.6	55.1	54.8	ND	70.6	44.5	ND	ND	ND	
10 ruwuma	68.8	47.3	99.5	46.2	83.0	8.2	46.5	ND	4.6	100.0	96.0	91.3	79.8	ND	ND	ND	72.4	69.8	ND	ND	ND	
11 iringa	63.2	45.2	97.3	40.4	80.8	9.7	73.0	ND	5.2	97.3	93.3	93.3	81.9	61.4	51.8	ND	53.6	58.9	ND	ND	ND	
12 mbeya	76.0	48.5	92.9	23.0	42.9	2.5	37.9	0.0	2.4	88.5	78.3	83.3	62.6	55.7	35.9	ND	44.2	55.6	ND	ND	ND	
13 singida	42.3	27.8	97.5	40.5	48.5	2.8	31.2	1.3	1.4	96.1	94.8	93.2	66.2	55.4	46.6	ND	28.6	49.9	ND	ND	ND	
14 labora	56.7	24.5	92.9	28.2	46.4	4.8	55.3	5.4	3.3	72.5	61.4	51.0	27.5	65.3	42.0	ND	56.0	18.3	ND	ND	ND	
15 rukwa	65.8	39.4	97.1	28.4	29.5	5.2	18.2	1.0	0.7	97.9	78.5	77.0	52.4	57.3	53.2	ND	67.4	46.5	ND	ND	ND	
16 kifungwa	37.9	25.2	97.2	37.8	33.5	2.0	44.9	2.3	3.0	98.7	79.0	82.3	65.3	46.1	53.0	80.4	55.3	59.3	ND	ND	62.7	
17 shinyanga	40.6	15.1	95.8	33.8	34.7	2.1	35.5	3.8	3.5	95.1	79.4	70.0	12.1	ND	ND	ND	76.4	39.9	ND	ND	ND	
18 kagera	49.7	26.2	98.3	43.6	54.3	2.7	51.7	1.6	2.9	97.1	100.0	97.1	77.0	26.0	25.3	ND	62.5	46.2	ND	ND	ND	
19 mwanza	28.5	15.2	85.9	40.5	44.1	3.5	24.5	1.0	0.6	95.8	87.8	86.7	76.9	38.4	54.6	ND	77.7	42.8	ND	ND	ND	
20 mara	25.7	11.9	88.2	40.4	30.4	0.6	22.3	0.0	0.0	97.0	90.0	85.6	69.4	30.8	46.1	ND	75.9	45.1	ND	ND	ND	
21 manyara	44.0	27.4	96.2	50.0	38.5	1.4	92.9	1.9	1.0	96.5	88.6	81.0	60.1	74.1	30.4	ND	73.8	53.4	ND	ND	ND	
22 zanzibar north	24.6	11.4	99.3	46.5	44.6	3.7	33.6	6.7	4.7	98.7	96.5	88.8	83.7	56.3	41.9	74.6	49.3	71.6	ND	ND	64.2	
23 zanzibar south	59.2	33.1	100.0	74.2	71.0	5.7	71.0	11.7	4.5	97.9	97.9	86.9	90.3	ND	ND	ND	61.0	66.9	ND	ND	ND	
24 town west	44.7	26.3	100.0	61.5	77.2	7.8	58.0	6.3	1.9	98.3	90.6	81.1	73.6	ND	ND	ND	42.8	86.5	ND	ND	ND	
25 pemba north	14.5	7.1	99.1	25.0	25.1	0.6	41.9	0.0	0.0	98.2	96.9	88.2	87.4	33.5	46.8	88.7	60.7	79.4	ND	ND	58.1	
26 pemba south	22.5	11.1	98.2	36.0	42.3	4.2	44.0	0.0	0.0	97.3	95.8	83.9	69.9	40.0	37.9	ND	52.5	73.6	ND	ND	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9



Source: Tanzania (DHS 1999 & DHS 2010)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Tanzania (DHS 1999 & DHS 2010)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Tanzania DHS 2010

The maximum number of interventions for this survey is 9.



Source: Tanzania DHS 2010

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Togo MICS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	29.4	15.2	71.6	54.9	59.4	8.8	46.0	NO	NO	90.8	72.4	68.3	88.0	23.6	11.3	32.1	56.5	55.7	10.5	38.1	49.7	
Wealth quintiles																						
Q1	24.3	12.5	48.2	36.9	27.7	2.7	44.3	NO	NO	83.1	62.8	52.9	84.0	20.4	4.5	19.5	54.8	17.7	19.2	23.5	36.9	
Q2	24.9	12.3	59.4	43.4	40.3	4.5	42.6	NO	NO	88.1	75.2	69.8	87.5	25.4	9.5	25.9	63.0	34.9	13.5	37.7	44.4	
Q3	24.6	13.4	70.6	53.9	61.1	7.4	48.1	NO	NO	95.2	70.6	66.6	90.0	25.3	16.1	31.4	62.3	51.4	7.9	40.2	48.6	
Q4	31.3	17.0	91.1	67.2	83.9	13.1	52.0	NO	NO	92.9	73.8	76.6	89.5	29.4	15.3	44.8	48.5	81.1	4.9	41.6	58.8	
Q5	41.3	20.1	95.7	79.0	94.1	18.6	44.1	NO	NO	98.8	84.4	82.8	90.4	15.2	20.0	ND	52.1	93.7	2.9	53.9	ND	
Equity indicators																						
ratio Q5/Q1	1.7	1.6	2.0	2.1	3.4	6.9	1.0	NO	NO	1.2	1.3	1.6	1.1	0.7	4.5	ND	1.0	5.3	0.2	2.3	ND	
difference Q5 - Q1	16.9	7.6	47.5	42.1	66.5	15.9	-0.2	NO	NO	15.7	21.6	29.9	6.4	-5.2	15.5	ND	-2.7	76.0	-16.3	30.4	ND	
Concentration index SII	12.0	11.3	14.5	16.4	24.6	38.8	2.5	NO	NO	3.2	4.5	7.9	1.6	1.7	25.9	24.4	-2.2	29.4	-34.2	14.0	11.2	
Maternal education																						
none	24.0	11.3	53.9	42.6	36.9	3.8	46.0	NO	NO	84.2	64.8	60.6	86.1	24.5	8.8	24.3	55.6	NA	15.0	28.9	40.6	
primary	30.9	17.3	80.4	58.5	69.2	8.8	46.8	NO	NO	94.8	76.4	71.7	88.1	22.7	12.7	34.0	57.1	NA	8.3	42.1	53.5	
secondary+	37.2	20.0	92.1	74.2	88.1	19.6	44.5	NO	NO	100.0	83.9	80.9	92.8	22.6	16.8	52.7	57.5	NA	2.8	54.6	63.0	
Child's sex																						
male	NA	NA	ND	ND	ND	ND	ND	NO	NO	92.3	70.6	68.6	87.5	22.6	10.4	34.6	56.8	NA	10.6	38.4	NA	
female	NA	NA	ND	ND	ND	ND	ND	NO	NO	89.3	74.3	67.9	88.6	24.8	12.6	29.9	56.3	NA	10.4	37.8	NA	
Area of residence																						
urban	34.4	17.7	94.9	70.9	91.1	15.5	46.8	NO	NO	97.8	79.8	77.7	89.2	22.6	15.2	53.6	49.8	88.2	3.7	46.5	62.3	
rural	26.3	13.6	59.7	46.8	43.2	5.4	45.6	NO	NO	87.8	69.2	64.2	87.5	23.9	10.1	24.7	59.7	36.2	13.7	34.2	43.7	
Country region																						
01 maritime	33.4	17.7	84.3	60.8	76.9	13.6	41.9	NO	NO	87.8	61.4	60.9	84.8	25.0	10.6	32.9	47.6	60.9	14.3	35.3	52.7	
02 plateaux	24.3	12.9	61.4	50.6	47.7	7.9	36.0	NO	NO	88.7	71.1	61.6	90.1	13.0	9.9	30.2	59.2	34.9	11.2	34.0	43.4	
03 centrale	29.0	14.9	80.6	51.4	59.5	2.9	57.4	NO	NO	92.9	79.7	67.8	88.9	28.0	13.8	ND	58.6	57.7	7.7	49.9	ND	
04 kara	39.1	20.4	80.7	49.9	55.8	4.0	46.7	NO	NO	88.0	72.2	72.9	90.0	26.8	11.0	35.7	58.3	57.4	10.8	38.7	53.7	
05 savanes	20.8	9.7	32.7	42.2	21.6	3.1	60.9	NO	NO	95.1	87.6	80.3	89.7	30.8	10.6	31.5	72.7	39.4	8.3	37.6	41.7	
06 lomé	27.0	13.5	93.5	74.9	93.7	16.9	46.3	NO	NO	97.1	71.3	76.4	86.6	22.4	16.8	ND	46.6	92.8	4.5	44.0	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9



Source: Togo (DHS 1998 & MICS 2010)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Togo (DHS 1998 & MICS 2010)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Togo MICS 2010

The maximum number of interventions for this survey is 9.



Source: Togo MICS 2010

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Uganda DHS 2011

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled provider	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	46.7	30.0	94.9	47.6	58.0	5.3	53.0	5.6	10.9	93.7	72.2	75.8	56.8	36.3	43.5	78.7	41.8	69.6	2.9	71.9	65.0	
Wealth quintiles																						
Q1	25.8	14.7	93.9	42.6	43.5	2.2	50.6	7.1	10.8	95.6	74.5	75.1	62.1	36.0	42.9	77.8	44.5	73.3	3.1	71.8	58.0	
Q2	37.2	23.2	94.5	42.6	48.9	3.2	46.5	6.6	7.9	94.6	72.6	72.1	58.3	33.0	40.4	78.9	40.8	65.1	2.4	65.4	61.0	
Q3	46.1	29.3	94.3	43.8	54.4	3.9	53.4	3.2	7.4	92.4	67.2	74.1	50.8	32.7	40.9	78.1	38.8	59.3	5.1	64.1	63.1	
Q4	50.6	35.0	94.5	50.5	59.6	5.7	54.8	2.1	8.8	90.6	71.3	76.4	55.5	42.2	50.7	77.2	41.1	67.2	2.8	74.1	66.4	
Q5	66.9	46.2	97.1	58.8	88.4	12.6	60.1	13.4	20.2	94.7	74.8	81.6	56.4	40.2	45.4	82.3	43.7	83.1	0.9	85.1	75.7	
Equity indicators																						
ratio Q5/Q1	2.6	3.1	1.0	1.4	2.0	5.8	1.2	1.9	1.9	1.0	1.0	1.1	0.9	1.1	1.1	1.1	1.0	1.1	0.3	1.2	1.3	
difference Q5 - Q1	41.1	31.5	3.3	16.2	44.9	10.4	9.5	6.4	9.4	-0.9	0.3	6.5	-5.8	4.3	2.5	4.5	-0.8	9.8	-2.3	13.3	17.7	
Concentration index	18.0	22.0	0.5	6.9	14.3	36.4	4.2	-10.7	13.8	-0.5	-0.3	1.9	-2.3	3.3	2.7	0.6	-0.1	2.5	-10.0	3.5	5.0	
SII	47.0	37.8	3.4	20.2	47.4	12.1	13.7	-3.9	8.7	-3.2	-0.9	8.3	-8.1	7.0	6.4	3.2	-1.2	10.8	-1.9	16.2	20.3	
Maternal education																						
none	34.5	17.9	92.3	44.7	37.7	2.6	52.9	5.1	7.9	92.5	70.6	72.6	53.8	36.1	47.5	69.6	38.5	NA	6.2	63.4	57.5	
primary	42.4	28.0	94.8	45.3	54.8	4.0	51.4	5.7	8.9	93.8	69.9	73.7	55.4	35.6	41.6	79.9	40.4	NA	2.7	68.5	63.1	
secondary+	64.4	44.2	96.6	55.6	80.8	10.9	57.4	5.6	17.7	94.0	79.3	83.1	63.0	39.2	47.9	81.6	48.0	NA	0.9	87.7	74.3	
Child's sex																						
male	NA	NA	95.4	47.5	58.2	5.4	51.8	5.8	11.0	94.1	72.6	74.8	57.1	34.6	40.5	74.9	41.0	NA	3.0	72.5	NA	
female	NA	NA	94.3	47.7	57.8	5.1	54.3	5.4	10.7	93.3	71.9	76.6	56.5	38.2	46.8	82.8	42.6	NA	2.7	71.3	NA	
Area of residence																						
urban	66.9	45.8	97.4	57.0	89.1	13.7	58.1	18.6	20.9	96.3	75.6	80.8	57.7	43.3	46.2	80.8	43.7	87.5	0.4	85.2	76.2	
rural	42.4	26.9	94.4	45.8	52.8	3.9	52.0	5.1	9.1	93.3	71.7	75.0	56.7	35.2	43.1	78.4	41.5	66.5	3.3	69.7	62.9	
Country region																						
01 kampala	74.3	48.2	98.0	65.3	93.0	17.8	58.9	ND	29.1	94.6	74.0	82.0	50.7	38.2	46.3	87.2	44.9	89.2	0.0	85.4	78.3	
02 central 1	58.5	37.3	87.8	47.7	62.0	7.8	48.8	1.2	10.6	85.2	66.4	75.0	36.2	44.1	37.4	78.7	36.7	49.0	8.1	59.8	66.6	
03 central 2	48.8	33.7	94.1	46.6	69.9	5.8	65.1	2.1	7.7	94.5	61.7	70.7	44.1	40.5	50.6	78.9	42.6	65.5	2.5	64.5	65.8	
04 east central	43.3	32.0	91.2	44.5	67.1	4.1	63.7	0.8	8.3	95.5	55.4	71.4	70.8	36.0	56.2	78.3	24.0	83.8	1.5	75.3	62.2	
05 eastern	40.5	26.1	94.3	37.9	51.9	2.5	45.6	7.2	13.8	97.5	74.9	76.8	71.0	30.6	37.9	80.0	42.5	86.5	1.2	79.8	62.5	
06 north	36.0	23.9	98.7	43.3	53.4	2.5	36.8	10.3	13.0	94.0	74.3	72.0	59.4	43.5	46.3	80.5	50.2	76.3	1.3	76.6	63.7	
07 karamoja	27.6	7.8	96.6	55.5	30.8	1.1	66.2	15.7	18.6	99.8	89.5	90.6	73.7	63.5	77.3	86.0	47.8	90.3	1.1	84.1	64.7	
08 west-nile	25.3	14.6	97.6	64.2	58.5	4.6	29.0	13.5	11.1	98.5	82.0	77.7	53.7	27.1	43.4	81.3	58.1	74.0	1.3	79.4	61.1	
09 western	51.8	32.7	95.9	47.7	55.8	5.5	58.9	4.0	9.0	95.4	77.8	81.7	60.0	32.4	37.9	76.0	49.5	65.9	2.3	72.4	66.6	
10 southwest	44.5	29.6	97.6	45.9	41.5	4.9	56.0	0.9	1.2	85.9	80.9	71.4	44.1	29.9	22.0	66.8	34.3	39.5	7.4	54.3	61.3	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Uzbekistan MICS 2006

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	89.3	64.9	99.0	NO	99.9	NO	67.1	NO	NO	100.0	93.2	97.4	72.0	28.1	69.1	67.7	NO	89.6	1.2	41.1	83.1	
Wealth quintiles																						
Q1	88.7	66.7	98.0	NO	100.0	NO	67.8	NO	NO	100.0	93.7	96.6	74.8	ND	ND	ND	NO	84.7	1.0	41.4	ND	
Q2	90.3	65.9	98.2	NO	99.9	NO	62.6	NO	NO	100.0	95.3	96.9	73.9	ND	ND	ND	NO	85.3	0.8	39.9	ND	
Q3	90.5	65.7	99.7	NO	99.7	NO	73.4	NO	NO	100.0	93.3	98.5	76.0	ND	ND	ND	NO	88.2	0.6	41.6	ND	
Q4	90.3	62.9	100.0	NO	100.0	NO	67.3	NO	NO	100.0	91.2	97.4	76.7	27.7	82.0	ND	NO	92.3	1.0	43.9	ND	
Q5	86.5	63.4	99.2	NO	100.0	NO	63.8	NO	NO	100.0	92.5	97.7	56.2	ND	ND	86.4	NO	97.6	2.8	38.2	ND	
Equity indicators																						
ratio Q5/Q1	1.0	1.0	1.0	NO	1.0	NO	0.9	NO	NO	1.0	1.0	1.0	0.8	ND	ND	ND	NO	1.2	2.7	0.9	ND	
difference Q5 - Q1	-2.2	-3.3	1.1	NO	0.0	NO	-4.0	NO	NO	0.0	-1.2	1.2	-18.6	ND	ND	ND	NO	12.9	1.7	-3.2	ND	
Concentration index	-0.4	-1.2	0.3	NO	0.0	NO	-0.2	NO	NO	0.0	-0.6	0.2	-3.7	1.5	4.7	10.4	NO	3.0	21.7	-0.6	ND	
SII	-2.1	-4.8	2.3	NO	0.1	NO	-1.3	NO	NO	0.0	-3.3	1.5	-15.2	6.4	23.5	45.3	NO	16.9	1.7	-0.7	ND	
Maternal education																						
none	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	NO	NA	ND	ND	ND	
primary	ND	ND	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	ND	ND	ND	ND	NO	NA	ND	ND	ND	
secondary+	89.3	64.9	99.0	NO	99.9	NO	67.1	NO	NO	100.0	93.2	97.4	72.0	28.4	69.9	67.7	NO	NA	1.2	41.2	83.2	
Child's sex																						
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	100.0	93.5	97.0	72.4	24.1	65.8	70.5	NO	NA	1.2	39.3	NA	
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	100.0	92.8	97.8	71.7	33.7	73.9	63.2	NO	NA	1.2	43.0	NA	
Area of residence																						
urban	87.2	62.9	99.1	NO	100.0	NO	68.8	NO	NO	100.0	89.1	97.3	60.8	20.1	75.3	73.5	NO	99.9	2.1	38.2	81.8	
rural	90.2	65.8	99.0	NO	99.9	NO	66.4	NO	NO	100.0	94.8	97.5	76.4	31.0	66.9	64.5	NO	84.9	0.8	42.3	83.5	
Country region																						
01 western	88.8	63.3	99.0	NO	99.2	NO	61.8	NO	NO	100.0	93.5	99.5	94.7	ND	ND	ND	NO	97.5	0.5	44.8	ND	
02 central	89.7	64.7	98.6	NO	100.0	NO	49.7	NO	NO	100.0	94.3	97.1	65.4	ND	ND	ND	NO	90.3	1.3	42.9	ND	
03 southern	84.5	56.4	98.6	NO	100.0	NO	71.7	NO	NO	100.0	94.8	96.3	74.6	43.7	52.4	ND	NO	67.4	0.8	43.8	ND	
04 central east	89.1	64.8	99.1	NO	100.0	NO	75.9	NO	NO	100.0	83.6	96.3	75.4	ND	ND	ND	NO	95.6	2.5	39.9	ND	
05 east	92.0	70.9	99.5	NO	100.0	NO	76.7	NO	NO	100.0	97.1	98.7	71.1	17.2	80.2	55.8	NO	95.2	0.7	36.5	81.6	
06 tashkent	87.8	65.1	99.5	NO	100.0	NO	59.9	NO	NO	100.0	90.1	95.4	37.3	ND	ND	ND	NO	99.7	2.7	40.8	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 7




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Vietnam MICS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	95.5	77.8	93.7	59.6	92.9	20.0	39.7	NO	NO	95.5	73.9	91.4	83.4	57.3	46.5	73.0	9.2	92.0	4.0	31.6	84.4	
Wealth quintiles																						
Q1	94.4	76.7	78.4	27.2	71.9	6.7	51.9	NO	NO	88.4	59.3	83.7	76.0	57.8	34.9	67.9	15.5	75.4	11.7	26.5	76.3	
Q2	96.1	79.2	96.2	45.0	96.3	10.3	46.0	NO	NO	97.4	71.7	92.9	81.6	62.1	43.4	ND	7.9	91.5	3.8	30.9	ND	
Q3	96.0	79.0	97.2	58.5	99.6	21.7	35.8	NO	NO	97.3	74.1	95.2	86.3	56.4	61.4	ND	10.1	95.6	1.3	31.9	ND	
Q4	95.1	76.2	99.2	78.7	99.6	24.9	31.4	NO	NO	96.9	78.1	91.1	88.3	43.7	46.8	68.4	6.4	98.4	1.3	30.7	84.2	
Q5	95.8	77.8	99.1	88.7	99.2	35.9	32.5	NO	NO	98.0	85.5	94.8	85.4	66.3	52.7	ND	5.0	99.3	0.5	38.7	ND	
Equity indicators																						
ratio Q5/Q1	1.0	1.0	1.3	3.3	1.4	5.4	0.6	NO	NO	1.1	1.4	1.1	1.1	1.1	1.5	ND	0.3	1.3	0.0	1.5	ND	
difference Q5 - Q1	1.5	1.2	20.7	61.4	27.3	29.2	-19.4	NO	NO	9.6	26.2	11.1	9.4	8.5	17.8	ND	-10.5	23.8	-11.2	12.2	ND	
Concentration index	0.2	0.0	4.4	22.7	5.8	30.2	-12.7	NO	NO	1.8	7.1	2.3	2.8	1.4	8.9	1.2	-22.6	5.1	-60.3	7.3	2.5	
SII	0.9	-0.5	32.0	72.8	46.9	37.7	-26.9	NO	NO	11.0	30.9	11.4	13.3	-1.7	23.6	10.6	-12.1	33.4	-16.7	12.4	13.1	
Maternal education																						
none	92.3	74.7	41.6	5.6	45.4	2.8	55.9	NO	NO	70.9	35.3	64.8	60.9	52.8	48.4	ND	15.7	NA	28.3	12.2	ND	
primary	96.7	80.7	93.3	44.0	84.7	12.6	38.5	NO	NO	92.2	66.2	85.4	76.9	46.0	22.5	73.2	10.1	NA	6.1	25.8	80.7	
secondary+	95.4	77.2	96.8	65.6	97.1	22.3	38.9	NO	NO	97.4	77.3	93.9	86.6	60.5	52.2	73.7	8.5	NA	1.6	34.4	86.5	
Child's sex																						
male	NA	NA	ND	ND	ND	ND	ND	NO	NO	95.1	72.3	92.0	82.9	64.4	55.0	69.6	10.0	NA	3.4	30.5	NA	
female	NA	NA	ND	ND	ND	ND	ND	NO	NO	95.9	75.7	90.8	83.8	49.8	37.7	76.9	8.3	NA	4.6	32.7	NA	
Area of residence																						
urban	95.6	77.6	97.9	81.6	98.8	30.9	30.3	NO	NO	97.5	82.3	94.8	84.4	56.8	47.3	73.0	4.0	98.4	2.2	34.7	87.0	
rural	95.5	77.9	92.0	50.5	90.5	15.5	43.5	NO	NO	94.6	70.2	89.9	83.0	57.4	46.3	73.1	11.1	89.4	4.6	30.4	83.3	
Country region																						
01 Red River Delta	94.9	76.3	99.0	75.3	99.2	26.6	33.1	NO	NO	98.4	82.3	95.1	88.2	59.3	49.3	58.6	5.3	99.0	1.9	33.6	85.6	
02 Northern Midlands and Mountain area	92.7	73.8	82.8	37.8	78.3	14.0	57.0	NO	NO	92.0	66.1	87.4	84.9	64.1	34.8	ND	16.3	80.7	8.0	30.6	ND	
03 North Central and Central Coastal area	96.3	79.9	96.6	52.3	96.4	15.9	42.7	NO	NO	96.1	65.1	94.1	84.0	52.9	60.8	58.5	8.8	89.8	3.0	33.6	82.1	
04 Central Highlands	93.7	75.8	87.9	37.6	79.7	11.4	37.0	NO	NO	91.3	63.4	87.9	85.8	58.4	54.0	69.9	20.7	86.1	3.8	40.2	79.5	
05 South East	97.1	78.6	99.1	87.1	99.4	33.5	28.9	NO	NO	98.8	89.0	96.2	77.6	59.7	60.8	ND	5.0	98.4	1.4	32.9	ND	
06 Mekong River Delta	96.9	80.7	94.4	58.8	98.2	14.5	33.3	NO	NO	93.7	73.8	84.6	79.5	44.7	33.3	ND	6.0	93.1	5.5	23.6	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9



Source: Vietnam (DHS 1997 & MICS 2010)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Vietnam (DHS 1997 & MICS 2010)


The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Vietnam MICS 2010
The maximum number of interventions for this survey is 9.



Source: Vietnam MICS 2010

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Yemen MICS 2006

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	54.0	27.7	47.0	NO	35.7	NO	29.6	NO	NO	68.4	49.8	64.3	NO	47.6	32.7	42.6	NO	58.9	50.6	5.9	49.6	
Wealth quintiles																						
Q1	31.7	14.7	32.0	NO	17.1	NO	35.7	NO	NO	52.9	32.1	52.1	NO	41.4	30.6	39.7	NO	28.2	75.4	0.5	34.8	
Q2	35.7	16.4	35.1	NO	19.8	NO	25.7	NO	NO	53.6	38.1	56.1	NO	49.8	31.4	38.4	NO	46.9	59.5	2.3	38.4	
Q3	53.9	27.1	43.4	NO	32.0	NO	30.3	NO	NO	70.2	45.4	59.2	NO	45.2	33.9	43.1	NO	67.0	50.7	5.2	47.7	
Q4	63.6	35.4	56.6	NO	50.1	NO	26.0	NO	NO	75.6	61.6	74.1	NO	51.3	33.2	50.9	NO	70.6	38.0	8.3	59.1	
Q5	76.0	43.7	79.3	NO	73.6	NO	29.2	NO	NO	96.2	77.9	84.1	NO	53.8	36.5	46.8	NO	81.7	18.7	16.6	71.7	
Equity indicators																						
ratio Q5/Q1	2.4	3.0	2.5	NO	4.3	NO	0.8	NO	NO	1.8	2.4	1.6	NO	1.3	1.2	1.2	NO	2.9	0.2	30.6	2.1	
difference Q5 - Q1	44.3	29.0	47.3	NO	56.5	NO	-6.5	NO	NO	43.2	45.7	32.0	NO	12.4	5.9	7.1	NO	53.5	-56.7	16.1	36.9	
Concentration index	17.9	23.2	19.0	NO	31.0	NO	-4.3	NO	NO	12.7	18.3	9.5	NO	4.4	2.5	6.8	NO	18.7	-22.1	48.3	15.0	
SI	55.6	38.2	51.4	NO	62.6	NO	-7.6	NO	NO	51.0	53.2	38.8	NO	12.5	6.1	13.0	NO	61.3	-61.4	20.6	45.6	
Maternal education																						
none	47.9	23.1	38.0	NO	27.2	NO	28.9	NO	NO	60.5	42.1	58.6	NO	45.9	32.5	40.9	NO	NA	58.6	3.9	43.7	
primary	60.8	34.2	59.2	NO	47.2	NO	29.8	NO	NO	80.6	58.4	71.4	NO	48.0	34.7	44.7	NO	NA	38.8	8.5	56.9	
secondary+	72.1	42.1	73.3	NO	61.4	NO	32.3	NO	NO	86.4	73.3	80.1	NO	56.5	30.0	58.2	NO	NA	20.9	15.9	68.8	
Child's sex																						
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	68.2	50.8	64.6	NO	46.5	31.4	44.2	NO	NA	49.5	5.6	NA	
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	68.6	48.8	64.0	NO	48.7	34.2	40.9	NO	NA	51.9	6.3	NA	
Area of residence																						
urban	75.4	42.3	68.2	NO	61.7	NO	31.7	NO	NO	88.7	64.2	79.9	NO	49.9	29.5	55.2	NO	73.8	26.9	12.0	66.8	
rural	43.0	21.1	39.3	NO	26.3	NO	28.8	NO	NO	60.1	43.9	57.9	NO	46.9	33.7	38.6	NO	52.2	59.5	3.7	42.5	
Country region																						
01 ibr	44.0	28.6	44.5	NO	26.1	NO	35.7	NO	NO	73.1	41.4	76.4	NO	47.2	35.3	43.7	NO	52.6	45.3	3.6	45.7	
02 abyhan	66.9	26.3	62.8	NO	50.1	NO	38.4	NO	NO	ND	ND	ND	NO	52.1	54.1	ND	NO	30.6	54.7	1.8	ND	
03 sana'a city	80.7	52.1	78.9	NO	69.4	NO	29.4	NO	NO	89.7	66.3	78.5	NO	53.8	23.4	56.8	NO	66.4	26.2	14.6	71.3	
04 al baidhah	59.4	34.3	33.3	NO	41.6	NO	27.0	NO	NO	ND	ND	ND	NO	55.7	20.5	ND	NO	76.0	66.4	1.5	ND	
05 taiz	64.5	26.9	46.1	NO	27.1	NO	26.6	NO	NO	70.1	55.2	66.0	NO	45.5	18.1	33.1	NO	61.0	49.6	3.2	50.5	
06 al jawf	42.0	20.2	54.4	NO	21.4	NO	28.2	NO	NO	ND	ND	ND	NO	28.1	43.0	ND	NO	47.5	86.8	0.0	ND	
07 hajjah	42.2	21.6	40.1	NO	13.9	NO	38.5	NO	NO	73.0	44.1	73.2	NO	41.2	40.6	39.9	NO	26.2	70.9	2.5	42.1	
08 al hodeidah	43.0	12.5	41.2	NO	50.1	NO	39.9	NO	NO	58.0	53.8	67.4	NO	46.9	28.7	54.3	NO	69.4	43.1	7.4	49.4	
09 hadramout	58.7	22.7	61.2	NO	66.4	NO	10.6	NO	NO	79.6	71.6	73.6	NO	66.0	29.3	ND	NO	89.6	20.7	18.0	ND	
10 dhamar	34.3	21.2	30.1	NO	16.4	NO	28.6	NO	NO	56.2	34.4	59.1	NO	45.2	32.8	30.8	NO	41.7	70.9	1.6	35.4	
11 shabwah	52.2	23.0	49.3	NO	24.5	NO	9.6	NO	NO	ND	ND	ND	NO	60.6	32.0	ND	NO	71.9	64.8	2.0	ND	
12 sa'adah	58.2	24.0	26.0	NO	31.3	NO	34.0	NO	NO	56.5	42.5	44.5	NO	64.4	41.9	50.1	NO	65.1	55.0	5.3	47.7	
13 sana'a	45.3	28.8	50.1	NO	33.8	NO	28.2	NO	NO	65.0	48.2	55.8	NO	46.0	26.4	ND	NO	32.2	58.5	4.4	ND	
14 aden	88.2	46.5	78.7	NO	80.5	NO	31.4	NO	NO	ND	ND	ND	NO	ND	ND	ND	NO	97.5	12.1	27.1	ND	
15 lahej	66.8	36.6	67.8	NO	46.2	NO	10.9	NO	NO	84.7	80.4	75.2	NO	69.6	44.4	ND	NO	74.5	26.5	10.4	ND	
16 mareb	ND	25.9	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	NO	ND	ND	ND	NO	67.7	40.0	16.0	ND	
17 al mahweet	59.6	22.2	19.7	NO	7.5	NO	44.1	NO	NO	60.2	19.9	32.1	NO	25.4	29.6	ND	NO	42.3	82.5	0.0	ND	
18 al maharah	ND	14.3	ND	NO	ND	NO	ND	NO	NO	ND	ND	ND	NO	ND	ND	ND	NO	ND	ND	ND	ND	
19 amran	37.0	16.9	48.4	NO	37.1	NO	40.9	NO	NO	ND	ND	ND	NO	35.5	64.6	ND	NO	55.6	57.7	4.8	ND	
20 al dala'a	77.9	39.6	57.6	NO	50.0	NO	11.8	NO	NO	ND	ND	ND	NO	33.5	58.0	ND	NO	80.9	39.8	7.4	ND	
21 raimah	25.6	16.0	23.7	NO	8.0	NO	23.7	NO	NO	ND	ND	ND	NO	53.9	27.9	ND	NO	79.3	36.4	0.0	ND	


Note: the maximum number of interventions for the co-coverage indicator for this survey is 7



Source: Yemen MICS 2006

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.



Source: Yemen MICS 2006

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Yemen MICS 2006

The maximum number of interventions for this survey is 7.

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Yemen MICS 2006


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Zambia DHS 2007

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.


	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	60.6	40.8	93.7	60.3	46.5	3.0	56.5	6.6	NO	92.3	80.8	84.9	63.4	56.1	59.9	68.2	28.4	41.9	4.6	56.3	69.3	
Wealth quintiles																						
Q1	60.5	40.5	89.9	59.3	26.9	1.2	55.9	6.5	NO	94.8	78.3	87.6	65.5	53.2	61.1	77.9	19.7	10.3	5.5	42.7	67.2	
Q2	52.1	34.2	89.6	61.0	27.7	1.2	55.5	6.5	NO	88.5	74.5	79.6	62.1	56.9	60.8	64.1	31.6	16.3	7.5	43.6	62.5	
Q3	51.3	31.3	93.0	62.2	36.5	1.4	56.6	4.8	NO	88.9	78.1	81.6	63.6	51.1	53.7	64.3	32.4	26.2	5.8	49.0	63.8	
Q4	63.5	44.3	99.0	57.8	71.4	4.6	57.5	8.9	NO	94.9	85.6	85.2	59.2	56.7	62.6	78.4	28.9	63.9	1.3	72.8	76.0	
Q5	74.1	54.2	98.7	61.6	91.3	9.0	57.1	21.7	NO	96.4	94.6	94.1	67.0	65.2	60.5	56.1	31.3	92.7	0.6	89.9	81.1	
Equity indicators																						
ratio Q5/Q1	1.2	1.3	1.1	1.0	3.4	7.7	1.0	3.3	NO	1.0	1.2	1.1	1.0	1.2	1.0	0.7	1.6	9.0	0.1	2.1	1.2	
difference Q5 - Q1	13.6	13.8	8.8	2.3	64.4	7.9	1.2	15.2	NO	1.6	16.3	6.5	1.6	12.0	-0.6	-21.8	11.6	82.4	-4.9	47.2	14.0	
Concentration index	4.9	6.8	2.5	0.9	27.7	46.2	0.6	4.4	NO	0.2	3.6	1.0	-0.2	2.4	-0.8	-2.6	7.7	42.3	-26.4	16.4	4.7	
SII	19.4	18.0	14.5	0.5	70.8	9.1	2.3	1.9	NO	2.4	18.0	5.2	-1.8	9.3	-0.2	-13.2	11.8	88.9	-7.4	52.5	20.6	
Maternal education																						
none	55.9	35.0	88.0	56.1	23.4	0.8	57.0	6.6	NO	89.6	70.3	82.4	56.8	50.5	50.4	65.9	21.8	NA	6.9	37.6	62.1	
primary	57.1	37.8	93.3	60.0	41.8	2.0	55.3	7.0	NO	92.1	80.1	83.7	62.8	57.5	61.7	66.6	27.9	NA	5.1	52.5	67.6	
secondary+	70.3	50.6	97.5	63.2	72.8	6.8	59.1	4.1	NO	94.6	89.6	90.2	68.8	55.5	60.2	75.7	33.4	NA	1.5	78.1	77.9	
Child's sex																						
male	NA	NA	93.9	61.2	47.1	2.9	55.9	7.8	NO	92.0	81.8	84.9	63.9	55.4	60.1	67.9	29.4	NA	4.6	56.9	NA	
female	NA	NA	93.6	59.5	45.8	3.0	57.0	5.5	NO	92.6	79.8	84.9	62.8	56.8	59.7	68.6	27.4	NA	4.5	55.8	NA	
Area of residence																						
urban	67.5	48.4	99.0	58.6	83.0	6.2	58.7	10.7	NO	94.7	89.8	88.5	62.2	59.0	59.3	67.0	29.2	82.2	1.0	81.1	78.0	
rural	56.5	36.7	91.2	61.2	31.3	1.6	55.5	6.2	NO	91.4	77.4	83.6	63.8	54.8	60.2	68.8	28.1	19.6	6.0	46.3	65.4	
Country region																						
01 central	53.3	32.8	91.6	54.6	33.5	1.2	56.2	6.4	NO	93.0	84.4	91.6	59.6	55.9	57.6	75.4	29.0	45.6	3.8	53.0	67.6	
02 copperbelt	63.7	47.7	96.1	61.8	75.3	6.9	49.0	12.1	NO	94.8	87.0	87.0	65.8	59.8	65.1	64.3	33.4	66.8	3.0	71.9	74.9	
03 eastern	68.5	52.6	98.3	61.5	42.9	1.8	64.7	4.2	NO	98.0	89.1	89.0	64.3	73.3	74.2	77.1	20.6	16.5	2.5	52.5	76.1	
04 luapula	31.3	15.8	93.2	68.0	33.9	3.1	62.7	6.2	NO	84.1	70.3	75.8	69.7	53.4	47.2	ND	56.2	32.0	7.6	51.7	ND	
05 lusaka	68.2	46.1	99.7	54.4	77.5	6.4	59.8	17.3	NO	94.1	93.2	91.9	60.2	59.0	55.7	66.7	22.1	83.8	0.7	79.5	78.3	
06 northern	56.3	37.7	91.2	60.9	29.4	1.6	52.1	10.4	NO	81.9	64.4	71.1	55.6	57.2	51.7	59.0	27.6	20.6	11.7	45.6	61.1	
07 northwestern	56.0	32.0	84.9	62.5	40.5	0.8	42.6	1.9	NO	93.7	61.3	78.0	65.0	62.0	63.9	66.1	28.8	16.9	4.5	45.3	64.0	
08 southern	63.8	45.8	94.7	60.8	36.2	2.0	66.1	0.6	NO	97.8	90.1	92.0	67.2	30.9	62.3	87.8	16.6	38.9	2.3	48.8	70.4	
09 western	60.2	33.1	84.1	60.2	42.1	1.1	48.4	5.7	NO	97.4	86.3	93.1	69.0	52.0	59.6	ND	28.5	30.0	2.8	54.7	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9



Source: Zambia (DHS 1996 & DHS 2007)

Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Zambia (DHS 1996 & DHS 2007)

The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.


Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Zambia DHS 2007

The maximum number of interventions for this survey is 9.



Source: Zambia DHS 2007

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.


Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Zimbabwe DHS 2010

Table - Coverage of Countdown indicators at national level and by key equity stratifiers. Please see the example cover profile for guidance on interpreting the table and graphs.

	Family planning need satisfied	Contraceptive prevalence rate	Antenatal care 1+ visits with skilled	Antenatal care 4+ visits, any provider	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	ORS (packet or pre-packaged)	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (less than 3 interventions)	Co-coverage (6 or more interventions)	Composite coverage index	
National	80.1	58.5	89.8	64.8	66.2	4.5	69.7	6.8	11.8	86.9	73.6	79.1	65.6	45.7	20.9	48.0	9.6	76.7	5.5	67.2	70.5	
Wealth quintiles																						
Q1	76.0	54.3	87.9	60.2	47.5	2.5	70.2	4.6	7.7	85.0	67.4	77.7	60.1	34.9	17.8	52.1	9.6	54.0	9.7	52.5	65.1	
Q2	74.3	54.3	88.5	62.6	55.9	2.6	68.0	5.2	7.0	86.0	71.2	74.6	62.4	45.7	20.2	43.7	9.2	66.9	7.6	60.2	66.4	
Q3	81.4	57.6	88.7	64.5	63.6	3.3	69.9	6.7	10.3	87.0	71.2	73.5	66.9	48.8	17.5	53.6	9.6	73.3	5.4	68.3	70.7	
Q4	82.1	61.2	90.6	65.2	80.9	6.2	72.3	11.7	17.4	89.1	78.8	86.9	70.1	53.9	23.1	48.0	9.7	91.0	2.4	78.1	75.2	
Q5	85.7	64.6	94.2	73.2	90.6	9.2	67.3	18.3	18.2	87.7	80.9	83.7	70.2	46.1	27.6	ND	9.8	98.3	1.4	81.4	ND	
Equity indicators																						
ratio Q5/Q1	1.1	1.2	1.1	1.2	1.9	3.8	1.0	4.0	2.3	1.0	1.2	1.1	1.2	1.3	1.5	ND	1.0	1.8	0.1	1.5	ND	
difference Q5 - Q1	9.7	10.3	6.3	13.0	43.1	6.8	-3.0	13.7	10.4	2.6	13.5	6.0	10.1	11.2	9.7	ND	0.1	44.3	-8.3	28.9	ND	
Concentration index	2.6	3.9	1.2	3.6	13.7	28.2	-0.3	26.3	21.7	0.7	4.1	2.5	3.5	5.7	7.6	-2.9	1.2	12.3	-31.7	9.4	3.2	
SII	13.6	13.8	6.9	13.4	52.4	8.3	-0.3	9.9	15.6	4.4	17.0	11.8	14.2	18.2	10.1	-12.2	0.4	55.7	-11.7	37.3	14.2	
Maternal education																						
none	73.7	43.0	90.4	68.2	38.9	0.3	66.5	ND	12.1	ND	ND	ND	56.7	ND	ND	ND	5.1	NA	13.5	46.7	ND	
primary	76.8	54.5	85.1	58.2	49.8	3.0	71.1	4.5	7.1	84.4	64.2	72.7	60.2	41.8	15.4	43.0	9.5	NA	9.5	55.5	64.2	
secondary+	81.8	61.1	91.9	67.7	75.0	5.4	69.1	8.4	14.0	87.8	77.5	81.8	68.4	48.2	24.1	53.3	9.8	NA	3.4	73.4	73.9	
Child's sex																						
male	NA	NA	89.6	64.1	66.8	5.0	70.1	7.5	12.5	87.3	71.7	78.1	65.1	44.8	21.2	41.0	9.1	NA	5.6	66.5	NA	
female	NA	NA	90.0	65.5	65.7	4.0	69.2	6.1	11.1	86.5	75.4	80.2	66.1	46.8	20.6	55.2	10.0	NA	5.5	67.9	NA	
Area of residence																						
urban	82.4	61.5	89.9	66.0	86.0	7.8	71.1	7.4	17.9	87.3	75.9	83.1	68.9	51.2	25.9	43.7	9.6	94.9	2.2	77.6	74.2	
rural	78.9	57.0	89.8	64.3	57.9	3.1	69.0	6.7	9.3	86.7	72.6	77.5	64.2	42.9	18.4	48.9	9.6	68.7	7.0	62.7	68.7	
Country region																						
01 manicaland	77.1	56.2	86.7	66.8	60.5	3.5	66.5	3.7	11.9	71.1	52.9	65.0	56.8	47.5	19.5	35.8	16.3	74.6	12.0	58.3	62.9	
02 mashonaland central	83.8	63.8	91.8	69.5	51.4	3.7	54.3	4.9	7.5	90.3	79.4	81.0	69.6	39.2	25.1	ND	13.3	72.9	6.3	65.3	ND	
03 mashonaland east	84.2	62.5	86.8	64.0	59.9	2.5	77.1	6.9	8.1	88.5	85.9	82.0	63.6	49.8	22.7	ND	10.5	78.9	4.7	67.9	ND	
04 mashonaland west	83.6	62.1	87.4	61.6	55.0	2.5	63.3	8.8	13.6	93.9	83.9	80.8	70.9	45.6	9.6	37.1	5.5	72.5	4.6	67.5	69.9	
05 matabeleland north	80.0	50.8	92.9	61.4	65.7	4.0	83.4	6.7	9.9	98.0	80.2	91.0	52.5	51.0	21.7	ND	16.5	66.6	1.4	69.7	ND	
06 matabeleland south	63.7	46.2	95.9	69.0	71.6	6.1	78.7	10.6	17.0	95.6	83.7	85.4	68.4	67.0	12.3	42.9	3.1	69.2	3.3	82.8	72.4	
07 midlands	78.8	58.5	91.5	59.5	64.6	4.4	73.3	11.0	11.6	86.8	68.0	80.6	61.0	38.1	28.4	48.2	8.9	71.9	6.0	59.5	69.1	
08 masvingo	79.3	54.2	94.1	71.2	75.2	4.7	72.9	4.6	4.7	88.4	71.6	77.9	65.1	26.3	14.1	64.5	5.0	68.8	5.9	60.9	71.6	
09 harare	80.9	59.4	87.0	62.1	83.5	7.0	73.6	3.2	18.3	85.7	71.1	81.1	74.0	58.4	27.7	ND	5.0	91.7	2.5	74.5	ND	
10 bulawayo	77.6	61.0	92.1	64.8	88.4	10.5	61.6	ND	19.3	95.0	89.3	88.0	75.1	25.3	10.4	ND	16.4	100.0	1.5	93.8	ND	

Note: the maximum number of interventions for the co-coverage indicator for this survey is 9




Source: Zimbabwe (DHS 1999 & DHS 2010)
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.




Source: Zimbabwe (DHS 1999 & DHS 2010)
The horizontal lines connect the richest (yellow circles) and poorest (red circles) quintiles. The longer the line between the two groups, the greater the absolute inequality. For quintiles with small sample sizes, estimates are not shown in the graphs.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Zimbabwe DHS 2010
The maximum number of interventions for this survey is 9.



Source: Zimbabwe DHS 2010

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Definitions of the indicators presented in the equity profiles, the accountability report or the time-trend equity analyses

Indicator	Definition
Sexual and reproductive health	
Contraceptive Prevalence (modern and traditional methods)	Percentage of women married or in-union aged 15 to 49 who are currently using, or whose sexual partner is using, at least one method of contraception, regardless of the method used
Demand for family planning needs satisfied	Proportion of all women aged 15-49 using contraception among those who are fecund, in union and in need of contraception. Women in need of contraception include those that do not want any more children or that want to wait two or more years before having another child
Antenatal care	
Antenatal care (at least one visit by skilled provider)	Percentage of women aged 15-49 with a live birth in a given time period that received antenatal care provided by a skilled health personnel (doctors, nurses, or midwives) at least once during pregnancy
Antenatal care (four or more visits)	Percentage of women aged 15-49 with a live birth in a given time period that had 4+ antenatal care visits by any provider
Delivery assistance	
Caesarean section	Percentage of live births delivered by caesarean section
Skilled attendant at delivery	Percentage of deliveries attended by health personnel trained in providing lifesaving obstetric care, including giving the necessary supervision, care and advice to women during pregnancy, labour and the post-partum period; conducting deliveries on their own; and caring for newborns
Postnatal care for babies who were born at home	The proportion of babies born outside of a health facility who received postnatal care within two days of birth
Postnatal care for all babies	Proportion of babies who received postnatal care within two days of birth. This indicator assumes that all babies born in an institution had postnatal care
Care of the child	
Early initiation of breastfeeding	Proportion of newborns put to the breast within one hour of birth
BCG immunization coverage	The percentage of children aged 12-23 months who have received one dose of Bacille Calmette-Guérin (BCG) vaccine in a given year
DPT 3 immunization coverage	The percentage of children aged 12-23 months who have received three doses of the combined diphtheria, tetanus toxoid and pertussis (DTP3) vaccine in a given year
Measles immunization coverage	The percentage of children aged 12-23 months who have received at least one dose of measles-containing vaccine in a given year
Vitamin A supplementation	Proportion of children aged 6-59 months who received at least one high dose of vitamin A supplement in the last six months
Case management of respiratory infection and diarrhoea	
Oral rehydration and continued feeding	Proportion of children aged 0-59 months who had diarrhoea in the two weeks prior to the survey and were treated with oral rehydration therapy (ORT) – oral rehydration salts or an appropriate household solution – and continued feeding.
Oral rehydration salts	Percentage of children aged 0-59 months with diarrhoea receiving oral rehydration salts
Care seeking for pneumonia	Proportion of children aged 0-59 months with suspected pneumonia taken to an appropriate health provider
Malaria prevention	
Insecticide-treated net coverage (children)	Percentage of children aged 0-59 months who slept under an insecticide treated mosquito net the night prior to the survey
Water and sanitation	
Use of improved drinking water source	Percentage of the population who use any of the following types of water supply for drinking: piped water into dwelling, plot or yard; public tap/standpipe; borehole/tube well; protected dug well; protected spring; rainwater collection and bottled water (if a secondary available source is also improved)
Combined indicators	
Co-coverage	Co-coverage is based on how many preventive interventions each mother/child pair received, ideally out of a set eight essential interventions: antenatal care (1+ visit with skilled provider); tetanus toxoid during pregnancy; skilled birth attendant; child received vitamin A supplementation, BCG vaccination, DTP3 vaccination, and measles vaccination; improved drinking water source. In malaria-endemic areas a 9 th indicator is also included, the use of insecticide-treated bednets by the child. In some surveys from Latin America, information on vitamin A is not available. Less than 3 interventions: This indicator refers to the proportion of mothers/children with less than 3 essential interventions. 6+ interventions: This indicator refers to the proportion of mothers/children with 6 or more essential interventions.
Composite coverage index	CCI is calculated as the weighted average of coverage of a set of eight preventive and curative interventions; it gives equal weight to four stages in the continuum of care: family planning, maternal and newborn care, immunization, and case management of sick children. The following expression is used to obtain the estimate: $\frac{1}{4} \left(\text{FPS} + \frac{\text{SBA} + \text{ANCS}}{2} + \frac{2\text{DPT3} + \text{MSL} + \text{BCG}}{4} + \frac{\text{ORT} + \text{CPNM}}{2} \right)$ where FPS is demand for family planning satisfied, SBA is skilled birth attendant, ANCS is antenatal care with skilled provider, DPT3 is three doses of DPT vaccine, MSL is measles vaccination, BCG is BCG vaccination, ORT is oral rehydration therapy and continued feeding for children with diarrhoea, and CPNM is care seeking for children with suspected pneumonia.