

Countdown Equity Analyses by country - 2012

The next pages present results for 58 out of the 75 Countdown countries. These 58 countries are those for which at least one standard DHS or MICS survey is available, including information on wealth score.

General instructions

This is a supplementary file to the Countdown 2012 Report, containing additional information on selected maternal and child health indicators, according to sex, region of residence, wealth quintile, maternal education, and country region. In addition, the Slope Index of Inequality and the Concentration Index for each of the health indicators are presented, as well as four figures showing: (1) the coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care; (2) coverage levels in the five wealth quintiles for these interventions; (3) the co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile; (4) the Composite coverage index of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Azerbaijan (DHS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

These are the maternal and child health indicators for which estimates are presented in this worksheet. Detailed definitions are available in the last page of this document.																			
	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	69.4	51.1	76.9	45.2	88.6	4.7	31.9	10.8	81.7	71.8	29.8	48.0	4.3	31.4	32.5	NO	78.4	4.6	57.7
Wealth quintiles																			
Q1	71.3	55.2	53.2	19.7	77.8	2.8	42.2	8.0	66.4	55.2	20.6	39.0	1.7	27.2	14.5	NO	68.9	2.9	47.9
Q2	65.5	48.0	69.9	32.7	84.4	5.6	37.0	4.4	73.0	61.7	21.4	38.2	2.4	27.9	42.9	NO	68.7	1.0	54.0
Q3	65.9	47.0	81.5	46.1	89.8	4.9	30.2	17.7	83.1	75.9	27.0	46.8	2.3	41.6	57.3	NO	74.1	3.9	62.0
Q4	65.6	48.4	91.3	63.7	97.3	6.4	28.2	29.7	94.2	73.8	28.1	43.7	5.7	35.2	17.8	NO	74.1	3.9	57.8
Q5	78.4	57.2	95.3	74.0	99.6	4.1	16.4	14.7	97.5	98.6	56.0	76.0	11.5	27.6	10.9	NO	74.1	3.9	67.0
Equity indicators																			
Q5/Q1 ratio	1.1	1.0	1.8	3.7	1.3	1.5	0.4	1.8	1.5	1.8	2.7	2.0	6.8	1.0	0.7	NO	NA	1.6	1.4
Q5-Q1 difference	7.1	7.2	42.1	54.3	21.8	1.3	-25.9	6.7	31.1	43.3	35.4	37.0	9.8	0.4	-3.6	NO	NA	19.1	19.1
Concentration index	2.1	2.1	11.4	24.9	5.2	8.1	-14.3	25.2	8.0	11.2	20.1	13.6	40.2	3.5	14.2	NO	NA	5.8	5.8
SII	7.1	7.1	63.0	63.5	30.3	2.2	-28.4	18.0	42.3	48.5	36.4	37.6	11.2	8.3	21.3	NO	34.4	11.3	21.0
Maternal education																			
none	67.6	51.1	55.4	44.7	83.4	2.8	42.2	ND	55.2	80.0	70.6	73.8	0.3	100.0	ND	NO	NA	17.2	NA
primary	39.8	51.1	51.7	14.6	88.8	3.6	32.0	1.7	60.8	42.1	15.1	ND	3.6	ND	ND	NO	NA	NA	NA
secondary +	69.6	51.1	77.5	45.8	88.4	4.1	16.4	11.3	82.3	72.3	29.4	48.5	4.3	31.3	32.5	NO	NA	4.5	57.9
Child's sex																			
male	NA	NA	77.8	47.3	88.8	3.6	32.0	15.0	82.4	71.6	30.6	48.4	3.6	32.8	36.2	NO	NA	4.2	NA
female	NA	NA	75.6	42.5	88.4	4.1	31.7	5.0	80.7	72.1	28.7	47.5	5.0	29.3	24.4	NO	NA	5.1	NA
Area of residence																			
urban	70.5	51.8	89.7	59.9	96.6	5.1	23.3	23.0	93.1	79.5	37.7	52.5	6.0	21.3	26.6	NO	86.4	7.1	60.3
rural	68.0	50.3	63.3	29.7	80.7	4.3	40.5	7.2	69.6	63.6	21.2	43.2	2.5	40.5	37.4	NO	68.7	2.1	54.7
Country region																			
absheron	56.1	41.2	91.3	69.4	95.0	8.5	22.7	25.4	93.9	87.1	37.1	60.0	3.1	30.6	54.5	NO	NA	4.8	62.0
aran	66.3	49.0	63.2	32.4	80.4	4.9	58.2	4.5	68.0	51.2	24.5	33.1	22.7	35.9	ND	NO	NA	1.2	51.4
baku	77.0	55.9	95.6	70.0	98.3	3.5	15.1	37.9	95.4	88.3	44.1	44.1	4.4	ND	ND	NO	NA	11.6	NA
dakhlik shirvan	65.3	47.6	58.5	19.6	76.0	0.6	21.7	9.5	77.0	64.7	17.1	37.9	3.8	37.9	23.6	NO	NA	1.3	52.3
ganja gazakh	64.5	49.7	78.1	41.9	90.8	7.0	33.6	15.7	83.4	75.9	30.2	49.3	3.8	30.0	23.6	NO	NA	3.7	55.5
guba khachmaz	76.1	57.0	64.3	31.9	95.8	0.8	9.7	10.6	93.2	49.3	32.0	49.3	3.8	30.0	23.6	NO	NA	5.2	NA
lankaran	67.1	47.2	66.6	31.1	78.3	1.6	34.4	6.0	62.7	69.9	3.9	45.7	3.1	45.7	35.3	NO	79.7	1.4	52.7
shaki zaqatala	70.3	53.6	75.4	33.8	93.4	2.5	5.4	17.6	92.6	95.2	34.8	47.8	7.2	55.5	32.5	NO	88.5	3.8	63.2
yukhari karabakh	77.4	52.3	75.5	30.1	89.9	15.5	43.7	7.1	73.1	64.3	13.6	46.0	3.1	21.1	77.8	NO	93.2	2.2	62.3

Each row presents a specific maternal or child health indicator estimate, according five different stratifiers - wealth quintile, maternal education, child's sex, region of residence and country region. Additionally, the wealth quintile ratio or difference for these estimates (wealthiest quintile divided by or minus the poorest quintile), as well as the concentration index and the slope index of inequality, are presented.




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Interventions taken into account for the co-coverage analysis:  
1. antenatal care, 2. mother immunized against tetanus, 3. skilled birth attendant, 4. BCG immunization, 5. 3 doses of DTP, 6. measles immunization, 7. vitamin A, 8. insecticide-treated bednet (for countris with endemic malaria),

Composite coverage is a weighted mean of eight interventions selcted to cover four domains: contraception, pregnancy and delivery, immunization and care of common childhood diseases. It was created to presente an overall picture of intevention coverage for a given country. Please see details of the

Azerbaijan (DHS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	69.4	51.1	76.9	45.2	88.6	4.7	31.9	10.8	81.7	71.8	29.8	48.0	4.3	31.4	32.5	NO	78.4	4.6	57.7
Wealth quintiles																			
Q1	71.3	55.2	53.2	19.7	77.8	2.8	42.2	8.0	66.4	55.2	20.6	39.0	1.7	27.2	14.5	NO	68.9	2.9	47.9
Q2	65.5	48.0	69.9	32.7	84.4	5.6	37.0	4.4	73.0	61.7	21.4	38.2	2.4	27.9	42.9	NO	68.7	1.0	54.0
Q3	65.9	47.0	81.5	46.1	89.8	4.9	30.2	17.7	83.1	75.9	27.0	46.8	2.3	41.6	57.3	NO	74.8	3.9	62.0
Q4	65.6	48.4	91.3	63.7	97.3	6.4	28.2	29.7	94.2	73.8	28.1	43.7	5.7	35.2	17.8	NO	84.2	5.0	57.8
Q5	78.4	57.2	95.3	74.0	99.6	4.1	16.4	14.7	97.5	98.6	56.0	76.0	11.5	27.6	10.9	NO	95.6	13.2	67.0
Equity indicators																			
Q5/Q1 ratio	1.1	1.0	1.8	3.7	1.3	1.5	0.4	1.8	1.5	1.8	2.7	2.0	6.8	1.0	0.7	NO	1.4	4.6	1.4
Q5-Q1 difference	7.1	2.0	42.1	54.3	21.8	1.3	-25.9	6.7	31.1	43.3	35.4	37.0	9.8	0.4	-3.6	NO	26.7	10.3	19.1
Concentration index	2.1	1.3	11.4	24.9	5.2	8.1	-14.3	25.2	8.0	11.2	20.1	13.6	40.2	3.5	14.2	NO	7.3	36.8	5.8
SII	7.5	2.8	53.0	63.5	30.3	2.2	-28.4	18.0	42.3	48.5	36.4	37.6	11.2	8.3	21.3	NO	34.4	11.3	21.0
Maternal education																			
none	67.6	51.4	55.4	44.7	83.4	ND	25.9	ND	55.2	80.0	70.6	73.8	0.3	100.0	ND	NO	NA	17.2	NA
primary	39.8	25.0	51.7	14.6	89.5	7.0	45.1	1.7	60.8	42.1	15.1	ND	3.6	ND	ND	NO	NA	NA	NA
secondary +	69.6	51.4	77.5	45.8	88.7	4.7	31.7	11.3	82.3	72.3	29.4	48.5	4.3	31.3	32.5	NO	NA	4.5	57.9
Child's sex																			
male	NA	NA	77.8	47.3	88.8	5.6	32.0	15.0	82.4	71.6	30.6	48.4	3.6	32.8	36.2	NO	NA	4.2	NA
female	NA	NA	75.6	42.5	88.4	3.6	31.7	5.0	80.7	72.1	28.7	47.5	5.0	29.3	24.4	NO	NA	5.1	NA
Area of residence																			
urban	70.5	51.8	89.7	59.9	96.6	5.1	23.3	23.0	93.1	79.5	37.7	52.5	6.0	21.3	26.6	NO	86.4	7.1	60.3
rural	68.0	50.3	63.3	29.7	80.7	4.3	40.5	7.2	69.6	63.6	21.2	43.2	2.5	40.5	37.4	NO	68.7	2.1	54.7
Country region																			
absheron	56.1	41.2	91.3	69.4	95.0	8.5	22.7	25.4	93.9	87.1	37.1	60.0	1.9	30.6	54.5	NO	96.9	4.8	62.0
aran	66.3	49.0	63.2	32.4	80.4	4.9	58.2	4.5	68.0	51.2	24.5	33.7	2.7	22.7	35.9	NO	56.0	1.2	51.4
baku	77.0	55.9	95.6	70.0	98.3	3.5	15.1	37.9	95.4	88.3	44.1	68.6	8.4	30.4	ND	NO	91.0	11.6	NA
dakhlik shirvan	65.3	47.6	58.5	19.6	76.0	0.6	21.7	9.5	77.0	64.7	17.1	37.7	5.9	41.4	37.9	NO	77.4	1.3	52.3
ganja gazakh	64.5	49.7	78.1	41.9	90.8	7.0	33.6	15.7	83.4	75.9	30.2	40.0	1.8	33.3	23.6	NO	68.2	3.7	55.5
guba khachmaz	76.1	57.0	64.3	31.9	95.8	0.8	9.7	10.6	93.2	49.3	32.0	36.7	1.3	100.0	ND	NO	95.1	5.2	NA
lankaran	67.1	47.2	66.6	31.1	78.3	1.6	34.4	6.0	62.7	69.9	3.9	47.4	3.6	45.7	35.3	NO	79.7	1.4	52.7
shaki zaqatala	70.3	53.6	75.4	33.8	93.4	2.5	5.4	17.6	92.6	95.2	34.8	47.8	7.2	55.5	32.5	NO	88.5	3.8	63.2
yukhari karabakh	77.4	52.3	75.5	30.1	89.9	15.5	43.7	7.1	73.1	64.3	13.6	46.0	3.1	21.1	77.8	NO	93.2	2.2	62.3




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Bangladesh (DHS 2007)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	92.3	55.8	51.7	20.6	17.9	7.5	42.6	8.3	23.3	96.8	91.1	83.1	83.5	68.0	57.2	NO	97.0	15.4	70.6
Wealth quintiles																			
Q1	89.1	54.8	30.7	8.3	4.9	1.8	43.3	4.0	8.9	97.1	92.4	80.2	85.6	57.0	45.2	NO	99.0	12.2	62.5
Q2	89.4	54.7	36.3	9.8	6.5	1.9	42.6	6.6	11.9	95.4	86.5	77.0	79.2	72.8	56.3	NO	97.7	12.0	65.9
Q3	92.2	54.1	48.0	14.9	12.2	3.3	43.0	8.7	17.3	96.2	89.9	80.1	83.2	69.6	72.7	NO	93.8	13.8	70.8
Q4	94.9	55.2	65.5	26.6	22.5	8.5	43.7	14.2	31.5	97.0	92.2	89.5	85.2	73.0	55.8	NO	95.5	17.8	74.5
Q5	95.5	59.9	83.6	47.3	50.6	25.7	40.4	10.5	51.2	98.1	94.7	89.2	84.6	69.8	73.3	NO	99.0	23.0	83.0
Equity indicators																			
Q5/Q1 ratio	1.1	1.1	2.7	5.7	10.4	14.2	0.9	2.6	5.7	1.0	1.0	1.1	1.0	1.2	1.6	NO	1.0	1.9	1.3
Q5-Q1 difference	6.4	5.0	52.9	39.0	45.8	23.9	-3.0	6.5	42.2	1.0	2.3	9.1	-1.0	12.8	28.1	NO	-0.1	10.8	20.5
Concentration index	1.7	1.8	21.6	38.0	48.1	57.8	-1.3	23.3	37.1	0.3	1.1	3.0	0.3	3.8	8.8	NO	-0.2	13.7	5.6
SII	9.3	5.4	62.1	46.0	52.1	30.0	-2.3	11.4	50.0	1.7	4.8	15.1	1.5	15.0	27.8	NO	-1.2	12.9	24.9
Maternal education																			
none	93.3	54.6	28.6	6.6	4.5	1.1	42.1	5.6	8.7	93.4	84.7	73.7	82.7	66.6	45.5	NO	NA	8.0	63.1
primary	92.0	56.6	44.0	12.7	9.6	2.6	43.7	6.3	13.5	96.8	89.3	79.3	84.3	64.5	59.2	NO	NA	13.7	67.4
secondary +	91.8	56.2	71.3	34.8	33.4	15.6	42.2	12.5	39.4	98.2	95.1	89.7	83.5	72.1	65.2	NO	NA	22.0	77.2
Child's sex																			
male	NA	NA	52.3	21.9	19.0	8.3	43.6	9.2	25.6	96.8	91.1	82.1	83.9	70.7	60.5	NO	NA	15.3	NA
female	NA	NA	51.0	19.3	16.8	6.8	41.7	7.4	21.0	96.7	91.2	84.0	83.2	64.6	53.2	NO	NA	15.5	NA
Area of residence																			
urban	94.6	62.0	71.3	38.3	36.5	15.9	41.1	8.6	39.4	97.3	92.3	87.6	85.3	69.5	62.1	NO	99.5	21.1	77.2
rural	91.6	54.0	46.4	15.9	13.1	5.4	43.1	8.2	19.0	96.6	90.8	81.6	83.0	67.6	56.3	NO	96.3	13.9	68.9
Country region																			
barisal	88.2	56.3	43.7	16.5	13.3	3.8	45.8	5.8	16.0	97.7	95.5	90.2	81.1	75.7	57.6	NO	96.8	14.7	69.9
chittagong	88.8	43.9	52.4	19.7	18.4	6.5	35.5	14.1	27.7	95.0	90.0	79.6	82.2	61.3	56.7	NO	96.7	14.8	68.4
dhaka	93.5	56.4	48.2	19.7	19.6	10.1	43.3	4.3	22.3	97.8	91.1	83.3	84.3	71.8	53.4	NO	99.1	16.3	71.0
khulna	95.6	63.1	62.6	25.1	26.7	9.7	45.6	13.8	33.9	99.0	94.6	89.6	86.3	69.7	64.4	NO	90.6	13.5	76.7
rajshahi	93.7	65.9	54.9	24.7	15.4	6.4	43.5	7.1	20.4	97.7	93.2	86.1	83.1	72.8	59.2	NO	99.0	17.4	72.2
sylhet	81.7	31.5	46.9	12.6	10.9	4.3	50.4	7.4	16.9	92.6	82.1	73.1	83.4	57.0	56.4	NO	92.9	11.5	63.1




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Benin (DHS 2006)


Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	36.3	17.0	88.0	60.5	77.7	3.6	54.4	NO	80.7	88.3	67.2	61.1	60.7	41.7	35.7	20.7	68.5	18.0	57.4
Wealth quintiles																			
Q1	20.3	7.7	73.9	39.5	55.8	1.4	49.8	NO	59.5	76.3	49.6	48.2	50.2	40.1	28.1	9.5	49.3	9.8	44.2
Q2	27.7	11.5	83.7	50.1	70.4	2.3	51.4	NO	73.1	84.8	60.5	56.5	55.0	43.5	31.2	15.8	61.2	15.3	52.1
Q3	30.4	13.6	89.4	58.4	79.5	1.9	54.6	NO	82.3	91.1	69.1	63.7	60.2	38.3	38.7	20.8	65.4	17.6	56.9
Q4	37.7	19.0	95.9	70.9	91.2	3.8	59.8	NO	93.0	94.1	73.4	63.2	66.3	42.3	37.9	26.6	76.0	21.2	62.0
Q5	55.9	33.6	98.7	87.5	97.4	9.9	56.7	NO	98.1	97.0	86.8	76.4	75.2	47.1	48.3	34.1	90.6	29.6	72.2
Equity indicators																			
Q5/Q1 ratio	2.8	4.4	1.3	2.2	1.7	7.1	1.1	NO	1.6	1.3	1.7	1.6	1.5	1.2	1.7	3.6	1.8	3.0	1.6
Q5-Q1 difference	35.6	25.9	24.8	48.0	41.6	8.5	6.9	NO	38.6	20.6	37.1	28.3	25.0	7.0	20.1	24.6	41.3	19.7	28.0
Concentration index	19.8	28.8	5.9	15.9	11.2	39.7	3.5	NO	10.0	4.9	10.7	8.7	8.1	1.5	10.7	24.2	12.0	20.2	9.2
SII	41.7	29.6	33.4	54.6	52.0	9.2	11.4	NO	49.5	26.9	42.1	30.6	29.5	4.1	22.1	29.4	47.3	21.9	33.0
Maternal education																			
none	29.1	12.4	84.3	53.7	72.1	2.2	53.6	NO	75.2	85.0	62.0	56.5	56.8	41.3	33.0	17.1	NA	15.1	53.0
primary	44.6	25.3	97.4	76.3	92.7	6.2	56.7	NO	94.2	97.4	78.1	70.1	69.8	39.8	41.6	29.3	NA	25.3	65.3
secondary +	61.7	39.3	99.7	85.1	98.3	11.2	56.7	NO	98.6	97.6	90.6	82.4	78.0	54.7	43.8	36.2	NA	31.7	75.1
Child's sex																			
male	NA	NA	87.7	60.9	78.1	3.8	54.2	NO	80.7	87.5	66.0	60.2	61.2	44.1	33.7	21.2	NA	17.7	NA
female	NA	NA	88.3	60.2	77.3	3.4	54.6	NO	80.8	89.2	68.5	61.9	60.2	39.0	37.8	20.2	NA	18.4	NA
Area of residence																			
urban	45.7	24.4	92.7	71.3	85.6	6.0	56.4	NO	87.9	93.9	76.9	68.2	67.9	43.4	36.1	25.6	79.2	22.9	63.5
rural	29.6	12.8	85.4	54.6	73.5	2.3	53.3	NO	76.7	85.3	61.9	57.2	56.9	41.0	35.5	18.1	62.0	15.5	53.8
Country region																			
alibori	14.4	4.3	61.4	34.9	41.4	1.3	58.9	NO	46.6	70.2	55.2	54.6	64.5	66.4	45.3	5.0	56.9	9.4	45.5
atacora	18.5	5.9	75.6	35.1	46.7	1.6	49.5	NO	54.0	80.1	67.9	64.2	55.3	39.7	26.4	14.9	46.9	11.7	46.0
atlantique	51.2	30.6	98.9	73.7	97.2	4.5	65.9	NO	97.9	95.9	66.0	59.9	65.7	29.8	32.9	13.6	71.2	19.6	63.2
borgou	28.6	10.0	68.5	51.9	52.6	2.6	47.1	NO	58.8	75.7	56.6	61.7	45.5	43.0	38.6	13.3	67.6	13.2	48.2
collines	41.7	26.3	94.8	62.2	84.2	2.6	43.8	NO	86.9	93.1	74.9	74.2	84.8	48.5	44.1	24.6	76.4	24.5	64.4
couffo	33.6	13.6	88.4	52.0	71.5	2.1	47.3	NO	71.5	86.5	61.5	53.4	59.9	44.4	32.0	26.8	68.3	18.3	54.7
donga	20.6	6.6	82.3	52.5	68.0	2.4	43.5	NO	70.7	86.5	76.4	64.8	68.9	50.7	46.3	21.9	41.7	17.8	55.4
littoral	54.4	33.8	99.3	89.5	97.1	10.5	54.0	NO	99.1	96.8	82.7	73.7	74.6	44.5	33.7	28.9	99.2	27.6	69.0
mono	20.0	10.1	95.3	56.2	87.8	3.2	66.4	NO	88.4	95.4	75.2	70.0	70.3	24.7	33.5	22.0	63.1	22.7	55.1
plateau	16.8	6.6	88.1	59.5	82.0	3.0	39.7	NO	83.3	83.7	47.7	42.3	41.8	36.2	48.5	20.6	75.6	13.8	50.4
quémé	43.7	24.3	97.6	72.3	97.2	5.2	56.7	NO	98.0	92.2	70.2	57.8	53.4	37.8	46.4	31.1	69.0	20.3	64.0
zou	29.6	13.5	97.5	69.5	94.0	3.0	62.9	NO	94.9	94.7	71.7	59.4	56.7	37.7	31.0	25.8	70.4	19.6	58.5




Source: Benin DHS 2006  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the inequality.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Benin DHS 2006  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the inequality.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Benin DHS 2006

Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Benin DHS 2006

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Bolivia (DHS 2008)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	75.0	60.6	90.0	72.1	71.1	18.6	63.8	21.0	77.9	98.4	85.3	72.1	24.6	29.0	50.9	NO	85.5	15.5	70.4
Wealth quintiles																			
Q1	57.4	46.2	78.2	50.3	38.0	4.7	66.7	18.5	46.0	97.2	84.5	74.9	26.6	28.1	40.4	NO	55.7	9.7	59.1
Q2	69.0	54.8	88.6	66.9	66.0	9.9	69.7	23.7	71.8	98.6	84.7	73.7	25.8	27.8	49.0	NO	82.3	14.7	68.0
Q3	75.7	62.2	93.3	76.0	81.2	15.7	65.4	24.8	86.4	98.5	86.1	71.6	23.1	32.9	53.9	NO	93.8	19.2	73.3
Q4	82.3	67.3	96.2	83.2	92.1	30.7	59.7	21.3	94.5	99.3	86.2	70.6	23.3	27.6	54.5	NO	96.9	18.2	75.9
Q5	88.2	70.8	96.8	90.9	98.7	48.2	54.8	29.1	99.3	99.3	85.2	66.9	23.6	26.5	70.3	NO	98.8	18.5	79.7
Equity indicators																			
Q5/Q1 ratio	1.5	1.5	1.2	1.8	2.6	10.2	0.8	1.6	2.2	1.0	1.0	0.9	0.9	0.9	1.7	NO	1.8	1.9	1.4
Q5-Q1 difference	30.8	24.6	18.6	40.6	60.7	43.5	-11.9	10.5	53.2	2.1	0.7	-8.0	-3.0	-1.6	29.9	NO	43.2	8.8	20.7
Concentration index	8.1	8.3	4.4	11.2	18.3	42.8	-4.0	8.8	14.3	0.5	0.4	-1.9	-3.3	1.4	9.8	NO	10.0	13.2	5.5
SII	36.1	29.8	25.2	47.8	72.5	48.6	-15.3	9.4	65.5	2.7	1.8	-8.6	-4.6	0.6	29.8	NO	56.6	12.0	24.6
Maternal education																			
none	60.2	42.0	72.7	49.0	39.6	8.2	71.7	18.4	49.2	99.2	85.1	85.7	19.7	27.3	40.4	NO	NA	9.9	60.4
primary	70.1	56.1	86.8	63.5	59.8	10.4	66.6	20.5	67.5	97.5	83.1	70.9	24.5	28.4	45.9	NO	NA	13.0	66.2
secondary +	82.6	68.9	95.9	84.8	90.9	31.0	59.6	26.0	93.4	99.5	88.1	71.9	25.5	30.1	59.6	NO	NA	19.9	76.9
Child's sex																			
male	NA	NA	90.7	72.7	71.8	19.0	63.0	22.2	78.2	98.1	85.8	72.6	25.2	27.5	50.1	NO	NA	15.9	NA
female	NA	NA	89.4	71.4	70.4	18.2	64.6	19.7	77.7	98.8	84.8	71.6	24.0	30.6	51.7	NO	NA	15.2	NA
Area of residence																			
urban	80.8	65.7	94.8	81.3	88.3	27.8	61.2	20.3	91.4	98.7	84.4	68.8	23.4	28.2	59.6	NO	94.1	17.9	75.3
rural	65.7	52.6	83.5	59.5	50.9	7.8	67.4	21.2	59.6	98.1	86.4	76.1	26.2	29.7	42.7	NO	72.9	12.7	64.2
Country region																			
beni	76.9	60.9	93.4	76.6	77.2	15.7	76.1	13.9	80.8	94.1	90.8	71.8	28.2	22.0	66.7	NO	58.7	15.9	73.5
chukisaca	68.7	55.9	94.8	82.3	75.3	10.2	74.2	26.2	84.5	99.3	94.2	79.5	30.7	45.6	53.5	NO	79.5	18.0	73.8
cochabamba	68.7	53.7	88.8	68.8	67.1	18.2	71.7	19.6	75.7	98.2	87.1	70.0	22.3	28.5	40.9	NO	79.9	14.5	66.8
la paz	77.1	62.5	83.8	63.9	61.6	13.4	64.1	13.6	67.7	97.0	77.7	62.5	23.6	29.4	37.0	NO	86.0	12.5	65.7
oruro	67.4	52.9	89.7	67.3	64.2	11.8	70.8	23.5	71.2	99.4	89.6	73.7	30.9	38.6	46.5	NO	84.8	15.4	69.1
pando	75.1	61.2	97.9	85.2	80.3	25.7	61.3	32.6	89.8	98.2	86.8	78.9	26.2	31.0	62.7	NO	53.8	18.6	74.7
potosí	62.5	48.4	89.2	64.8	54.9	7.1	66.1	28.1	65.3	100.0	87.3	82.4	28.8	30.6	50.0	NO	85.4	14.2	66.0
santa cruz	83.2	70.1	96.3	84.3	93.2	36.1	48.8	42.2	96.1	99.7	85.3	76.1	21.1	22.2	66.9	NO	95.3	19.6	77.6
tarija	83.6	69.7	95.7	82.5	84.8	23.1	67.9	27.6	90.0	99.5	97.3	79.4	28.0	31.8	67.9	NO	92.0	18.9	79.7




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Brazil (DHS 1996)


Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	91.5	76.7	89.0	79.9	87.7	36.4	31.8	NO	NO	92.6	80.8	87.2	NO	28.2	46.1	NO	87.8	17.0	75.6
Wealth quintiles																			
Q1	78.5	62.3	72.2	55.3	71.6	16.3	37.2	NO	NO	83.5	65.6	77.9	NO	23.1	33.4	NO	59.6	10.1	63.3
Q2	90.3	74.4	89.1	77.4	88.7	30.0	31.9	NO	NO	93.6	84.2	86.8	NO	34.0	47.4	NO	88.6	17.3	76.9
Q3	94.4	78.9	95.0	88.8	95.7	42.6	30.8	NO	NO	97.9	90.4	96.0	NO	32.2	47.6	NO	94.4	21.3	80.9
Q4	95.3	81.6	97.9	93.7	97.7	48.5	26.9	NO	NO	97.9	91.3	91.3	NO	30.7	52.6	NO	96.8	21.2	81.9
Q5	96.0	83.9	98.1	96.0	98.6	67.7	29.6	NO	NO	97.0	81.9	90.2	NO	26.3	65.1	NO	99.7	20.4	82.0
Equity indicators																			
Q5/Q1 ratio	1.2	1.3	1.4	1.7	1.4	4.1	0.8	NO	NO	1.2	1.2	1.2	NO	1.1	1.9	NO	1.7	2.0	1.3
Q5-Q1 difference	17.6	21.6	25.9	40.7	27.0	51.4	-7.5	NO	NO	13.5	16.3	12.3	NO	3.2	31.7	NO	40.1	10.3	18.7
Concentration index	3.4	5.3	6.6	11.4	7.4	27.9	-5.9	NO	NO	3.7	6.0	4.0	NO	7.9	12.4	NO	8.6	16.2	4.4
SII	19.7	24.0	38.0	54.0	43.0	57.1	-11.1	NO	NO	22.0	28.1	19.4	NO	10.6	33.5	NO	51.8	14.9	21.2
Maternal education																			
none	80.8	64.1	59.1	42.2	65.9	12.5	36.7	NO	NO	71.1	59.5	67.4	NO	36.9	24.7	NO	NA	8.3	59.7
primary	88.9	71.9	83.2	70.7	82.2	27.0	33.5	NO	NO	92.3	80.2	86.0	NO	24.3	39.7	NO	NA	13.8	72.2
secondary +	94.4	81.8	95.8	89.8	94.5	46.5	30.1	NO	NO	95.7	84.1	90.6	NO	29.9	54.5	NO	NA	20.5	80.1
Child's sex																			
male	NA	NA	89.9	81.2	87.8	37.2	30.8	NO	NO	93.4	81.7	87.1	NO	29.1	46.8	NO	NA	17.4	NA
female	NA	NA	88.0	78.7	87.5	35.7	32.8	NO	NO	91.8	79.9	87.2	NO	27.3	45.2	NO	NA	16.4	NA
Area of residence																			
urban	93.1	78.7	93.5	86.0	92.3	41.8	31.4	NO	NO	95.1	84.9	90.2	NO	30.6	49.8	NO	94.0	19.6	78.8
rural	85.1	69.2	73.3	59.1	73.3	20.1	33.1	NO	NO	84.2	66.6	76.5	NO	21.9	33.8	NO	64.4	9.0	65.1
Country region																			
centro leste	90.5	77.8	93.3	84.8	94.8	41.0	13.4	NO	NO	100.0	91.3	95.6	NO	30.7	43.9	NO	92.0	17.6	79.2
centro oeste	94.7	84.5	94.0	86.3	96.4	49.1	27.9	NO	NO	96.8	88.4	85.0	NO	43.0	50.7	NO	95.6	20.9	81.7
nordeste	84.4	68.2	78.3	65.5	76.3	20.4	35.8	NO	NO	84.3	68.8	80.6	NO	25.1	36.8	NO	75.1	12.2	67.2
norte	88.8	72.3	84.7	69.7	75.0	25.5	39.6	NO	NO	87.5	71.8	82.9	NO	30.3	36.3	NO	84.1	15.2	70.1
rio de janeiro	95.2	83.0	96.4	91.8	96.2	43.3	40.9	NO	NO	100.0	89.7	94.9	NO	29.6	63.3	NO	94.1	16.4	83.1
sao paulo	94.4	78.8	94.5	88.8	96.5	52.1	37.7	NO	NO	96.9	79.2	88.5	NO	31.9	57.1	NO	95.7	19.7	80.1
sul	95.5	80.3	95.0	87.8	93.1	44.6	24.9	NO	NO	96.3	96.4	92.5	NO	24.7	49.8	NO	92.0	22.9	80.6




Source: Brazil DHS 1996  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the inequality.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Brazil DHS 1996  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles). The longer the line between the two groups, the greater the inequality.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Brazil DHS 1996

Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Source: Brazil DHS 1996

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Burkina Faso (MICS 2006)


Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	35.9	17.4	85.0	NO	53.5	NO	19.6	NO	NO	91.9	78.4	75.3	67.1	42.4	38.5	9.6	77.3	19.6	56.7
Wealth quintiles																			
Q1	22.6	9.4	78.9	NO	56.0	NO	20.7	NO	NO	87.2	72.5	71.9	55.9	38.3	44.5	4.5	77.7	15.5	51.9
Q2	21.0	8.7	79.3	NO	54.8	NO	17.2	NO	NO	87.3	70.6	70.0	64.0	41.3	34.7	6.0	63.6	16.2	50.2
Q3	26.3	12.6	82.8	NO	46.5	NO	22.6	NO	NO	92.9	79.2	75.1	67.9	44.7	32.7	6.0	72.4	17.3	52.8
Q4	34.5	17.6	89.8	NO	48.8	NO	19.8	NO	NO	94.1	79.4	76.6	72.7	37.9	42.2	9.5	78.1	23.0	56.6
Q5	67.5	40.9	97.9	NO	64.6	NO	16.8	NO	NO	98.9	92.7	84.1	77.1	53.0	29.2	26.2	94.5	27.7	70.5
Equity indicators																			
Q5/Q1 ratio	3.0	4.3	1.2	NO	1.2	NO	0.8	NO	NO	1.1	1.3	1.2	1.4	1.4	0.7	5.9	1.2	1.8	1.4
Q5-Q1 difference	44.9	31.5	19.0	NO	8.6	NO	-3.9	NO	NO	11.7	20.2	12.1	21.2	14.7	-15.3	21.8	16.8	12.2	18.6
Concentration index	25.6	32.6	4.3	NO	0.5	NO	-1.9	NO	NO	2.6	4.7	3.0	6.4	3.7	-2.5	35.2	4.5	12.5	6.2
SII	53.3	35.4	22.8	NO	2.3	NO	-1.8	NO	NO	15.1	22.9	14.4	25.0	9.6	-10.1	22.0	23.9	14.7	21.8
Maternal education																			
none	31.1	14.5	82.9	NO	54.2	NO	19.3	NO	NO	90.7	76.7	73.3	65.4	40.8	39.1	7.1	NA	18.1	54.7
primary	47.4	27.7	95.4	NO	46.0	NO	21.1	NO	NO	98.7	86.1	82.9	78.2	54.8	41.7	19.7	NA	28.4	63.7
secondary +	74.7	43.2	97.5	NO	59.9	NO	20.5	NO	NO	94.5	89.7	90.7	72.2	47.7	21.7	34.4	NA	25.3	69.8
Child's sex																			
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	90.9	76.7	75.8	69.1	40.6	42.2	10.2	NA	18.9	NA
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	92.9	80.1	74.8	65.0	44.2	33.8	9.0	NA	20.2	NA
Area of residence																			
urban	64.9	38.6	98.1	NO	66.2	NO	17.9	NO	NO	98.6	90.4	84.6	78.4	51.5	26.6	23.9	94.4	30.0	69.3
rural	25.4	11.5	82.0	NO	50.6	NO	20.0	NO	NO	90.1	75.1	72.7	64.3	40.6	39.9	6.2	71.8	17.0	52.5
Country region																			
boucle du mouhoun	70.4	43.8	90.7	NO	48.0	NO	1.9	NO	NO	98.1	89.7	79.7	73.2	33.2	33.0	8.3	76.4	20.3	65.5
cascade	23.4	11.4	78.5	NO	29.9	NO	8.0	NO	NO	94.2	69.8	78.1	69.2	35.0	55.9	6.3	76.6	18.1	50.3
centre	47.9	24.9	97.1	NO	63.7	NO	44.9	NO	NO	95.4	84.1	75.4	45.1	51.2	62.1	7.0	79.7	18.0	67.4
centre-est	21.7	9.3	92.7	NO	82.8	NO	25.8	NO	NO	93.6	82.3	74.7	46.8	39.8	64.7	20.4	81.3	24.9	61.2
centre-nord	37.4	19.3	88.1	NO	51.8	NO	24.3	NO	NO	91.6	85.6	84.3	70.0	45.8	41.9	8.2	88.6	22.6	59.5
centre-ouest	32.6	13.8	90.2	NO	41.0	NO	5.3	NO	NO	96.7	82.0	76.2	79.4	68.9	30.7	5.8	86.3	17.2	58.1
centre-sud	28.4	10.5	97.1	NO	68.7	NO	6.5	NO	NO	96.8	90.8	84.6	74.5	72.1	6.7	7.9	83.8	21.1	60.3
est	19.4	4.8	65.1	NO	75.5	NO	43.2	NO	NO	69.0	49.0	43.2	32.1	42.5	49.3	4.5	77.6	10.3	47.0
hauts-bassins	48.0	28.0	92.2	NO	59.3	NO	2.6	NO	NO	95.5	84.3	78.0	87.0	48.0	49.9	19.5	83.6	30.3	64.5
nord	49.7	31.0	77.4	NO	47.2	NO	30.9	NO	NO	93.1	83.5	80.7	93.6	38.8	30.4	17.8	61.4	21.7	58.0
plateau-central	29.0	13.5	89.2	NO	62.6	NO	21.6	NO	NO	90.6	74.1	68.0	57.6	28.1	24.3	4.5	90.6	20.8	52.0
sahel	8.7	4.6	70.5	NO	40.7	NO	34.4	NO	NO	78.7	51.8	61.9	62.2	39.3	29.3	2.2	69.0	12.3	39.9
sud-ouest	10.5	4.6	90.9	NO	35.8	NO	5.6	NO	NO	98.3	85.9	84.9	55.3	26.6	23.3	7.6	58.9	15.3	46.9




Source: Burkina Faso MICS 2006  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Burkina Faso MICS 2006  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Burkina Faso MICS 2006

Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Burkina Faso MICS 2006

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Burundi (MICS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	NO	9.1	93.8	NO	33.6	NO	58.3	NO	NO	89.6	61.5	80.5	NO	29.0	37.8	8.4	64.3	7.3	NO
Wealth quintiles																			
Q1	NO	6.9	93.3	NO	25.2	NO	54.3	NO	NO	88.6	56.5	80.3	NO	26.1	40.6	4.6	65.0	5.1	NO
Q2	NO	8.4	93.6	NO	29.2	NO	57.8	NO	NO	90.8	62.7	82.7	NO	21.2	35.8	5.3	60.8	7.6	NO
Q3	NO	7.9	94.1	NO	29.9	NO	57.4	NO	NO	90.0	59.3	76.7	NO	27.2	30.5	5.8	58.2	6.2	NO
Q4	NO	8.8	94.1	NO	30.9	NO	62.6	NO	NO	90.0	66.5	81.1	NO	36.0	38.7	7.6	61.8	7.0	NO
Q5	NO	13.9	93.7	NO	55.1	NO	59.9	NO	NO	88.3	62.3	81.5	NO	37.6	45.0	19.2	75.6	10.4	NO
Equity indicators																			
Q5/Q1 ratio	NO	2.0	1.0	NO	2.2	NO	1.1	NO	NO	1.0	1.1	1.0	NO	1.4	1.1	4.1	1.2	2.0	NO
Q5-Q1 difference	NO	6.9	0.4	NO	29.9	NO	5.6	NO	NO	-0.3	5.8	1.2	NO	11.4	4.4	14.5	10.7	5.2	NO
Concentration index	NO	13.6	0.2	NO	16.4	NO	2.6	NO	NO	-0.2	1.8	0.0	NO	11.8	1.5	31.7	3.0	11.6	NO
SII	NO	7.0	0.7	NO	29.1	NO	8.1	NO	NO	-0.6	7.5	-0.1	NO	17.7	3.2	15.9	11.1	4.7	NO
Maternal education																			
none	NO	6.1	92.2	NO	29.9	NO	59.2	NO	NO	83.8	54.2	77.1	NO	23.1	33.5	5.8	NA	5.0	NO
primary	NO	10.8	95.2	NO	38.0	NO	58.9	NO	NO	91.2	63.6	82.5	NO	25.2	44.0	8.6	NA	10.0	NO
secondary +	NO	28.4	96.2	NO	84.3	NO	70.6	NO	NO	94.3	64.3	87.5	NO	45.8	61.8	46.2	NA	18.1	NO
Child's sex																			
male	NO	NA	ND	NO	ND	NO	ND	NO	NO	90.6	60.8	79.7	NO	30.3	36.4	8.3	NA	7.5	NO
female	NO	NA	ND	NO	ND	NO	ND	NO	NO	88.7	62.0	81.3	NO	27.6	39.0	8.5	NA	7.1	NO
Area of residence																			
urban	NO	17.0	95.5	NO	74.9	NO	62.1	NO	NO	93.5	67.3	85.4	NO	40.6	47.2	39.7	79.7	14.9	NO
rural	NO	8.7	93.7	NO	31.7	NO	58.2	NO	NO	89.5	61.2	80.3	NO	28.7	37.6	6.9	63.4	6.9	NO
Country region																			
centre	NO	7.8	95.8	NO	33.4	NO	61.0	NO	NO	93.1	66.3	79.6	NO	28.6	36.9	8.0	71.3	7.8	NO
est	NO	3.9	94.1	NO	22.9	NO	62.4	NO	NO	88.8	82.4	81.8	NO	25.1	48.2	12.0	48.4	8.5	NO
nord	NO	13.8	91.9	NO	26.4	NO	51.4	NO	NO	90.1	59.2	85.4	NO	22.5	34.0	5.3	68.7	5.7	NO
ouest	NO	5.8	96.6	NO	43.2	NO	62.2	NO	NO	93.5	60.9	77.1	NO	45.3	37.2	12.7	60.4	8.4	NO
sud	NO	7.7	91.0	NO	41.7	NO	63.5	NO	NO	79.8	51.1	74.5	NO	29.9	49.2	7.9	57.9	7.6	NO




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.

Composite coverage not available

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Cambodia (DHS 2010)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	75.6	50.5	89.1	59.4	71.0	3.0	65.2	13.3	63.0	94.3	84.8	81.9	70.9	47.4	76.7	NO	NO	16.4	76.8
Wealth quintiles																			
Q1	69.2	45.2	78.8	42.8	48.7	1.1	62.3	10.0	44.5	91.1	73.5	69.4	64.2	49.2	75.1	NO	NO	11.2	69.2
Q2	71.3	47.5	85.6	51.4	63.7	1.9	63.6	12.4	53.1	91.9	82.9	80.8	71.1	38.0	73.0	NO	NO	14.5	72.7
Q3	76.0	51.3	92.1	57.9	74.5	1.3	66.8	12.5	60.3	96.0	88.6	85.9	74.1	56.0	83.5	NO	NO	18.5	80.5
Q4	78.3	52.6	95.1	70.6	86.5	2.7	67.9	19.1	74.5	97.7	90.7	87.4	76.8	51.3	68.0	NO	NO	20.6	80.5
Q5	82.7	56.0	98.5	82.5	96.7	9.6	66.7	31.0	92.3	96.3	92.6	90.4	71.1	42.9	90.6	NO	NO	20.4	85.1
Equity indicators																			
Q5/Q1 ratio	1.2	1.2	1.2	1.9	2.0	8.4	1.1	3.1	2.1	1.1	1.3	1.3	1.1	0.9	1.2	NO	NO	1.8	1.2
Q5-Q1 difference	13.5	10.8	19.6	39.6	48.0	8.4	4.4	21.0	47.8	5.2	19.1	21.0	6.9	-6.2	15.5	NO	NO	9.2	15.9
Concentration index	3.8	4.4	4.9	14.3	14.5	45.3	1.7	16.2	15.2	1.6	5.0	5.6	2.8	0.4	3.1	NO	NO	13.5	4.1
SII	16.9	13.4	27.4	47.1	58.8	8.8	7.1	13.1	54.9	8.7	25.1	26.5	11.7	1.2	7.6	NO	NO	13.1	19.8
Maternal education																			
none	71.3	42.5	76.7	40.0	46.9	1.2	62.8	9.2	43.1	83.5	66.7	65.2	59.7	44.9	64.3	NO	NO	9.3	65.6
primary	74.1	50.2	89.0	56.8	70.4	2.1	64.8	12.8	60.5	95.7	86.2	82.5	72.5	48.6	80.2	NO	NO	16.2	77.3
secondary +	81.4	57.3	97.5	77.7	90.5	6.3	67.6	22.7	81.6	97.7	92.2	89.9	75.2	46.6	78.7	NO	NO	22.1	83.1
Child's sex																			
male	NA	NA	88.3	58.6	70.9	2.9	64.3	13.5	62.9	94.5	84.6	80.5	69.3	48.1	76.1	NO	NO	15.8	NA
female	NA	NA	89.9	60.2	71.2	3.0	66.1	13.1	63.1	94.1	85.1	83.2	72.6	46.6	77.4	NO	NO	16.9	NA
Area of residence																			
urban	82.8	54.8	97.0	80.3	94.7	8.2	65.0	21.6	89.8	97.1	90.4	86.5	69.8	45.1	89.1	NO	NO	20.2	84.3
rural	74.1	49.6	87.6	55.3	66.6	2.0	65.2	12.9	57.8	93.8	83.7	80.9	71.1	47.7	75.6	NO	NO	15.6	75.5
Country region																			
banteay mean chey	76.9	51.4	88.3	61.8	69.0	2.7	71.1	4.6	59.4	100.0	95.6	95.1	84.6	42.8	72.0	NO	NO	21.8	78.2
battambang & pailin	80.1	50.9	91.1	69.9	78.1	3.0	74.8	19.3	62.5	94.0	85.1	82.5	75.5	35.5	77.6	NO	NO	17.1	77.7
kampong cham	76.4	51.8	88.1	55.2	67.9	2.9	45.4	2.2	50.8	95.6	89.9	87.9	77.0	39.7	68.1	NO	NO	15.5	76.1
kampong chhnang	65.1	39.7	89.6	59.2	59.8	1.5	42.9	19.9	65.4	95.5	81.7	78.5	74.9	40.9	100.0	NO	NO	12.5	75.2
kampong speu	77.7	53.3	90.3	67.5	68.2	1.1	71.9	46.2	73.5	94.7	91.9	89.1	72.6	58.6	100.0	NO	NO	19.2	82.9
kampong thom	76.4	52.0	85.4	44.3	47.7	2.0	69.6	5.3	43.0	95.3	76.7	77.9	68.5	53.6	71.7	NO	NO	10.7	72.8
kampot & kep	74.7	52.8	86.0	42.9	66.5	1.8	54.2	21.2	58.1	87.7	64.3	65.0	58.0	26.9	76.6	NO	NO	10.0	69.1
kandal	82.5	61.8	89.0	62.0	87.0	3.2	64.0	8.2	70.2	99.5	85.9	80.4	83.9	49.9	79.4	NO	NO	17.4	81.6
kratie	64.6	39.6	65.2	27.1	44.4	1.5	76.1	0.8	28.0	84.5	73.9	73.9	58.2	41.6	82.3	NO	NO	10.8	64.8
mondol kiri & rattanak kiri	69.6	43.1	61.8	28.0	38.4	2.5	50.6	0.9	37.0	68.9	40.0	44.3	37.4	49.1	81.0	NO	NO	6.7	58.9
otdar mean chey	73.8	47.2	91.1	61.6	64.4	2.2	82.8	4.4	63.2	93.5	88.1	83.3	68.0	58.0	84.1	NO	NO	15.8	78.7
phnom penh	85.6	56.4	99.1	85.8	98.8	9.9	64.3	56.1	97.5	96.6	90.2	84.2	66.1	46.8	100.0	NO	NO	20.4	87.0
preah sihanouk & kaoh kong	75.2	51.2	88.1	54.0	79.2	4.4	65.5	13.4	65.6	92.2	77.5	80.4	68.5	53.0	83.5	NO	NO	16.6	78.1
preah vihear & steung treng	62.4	37.3	66.9	33.0	28.2	0.9	79.9	0.5	25.9	93.5	77.0	70.6	59.9	28.7	76.1	NO	NO	8.5	60.8
prey veng	74.9	48.5	92.1	52.6	59.2	4.7	71.5	10.8	51.2	90.3	84.7	76.2	57.5	38.7	94.4	NO	NO	18.7	76.4
pursat	65.6	40.6	90.2	59.6	73.9	2.1	90.5	4.5	53.0	95.2	79.5	83.8	81.0	75.8	80.9	NO	NO	18.0	78.1
siem reap	70.5	44.7	92.9	73.1	72.7	1.7	63.1	27.0	81.8	96.7	94.2	90.5	73.0	59.2	65.7	NO	NO	19.4	78.2
svay rieng	81.6	50.5	93.3	63.2	89.6	1.4	76.7	14.6	58.4	92.9	82.3	81.3	68.1	57.1	91.6	NO	NO	20.1	83.7
takeo	63.8	47.2	96.7	59.1	85.4	0.8	68.8	25.7	80.1	97.1	90.7	87.0	69.9	55.8	52.2	NO	NO	17.3	75.4




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Cameroon (MICS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	NO	29.2	73.7	NO	58.9	NO	19.6	NO	NO	90.9	73.7	89.5	57.7	43.2	34.8	13.2	61.9	16.6	NO
Wealth quintiles																			
Q1	NO	10.7	47.8	NO	19.0	NO	18.1	NO	NO	81.8	63.4	82.8	69.1	36.5	19.8	8.9	36.1	9.3	NO
Q2	NO	25.9	69.4	NO	52.6	NO	15.8	NO	NO	94.4	75.0	89.7	58.1	40.1	38.4	12.8	49.5	15.1	NO
Q3	NO	35.1	79.3	NO	64.2	NO	15.9	NO	NO	89.3	72.4	87.5	53.2	47.9	42.9	13.0	62.2	17.4	NO
Q4	NO	35.4	88.2	NO	84.1	NO	19.6	NO	NO	95.6	78.9	93.3	50.7	47.5	40.0	15.2	74.5	21.9	NO
Q5	NO	43.9	97.5	NO	95.5	NO	30.2	NO	NO	97.3	83.5	97.5	53.2	63.3	50.0	17.7	85.0	22.2	NO
Equity indicators																			
Q5/Q1 ratio	NO	4.1	2.0	NO	5.0	NO	1.7	NO	NO	1.2	1.3	1.2	0.8	1.7	2.5	2.0	2.4	2.4	NO
Q5-Q1 difference	NO	33.2	49.7	NO	76.6	NO	12.1	NO	NO	15.4	20.1	14.7	-15.9	26.8	30.1	8.8	48.9	12.9	NO
Concentration index	NO	23.9	14.2	NO	27.6	NO	9.3	NO	NO	3.3	5.4	3.3	-6.4	9.0	16.1	14.3	17.3	18.0	NO
SII	NO	41.0	60.9	NO	84.2	NO	12.2	NO	NO	19.2	23.5	17.6	-21.7	25.9	36.3	10.5	60.0	17.4	NO
Maternal education																			
none	NO	11.1	46.3	NO	20.8	NO	16.4	NO	NO	81.1	60.9	81.8	64.4	39.1	24.2	8.8	NA	9.1	NO
primary	NO	31.3	78.6	NO	63.7	NO	18.6	NO	NO	93.6	75.1	90.5	55.4	41.8	38.9	12.8	NA	18.4	NO
secondary +	NO	45.9	94.2	NO	90.3	NO	24.3	NO	NO	98.2	85.8	96.8	53.6	58.4	48.5	18.3	NA	22.3	NO
Child's sex																			
male	NO	NA	ND	NO	ND	NO	ND	NO	NO	91.8	71.3	90.0	57.1	41.3	36.6	13.1	NA	17.0	NO
female	NO	NA	ND	NO	ND	NO	ND	NO	NO	90.0	76.3	89.0	58.3	45.4	32.4	13.3	NA	16.1	NO
Area of residence																			
urban	NO	36.6	89.2	NO	82.4	NO	22.8	NO	NO	94.0	78.1	93.4	52.2	54.6	40.3	14.3	75.9	19.5	NO
rural	NO	22.8	62.4	NO	41.8	NO	17.3	NO	NO	88.7	70.4	86.7	62.2	37.4	31.6	12.2	48.2	14.2	NO
Country region																			
adamaoua	NO	17.0	65.8	NO	40.9	NO	17.4	NO	NO	82.1	66.5	85.4	63.3	31.1	26.1	14.7	48.2	11.9	NO
centre	NO	28.2	85.1	NO	71.9	NO	21.5	NO	NO	94.7	78.9	91.4	52.7	45.7	40.4	16.6	73.2	18.1	NO
douala	NO	37.1	95.7	NO	93.6	NO	26.7	NO	NO	99.4	81.7	97.4	37.5	65.4	58.9	14.4	80.0	20.4	NO
est	NO	11.8	62.4	NO	27.5	NO	16.4	NO	NO	90.0	65.7	87.1	42.1	28.6	39.6	8.7	47.3	9.6	NO
extreme nord	NO	2.7	43.5	NO	19.4	NO	22.8	NO	NO	84.2	56.4	82.8	71.0	44.4	36.2	1.6	53.0	10.7	NO
littoral	NO	42.2	93.6	NO	92.1	NO	6.1	NO	NO	100.0	95.2	96.9	32.1	60.9	43.5	16.2	67.3	22.0	NO
nord	NO	22.3	60.6	NO	29.3	NO	10.3	NO	NO	83.2	71.0	82.5	64.3	36.9	19.9	21.8	40.0	12.2	NO
nord ouest	NO	56.4	79.2	NO	79.7	NO	19.0	NO	NO	98.3	87.1	100.0	80.0	28.5	63.3	12.3	53.7	20.4	NO
ouest	NO	49.1	96.1	NO	94.7	NO	19.6	NO	NO	93.0	78.1	92.2	56.4	54.3	46.1	14.8	63.1	22.9	NO
sud	NO	24.8	72.5	NO	57.9	NO	17.1	NO	NO	92.9	70.1	82.9	50.6	57.0	34.4	17.5	57.7	12.8	NO
sud ouest	NO	53.2	80.5	NO	69.6	NO	9.6	NO	NO	98.2	83.9	94.0	56.1	28.9	12.0	14.7	66.8	21.4	NO
yaounde	NO	41.2	96.1	NO	96.5	NO	35.3	NO	NO	96.4	87.9	96.4	51.9	61.0	30.9	19.3	83.7	21.3	NO




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.

Composite coverage not available

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Central African Republic (MICS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	46.5	19.0	69.3	NO	53.4	NO	39.1	NO	NO	73.9	39.6	62.7	60.2	46.6	31.7	15.2	64.0	12.2	50.2
Wealth quintiles																			
Q1	28.5	8.4	46.3	NO	26.8	NO	37.1	NO	NO	62.8	22.3	50.9	57.8	39.1	24.3	5.1	41.5	5.2	34.1
Q2	35.0	12.6	58.5	NO	38.0	NO	36.9	NO	NO	64.9	28.3	54.2	62.5	44.5	23.0	9.9	45.4	8.3	40.2
Q3	41.7	16.4	71.3	NO	52.3	NO	39.4	NO	NO	73.0	38.0	62.3	61.8	40.9	31.3	15.6	62.9	11.8	48.1
Q4	50.5	22.2	83.7	NO	68.9	NO	40.1	NO	NO	80.4	49.5	72.3	61.9	54.0	39.9	20.0	77.4	17.4	59.2
Q5	63.5	35.5	92.1	NO	88.7	NO	42.8	NO	NO	91.1	62.9	75.5	56.1	55.0	42.1	28.4	92.9	20.4	68.9
Equity indicators																			
Q5/Q1 ratio	2.2	4.2	2.0	NO	3.3	NO	1.2	NO	NO	1.5	2.8	1.5	1.0	1.4	1.7	5.6	2.2	3.9	2.0
Q5-Q1 difference	35.0	27.1	45.8	NO	62.0	NO	5.6	NO	NO	28.4	40.6	24.6	-1.7	15.9	17.8	23.3	51.3	15.2	34.8
Concentration index	16.2	27.8	14.0	NO	23.6	NO	2.6	NO	NO	8.1	21.6	9.0	-0.7	7.0	13.5	31.1	17.5	26.7	14.1
SII	42.8	31.8	55.9	NO	69.0	NO	7.0	NO	NO	34.7	47.7	32.5	-1.2	20.3	25.7	27.8	63.2	19.6	44.3
Maternal education																			
none	32.6	10.0	51.3	NO	33.6	NO	37.8	NO	NO	59.3	24.8	50.0	58.3	40.6	27.7	9.2	NA	6.9	37.2
primary	44.8	19.7	77.7	NO	59.2	NO	39.1	NO	NO	79.6	43.6	66.5	63.3	48.6	30.8	16.7	NA	13.7	52.8
secondary +	68.0	40.9	92.4	NO	88.3	NO	43.1	NO	NO	93.2	62.7	82.1	57.2	53.6	43.8	27.8	NA	23.3	70.6
Child's sex																			
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	73.6	39.5	62.5	60.3	45.8	29.8	15.3	NA	12.9	NA
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	74.3	39.7	62.9	60.1	47.6	33.9	15.1	NA	11.5	NA
Area of residence																			
urban	56.4	28.4	90.9	NO	82.6	NO	43.4	NO	NO	84.7	55.3	71.5	58.5	51.4	36.5	24.1	88.5	19.3	63.4
rural	36.5	12.6	55.8	NO	35.0	NO	36.4	NO	NO	66.9	29.2	56.9	61.2	42.7	28.2	9.9	46.8	8.1	40.7
Country region																			
"baminigui bangoran"	43.1	14.2	52.5	NO	43.9	NO	48.3	NO	NO	73.8	27.0	57.9	54.1	37.1	22.1	14.1	67.8	9.6	41.8
"bangui"	66.0	37.2	94.0	NO	90.8	NO	41.6	NO	NO	88.2	59.3	72.6	49.2	55.5	34.0	34.6	97.4	20.6	68.3
"basse kotko"	31.5	8.3	30.4	NO	20.2	NO	46.4	NO	NO	71.7	36.0	58.9	64.4	38.8	25.1	17.1	16.2	8.1	34.8
"haut mbomou"	29.5	8.8	88.0	NO	69.8	NO	45.5	NO	NO	89.2	71.2	87.0	40.3	46.0	30.7	27.1	73.9	22.2	56.6
"haute kotko"	22.2	8.9	61.7	NO	54.4	NO	46.8	NO	NO	73.5	54.5	73.7	67.3	37.8	23.0	10.6	65.9	13.1	43.7
"haute kotko"	22.2	8.9	61.7	NO	54.4	NO	46.8	NO	NO	73.5	54.5	73.7	67.3	37.8	23.0	10.6	65.9	13.1	43.7
"lobaye"	55.8	32.6	71.0	NO	47.9	NO	31.7	NO	NO	65.1	31.0	63.5	66.8	72.8	36.6	26.9	63.6	13.6	54.4
"mambere kadei"	57.4	27.0	74.2	NO	44.5	NO	38.0	NO	NO	69.2	28.8	64.6	63.2	50.0	19.4	20.3	47.6	11.5	49.8
"mbomou"	24.7	8.4	66.3	NO	48.0	NO	49.1	NO	NO	62.9	20.3	40.4	67.0	39.3	20.8	3.8	28.2	6.0	37.0
"nana mambere"	33.9	11.4	47.7	NO	26.1	NO	44.8	NO	NO	75.2	42.1	62.4	61.3	35.9	24.9	1.6	54.3	8.7	39.2
"nana mambere"	33.9	11.4	47.7	NO	26.1	NO	44.8	NO	NO	75.2	42.1	62.4	61.3	35.9	24.9	1.6	54.3	8.7	39.2
"ombella mpoko"	59.2	24.4	82.5	NO	67.3	NO	25.7	NO	NO	86.4	52.7	68.2	52.7	50.5	38.0	15.5	66.4	16.3	60.8
"ouaka"	34.5	13.9	63.1	NO	51.4	NO	53.6	NO	NO	82.5	48.1	76.1	69.4	45.0	46.5	19.5	43.3	12.6	50.3
"ouham pende"	6.7	1.9	68.1	NO	53.4	NO	32.4	NO	NO	52.8	20.3	46.8	51.1	26.4	38.7	0.7	78.0	7.0	33.8
"ouham"	28.6	8.5	47.5	NO	26.9	NO	34.1	NO	NO	57.5	16.0	41.9	70.4	32.5	11.0	1.9	76.6	7.1	30.1
"sangha mbaere"	33.0	14.0	81.5	NO	64.6	NO	45.6	NO	NO	89.7	60.7	77.6	77.2	51.3	44.8	12.1	50.0	14.2	56.6




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Chad (DHS 2004)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	11.8	2.8	42.6	17.8	20.7	0.4	34.6	NO	NO	40.2	20.4	22.8	34.3	27.4	9.6	NO	36.3	2.4	22.3
Wealth quintiles																			
Q1	ND	ND	9.2	2.2	3.6	ND	43.7	NO	NO	13.8	4.7	8.2	33.7	10.1	7.4	NO	21.0	0.2	ND
Q2	1.7	0.4	30.4	11.7	12.5	ND	27.9	NO	NO	34.2	14.2	16.3	30.4	29.1	4.9	NO	27.8	1.2	15.0
Q3	7.6	1.8	43.2	11.9	13.8	0.5	33.6	NO	NO	41.8	17.3	28.2	23.0	24.1	6.4	NO	38.4	1.2	20.0
Q4	10.3	2.2	53.7	20.6	19.6	0.3	34.0	NO	NO	43.3	22.8	23.6	33.1	29.9	9.4	NO	37.8	1.9	23.7
Q5	29.8	10.3	77.4	43.7	55.4	1.5	35.8	NO	NO	67.8	43.1	38.1	53.4	37.8	20.3	NO	57.5	8.1	43.3
Equity indicators																			
Q5/Q1 ratio	ND	ND	8.4	19.8	15.2	ND	0.8	NO	NO	4.9	9.1	4.7	1.6	3.7	2.7	NO	2.7	42.0	NO
Q5-Q1 difference	ND	ND	68.2	41.5	51.8	ND	-7.9	NO	NO	54.0	38.3	29.9	19.6	27.7	12.9	NO	36.5	7.9	NO
Concentration index	55.4	66.0	29.9	41.5	43.7	61.6	-2.4	NO	NO	22.5	33.5	22.6	10.8	14.1	31.6	NO	19.2	53.9	21.7
SII	44.6	15.5	70.3	45.0	52.7	2.1	-3.7	NO	NO	53.6	41.3	32.0	20.3	22.0	16.7	NO	40.5	9.5	35.5
Maternal education																			
none	5.4	1.1	32.3	13.2	13.4	0.3	37.4	NO	NO	32.2	15.4	18.2	31.7	24.4	7.4	NO	NA	1.4	16.4
primary	15.2	5.0	73.5	27.1	38.0	0.5	24.9	NO	NO	59.6	30.1	31.6	38.7	34.0	15.7	NO	NA	4.0	33.3
secondary +	49.9	25.1	92.0	56.5	73.6	3.5	26.3	NO	NO	78.2	53.3	53.7	63.3	50.6	15.5	NO	NA	14.8	56.4
Child's sex																			
male	NA	NA	43.9	17.8	22.3	0.5	35.4	NO	NO	40.2	20.0	22.6	34.7	27.8	6.4	NO	NA	2.3	NA
female	NA	NA	41.3	17.7	19.0	0.4	33.9	NO	NO	40.1	20.7	23.0	34.0	27.1	12.2	NO	NA	2.6	NA
Area of residence																			
urban	29.0	9.9	80.5	43.7	58.0	1.4	34.5	NO	NO	68.2	41.9	37.5	55.4	38.6	20.2	NO	59.2	8.3	43.9
rural	5.6	1.2	33.8	11.7	12.1	0.2	34.7	NO	NO	33.3	15.1	19.2	29.2	25.0	7.0	NO	30.4	1.1	16.6
Country region																			
b. e. t.	5.3	1.1	38.5	12.6	7.2	ND	61.8	NO	NO	50.1	20.5	21.8	10.4	11.1	ND	NO	55.2	1.5	NA
bar azoum	1.4	0.3	11.8	2.8	4.5	ND	48.2	NO	NO	37.1	10.0	12.7	55.8	9.4	17.9	NO	39.0	1.6	10.3
centre est	0.9	0.2	27.0	9.8	10.6	0.3	38.8	NO	NO	27.4	12.5	17.9	41.9	13.2	5.6	NO	19.9	1.1	11.7
chari baguirmi	1.4	0.2	19.5	9.7	5.5	0.1	50.9	NO	NO	10.2	2.0	6.3	28.5	33.5	5.6	NO	61.0	0.6	9.8
logone occidental	16.4	3.7	51.0	23.8	22.9	0.3	21.0	NO	NO	49.8	15.4	19.6	25.4	21.0	9.7	NO	20.0	1.2	23.9
mayo kebbi	9.6	1.8	57.2	19.1	19.0	0.2	27.0	NO	NO	61.3	43.9	42.0	46.5	47.6	17.7	NO	43.2	4.2	32.2
moyen chari	12.9	4.5	60.3	15.1	39.9	1.2	18.8	NO	NO	36.3	33.4	31.5	40.1	44.5	10.1	NO	24.5	3.3	30.8
n'djaména	33.8	14.2	87.0	57.7	67.9	2.5	33.0	NO	NO	78.3	46.3	47.8	63.9	45.7	24.5	NO	63.1	11.4	50.3
ouaddai est	2.0	0.3	12.0	4.6	9.9	0.0	27.1	NO	NO	7.5	4.2	9.7	33.4	16.9	1.0	NO	18.7	1.0	7.2




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Comoros (DHS 1996)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	37.7	21.0	83.9	51.7	51.6	5.3	23.3	NO	NO	90.8	68.6	63.4	NO	23.8	48.9	NO	95.4	10.5	53.7
Wealth quintiles																			
Q1	23.6	14.4	67.0	28.4	26.2	2.6	19.3	NO	NO	85.2	58.0	51.1	NO	24.2	36.9	NO	87.3	6.0	41.0
Q2	34.3	20.1	81.8	42.1	40.1	3.9	28.3	NO	NO	83.2	60.0	55.8	NO	30.0	55.4	NO	95.1	10.0	50.7
Q3	35.2	18.6	85.8	58.5	54.6	5.0	18.7	NO	NO	94.5	67.3	65.5	NO	18.6	57.5	NO	97.0	8.2	54.3
Q4	38.9	20.4	95.7	66.8	67.1	4.4	27.5	NO	NO	98.8	76.5	70.4	NO	16.7	44.2	NO	98.6	15.5	57.8
Q5	59.8	31.9	95.0	72.9	84.8	13.5	22.3	NO	NO	98.0	92.0	86.0	NO	27.0	58.1	NO	99.4	15.8	71.1
Equity indicators																			
Q5/Q1 ratio	2.5	2.2	1.4	2.6	3.2	5.2	1.2	NO	NO	1.1	1.6	1.7	NO	1.1	1.6	NO	1.1	2.6	1.7
Q5-Q1 difference	36.2	17.5	28.0	44.5	58.6	10.9	3.0	NO	NO	12.8	34.0	34.9	NO	2.8	21.1	NO	12.1	9.8	30.1
Concentration index	16.6	13.2	7.2	18.8	23.5	30.5	1.4	NO	NO	3.9	10.0	10.2	NO	-3.3	7.0	NO	2.5	20.6	9.8
SII	37.0	17.2	37.7	54.6	65.0	10.0	3.5	NO	NO	22.9	38.0	38.4	NO	-5.3	18.4	NO	16.7	12.5	33.7
Maternal education																			
none	30.7	16.8	78.3	43.4	40.9	4.3	23.0	NO	NO	88.1	64.3	58.7	NO	23.5	47.7	NO	NA	7.6	48.7
primary	43.1	25.9	91.9	63.0	62.3	5.2	20.4	NO	NO	92.6	71.6	69.1	NO	27.7	52.2	NO	NA	16.0	59.1
secondary +	64.8	35.1	96.2	70.7	82.9	10.4	29.1	NO	NO	100.0	83.0	75.5	NO	19.4	50.0	NO	NA	17.6	68.6
Child's sex																			
male	NA	NA	82.6	53.8	50.8	4.8	24.5	NO	NO	89.5	68.0	63.0	NO	27.6	48.8	NO	NA	10.9	NA
female	NA	NA	85.3	49.6	52.5	5.9	22.0	NO	NO	92.3	69.2	63.9	NO	19.8	49.1	NO	NA	10.1	NA
Area of residence																			
urban	44.7	25.7	91.7	61.8	79.0	9.2	24.8	NO	NO	90.2	68.5	63.0	NO	20.0	51.8	NO	96.9	13.6	59.6
rural	35.3	19.4	81.4	48.4	43.1	4.1	22.8	NO	NO	91.0	68.6	63.5	NO	25.3	48.0	NO	94.9	9.6	51.8
Country region																			
anjouan	29.9	18.8	74.4	33.3	39.4	3.5	26.1	NO	NO	84.1	54.0	56.3	NO	31.3	46.2	NO	91.5	8.0	46.9
grande comore	43.8	21.8	92.4	70.6	65.3	8.0	22.5	NO	NO	97.0	81.4	70.7	NO	15.7	53.1	NO	99.7	13.1	59.9
moheli	43.9	27.4	82.9	32.9	40.6	ND	11.8	NO	NO	96.2	84.6	65.4	NO	14.8	44.4	NO	83.3	11.0	54.5




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Congo (Brazzaville) (DHS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	73.3	44.3	86.9	74.7	84.5	3.2	37.2	NO	84.8	90.0	68.7	66.2	69.2	39.2	47.5	NO	41.9	13.5	68.9
Wealth quintiles																			
Q1	66.9	40.4	74.9	60.1	66.5	1.6	30.1	NO	66.7	75.1	42.6	48.5	61.5	35.9	35.3	NO	21.4	7.6	56.7
Q2	66.6	37.9	82.0	70.9	77.5	2.6	36.5	NO	75.7	85.4	62.4	61.9	66.9	37.6	47.2	NO	26.6	11.6	64.3
Q3	73.9	46.6	88.5	76.8	92.1	2.8	36.9	NO	91.0	95.6	75.2	67.5	70.6	37.8	49.9	NO	31.3	13.8	71.5
Q4	77.4	50.0	94.6	80.5	97.1	4.3	43.1	NO	97.1	98.4	81.7	76.3	73.7	42.9	50.8	NO	46.5	19.3	76.3
Q5	80.4	46.0	98.4	90.5	98.1	6.1	41.9	NO	98.6	99.7	90.7	84.3	77.3	45.2	57.2	NO	83.9	18.6	80.3
Equity indicators																			
Q5/Q1 ratio	1.2	1.1	1.3	1.5	1.5	3.7	1.4	NO	1.5	1.3	2.1	1.7	1.3	1.3	1.6	NO	3.9	2.5	1.4
Q5-Q1 difference	13.5	5.6	23.5	30.4	31.6	4.4	11.8	NO	31.9	24.6	48.1	35.9	15.8	9.3	21.9	NO	62.4	11.0	23.6
Concentration index	4.4	4.3	5.7	7.8	8.6	26.1	6.9	NO	8.6	5.8	14.1	10.4	5.0	5.6	10.0	NO	29.3	19.2	6.8
SII	18.6	11.4	31.4	34.4	46.1	5.1	15.4	NO	46.3	36.7	54.6	39.9	19.1	10.9	22.7	NO	66.5	15.0	29.6
Maternal education																			
none	67.7	31.1	65.1	55.4	62.3	4.8	39.7	NO	62.0	69.9	36.6	43.6	53.4	26.6	33.6	NO	NA	6.2	51.8
primary	69.1	42.2	81.3	67.8	77.7	2.5	35.2	NO	80.0	87.6	59.7	58.4	65.8	42.2	43.7	NO	NA	11.3	64.8
secondary +	75.9	47.3	93.2	81.6	92.5	3.4	38.1	NO	90.8	94.4	79.4	74.8	73.8	39.1	51.6	NO	NA	16.2	74.0
Child's sex																			
male	NA	NA	86.4	73.1	84.4	3.2	36.6	NO	84.5	88.8	67.8	63.7	69.7	39.4	47.1	NO	NA	13.7	NA
female	NA	NA	87.3	76.5	84.5	3.2	37.9	NO	85.1	91.3	69.6	68.9	68.6	39.0	47.8	NO	NA	13.4	NA
Area of residence																			
urban	75.3	47.0	94.5	82.2	96.6	4.4	42.8	NO	96.0	97.6	82.9	76.2	74.8	40.3	57.1	NO	54.5	17.8	76.2
rural	70.8	41.2	79.5	67.6	74.2	2.2	32.1	NO	74.0	82.8	55.1	56.7	64.2	38.3	37.1	NO	27.8	9.8	62.0
Country region																			
brazzaville	74.9	46.6	96.9	85.2	97.7	5.6	44.1	NO	97.7	98.4	83.5	78.1	76.1	42.3	63.8	NO	57.4	18.7	77.8
nord	67.7	39.1	81.5	68.5	73.4	2.6	32.3	NO	76.7	80.2	47.9	53.0	56.5	25.2	42.4	NO	35.6	9.0	58.9
pointe noire	76.5	49.4	92.4	78.4	97.9	2.9	45.2	NO	97.5	96.6	81.6	71.2	73.4	31.4	48.2	NO	49.4	16.4	73.5
sud	73.1	42.7	79.6	68.4	76.5	2.0	31.6	NO	73.8	86.0	63.0	61.9	69.8	48.3	32.7	NO	27.3	11.3	65.3




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Democratic Republic of Congo (DHS 2007)


Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	45.9	20.6	85.3	46.7	74.0	4.0	48.1	NO	73.5	71.7	45.4	62.9	54.6	42.3	41.9	5.9	48.2	9.7	56.2
Wealth quintiles																			
Q1	36.7	14.3	78.0	41.2	59.1	2.4	45.3	NO	58.9	61.8	28.3	51.2	44.4	38.7	39.3	2.4	22.4	5.3	47.0
Q2	39.1	15.1	79.2	43.9	62.0	3.2	47.6	NO	59.5	62.3	35.5	56.4	41.8	41.0	43.0	4.3	21.9	5.8	50.4
Q3	40.0	16.6	87.0	44.6	73.3	3.3	51.0	NO	70.6	62.4	44.5	60.4	57.7	47.4	36.4	6.7	33.6	8.3	53.9
Q4	46.8	22.2	89.3	44.5	85.2	5.9	51.2	NO	86.9	83.2	53.0	67.0	60.1	43.9	42.6	5.9	65.4	11.5	60.5
Q5	62.0	38.6	95.7	62.8	97.7	5.7	44.6	NO	97.7	95.2	73.6	85.3	73.0	39.8	53.9	11.2	97.1	20.5	71.9
Equity indicators																			
Q5/Q1 ratio	1.7	2.7	1.2	1.5	1.7	2.4	1.0	NO	1.7	1.5	2.6	1.7	1.6	1.0	1.4	4.7	4.3	3.8	1.5
Q5-Q1 difference	25.3	24.3	17.8	21.5	38.6	3.3	-0.7	NO	38.7	33.4	45.3	34.1	28.6	1.0	14.6	8.9	74.7	15.1	24.9
Concentration index	11.4	20.1	4.3	6.9	10.7	19.6	0.8	NO	11.4	9.8	19.3	10.6	11.2	1.2	4.5	24.7	33.3	28.7	8.4
SII	30.3	25.7	22.4	19.4	47.0	4.6	2.1	NO	49.2	40.4	50.0	36.7	35.4	3.8	9.5	9.2	83.2	16.8	29.9
Maternal education																			
none	35.7	11.8	73.9	36.6	59.3	4.8	47.1	NO	57.8	55.5	33.9	49.1	43.7	32.5	36.1	3.2	NA	5.4	45.4
primary	43.8	18.3	84.1	43.2	70.1	3.1	50.3	NO	69.0	67.6	39.6	57.8	49.7	43.0	42.4	4.6	NA	7.5	54.0
secondary +	51.8	29.6	94.0	57.4	88.6	4.6	46.1	NO	88.7	86.1	58.9	77.0	67.0	48.4	45.2	9.0	NA	15.1	65.1
Child's sex																			
male	NA	NA	84.9	45.6	75.1	4.2	47.2	NO	74.3	73.4	44.6	61.9	54.9	45.0	44.6	6.3	NA	10.3	NA
female	NA	NA	85.8	47.9	72.9	3.8	48.9	NO	72.6	69.9	46.2	63.9	54.3	39.8	39.1	5.5	NA	9.0	NA
Area of residence																			
urban	52.0	27.0	92.0	53.0	91.1	4.8	47.2	NO	90.0	85.2	60.1	73.3	66.0	40.6	44.9	7.9	80.5	15.0	64.0
rural	40.6	16.4	80.9	42.6	63.1	3.5	48.6	NO	62.4	63.1	36.0	56.3	47.0	43.4	40.3	4.5	23.8	6.3	50.9
Country region																			
bandundu	51.3	26.2	85.4	51.9	70.3	2.4	46.4	NO	73.2	81.2	62.7	78.7	59.9	39.8	42.4	6.0	33.4	10.4	60.8
bas-congo	63.5	39.5	95.5	49.9	92.8	3.8	47.7	NO	94.3	92.1	83.8	88.0	84.5	46.8	52.9	29.9	53.9	19.7	73.5
equateur	35.0	16.0	84.8	47.5	51.4	1.2	49.8	NO	40.4	54.9	23.0	41.9	52.3	47.2	34.3	2.6	12.0	3.8	45.0
kasai occidental	38.7	14.2	89.6	40.0	78.3	5.3	68.2	NO	78.3	67.0	27.9	45.4	47.5	32.0	42.3	3.8	24.1	5.3	50.7
kasai oriental	34.3	11.3	83.1	42.9	75.6	3.4	52.8	NO	73.8	69.8	36.7	58.8	50.4	43.3	30.3	3.3	67.4	8.7	50.6
katanga	47.9	19.9	78.7	38.5	69.8	1.8	30.5	NO	69.4	59.5	38.6	51.7	40.1	49.1	43.9	6.6	51.4	6.3	53.7
kinshasa	64.0	41.9	95.7	68.6	96.9	6.6	44.2	NO	98.0	94.3	81.1	91.3	83.5	47.8	61.3	11.9	94.0	22.1	75.4
maniema	45.1	17.3	80.0	43.2	69.4	2.8	44.5	NO	66.2	54.6	17.4	44.6	34.6	46.4	50.9	9.4	44.8	6.2	51.0
nord-kivu	41.6	23.2	94.8	48.8	86.7	14.6	56.3	NO	88.6	94.5	83.4	85.8	54.6	50.4	58.1	2.1	75.9	15.0	68.8
orientale	34.8	11.8	74.8	43.6	68.4	2.7	44.3	NO	71.0	57.5	25.7	49.8	41.4	44.5	47.0	1.2	36.1	6.8	48.5
sud-kivu	30.7	13.8	86.5	22.5	84.6	10.4	44.9	NO	86.5	88.0	56.0	84.0	57.6	28.0	42.3	3.3	63.9	14.5	56.0




Source: Democratic Republic of the Congo DHS 2007  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Democratic Republic of the Congo DHS 2007  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Democratic Republic of the Congo DHS 2007

Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Democratic Republic of the Congo DHS 2007

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Cote d'Ivoire (MICS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	33.0	14.6	84.8	NO	56.8	NO	24.9	NO	NO	85.4	78.7	87.9	54.8	44.9	35.1	4.1	76.0	17.1	56.6
Wealth quintiles																			
Q1	23.0	8.9	68.8	NO	28.5	NO	22.9	NO	NO	70.5	62.0	73.6	55.2	43.6	20.5	2.0	51.0	11.5	42.7
Q2	25.6	10.8	81.2	NO	40.3	NO	24.0	NO	NO	79.6	73.7	84.6	52.9	45.0	31.5	3.2	64.4	13.7	50.6
Q3	24.2	10.3	87.5	NO	58.7	NO	23.9	NO	NO	90.7	81.8	92.5	56.3	38.0	40.6	4.3	74.9	16.1	55.8
Q4	39.6	18.8	95.9	NO	78.9	NO	30.4	NO	NO	95.7	88.2	96.2	57.4	45.6	49.3	4.7	91.3	22.9	66.6
Q5	48.9	25.0	97.3	NO	94.6	NO	23.9	NO	NO	98.3	96.0	98.6	51.9	59.6	71.4	7.9	98.2	25.4	76.9
Equity indicators																			
Q5/Q1 ratio	2.1	2.8	1.4	NO	3.3	NO	1.0	NO	NO	1.4	1.6	1.3	0.9	1.4	3.5	3.9	1.9	2.2	1.8
Q5-Q1 difference	25.9	16.1	28.5	NO	66.1	NO	1.0	NO	NO	27.8	34.1	24.9	-3.3	16.0	50.9	5.9	47.2	13.9	34.2
Concentration index	17.9	23.5	7.3	NO	24.3	NO	3.1	NO	NO	7.3	8.9	6.1	0.1	4.0	23.7	25.1	13.3	17.3	11.5
SII	33.8	20.1	39.3	NO	75.1	NO	5.0	NO	NO	39.9	41.9	34.7	-0.2	8.7	48.4	6.4	59.7	17.7	42.2
Maternal education																			
none	26.2	10.4	78.8	NO	47.2	NO	25.0	NO	NO	81.2	74.5	84.4	56.5	42.7	29.2	3.3	NA	15.0	50.9
primary	36.0	17.9	92.4	NO	64.5	NO	24.9	NO	NO	91.9	84.8	92.5	51.5	46.2	41.5	4.5	NA	19.9	61.7
secondary +	52.0	29.8	96.9	NO	86.8	NO	24.7	NO	NO	93.7	87.1	96.3	52.1	57.0	69.2	8.4	NA	23.1	74.5
Child's sex																			
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	86.5	79.2	88.4	54.7	43.9	29.6	3.7	NA	16.9	NA
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	84.4	78.2	87.4	54.9	46.1	41.4	4.5	NA	17.2	NA
Area of residence																			
urban	43.5	20.9	95.5	NO	84.1	NO	28.9	NO	NO	94.9	90.0	96.3	55.4	48.4	56.4	5.9	90.3	22.4	69.6
rural	24.5	10.2	78.2	NO	40.0	NO	22.5	NO	NO	79.8	71.9	82.9	54.4	43.3	26.6	3.0	65.2	14.0	48.8
Country region																			
centre	36.9	16.3	86.5	NO	42.8	NO	11.5	NO	NO	91.1	87.6	91.5	70.1	39.9	34.9	5.1	78.9	21.0	57.1
centre est	23.0	10.1	96.7	NO	75.4	NO	21.4	NO	NO	97.1	91.4	97.6	79.2	54.9	10.6	3.4	71.9	21.9	59.0
centre nord	45.7	23.7	86.4	NO	42.5	NO	27.0	NO	NO	91.1	88.8	94.4	89.9	23.9	44.3	1.6	70.9	16.1	58.8
centre ouest	23.0	8.7	86.1	NO	53.9	NO	40.4	NO	NO	82.5	73.2	86.7	33.1	51.9	42.7	3.9	80.5	15.1	54.8
nord	25.8	9.3	79.9	NO	63.2	NO	24.4	NO	NO	81.2	69.0	79.7	86.2	41.2	48.3	3.5	84.0	19.1	54.2
nord est	28.5	8.4	64.4	NO	30.5	NO	14.5	NO	NO	70.8	61.3	65.2	41.0	74.1	29.0	2.8	69.7	11.6	48.0
nord ouest	15.6	4.6	57.6	NO	23.4	NO	43.2	NO	NO	75.5	68.1	82.3	79.1	37.6	42.0	4.6	57.6	11.9	42.3
ouest	35.8	12.9	72.9	NO	28.9	NO	20.9	NO	NO	66.8	51.2	72.3	50.2	33.4	19.2	2.6	62.7	11.2	43.4
sud (sans ville d' abidjan)	31.7	17.2	93.1	NO	65.8	NO	30.3	NO	NO	92.5	89.6	94.0	43.9	50.3	22.7	5.4	71.4	16.8	59.8
sud ouest	25.5	12.4	82.1	NO	55.4	NO	13.9	NO	NO	79.3	73.8	87.4	45.0	38.4	41.8	5.0	63.7	13.2	53.2
ville abidjan	44.5	21.5	98.3	NO	97.4	NO	27.1	NO	NO	99.9	95.0	99.4	47.1	60.2	72.5	4.2	98.7	27.2	76.5




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Egypt (DHS 2008)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	87.0	60.3	74.2	66.5	78.9	27.6	55.9	1.6	72.9	99.0	97.8	98.1	12.5	17.6	73.3	NO	98.0	20.8	77.3
Wealth quintiles																			
Q1	81.5	55.4	54.1	41.7	55.2	13.6	60.1	1.4	47.0	97.8	97.1	97.1	10.6	18.7	69.6	NO	94.9	15.6	70.1
Q2	84.8	57.1	64.5	55.9	70.1	19.2	59.0	2.2	62.2	99.1	96.2	98.0	11.3	22.4	70.8	NO	97.2	18.5	74.7
Q3	87.0	61.2	74.0	64.5	82.8	26.2	56.9	0.6	74.6	99.1	97.8	98.0	12.6	20.0	66.4	NO	98.5	19.3	77.4
Q4	88.8	61.4	85.6	80.5	90.7	35.8	56.1	0.3	84.7	99.8	98.8	99.0	12.8	11.9	79.2	NO	99.6	24.6	80.5
Q5	91.5	65.4	92.4	89.4	96.9	44.9	47.3	7.4	95.0	99.1	98.9	98.6	15.3	12.8	81.5	NO	99.8	26.6	83.2
Equity indicators																			
Q5/Q1 ratio	1.1	1.2	1.7	2.1	1.8	3.3	0.8	5.1	2.0	1.0	1.0	1.0	1.4	0.7	1.2	NO	1.1	1.7	1.2
Q5-Q1 difference	10.0	10.0	38.2	47.7	41.8	31.2	-12.7	5.9	48.0	1.3	1.8	1.5	4.7	-5.9	11.9	NO	4.9	11.0	13.1
Concentration index	2.2	3.3	10.9	14.9	10.9	23.6	-4.3	1.3	13.3	0.3	0.5	0.3	8.0	-9.1	3.3	NO	1.0	11.8	3.3
SII	11.9	11.9	47.3	56.7	51.9	38.3	-13.9	0.2	56.7	1.8	3.2	2.0	5.4	-10.3	15.8	NO	7.4	13.9	16.0
Maternal education																			
none	84.3	57.7	55.4	45.7	59.7	17.8	60.2	1.3	53.2	99.5	97.2	97.7	10.5	21.8	70.8	NO	NA	15.4	72.3
primary	87.0	61.8	69.2	59.2	74.9	19.4	61.3	1.9	66.1	96.8	93.8	95.4	11.4	15.5	73.1	NO	NA	16.1	75.1
secondary +	88.3	61.4	82.4	75.9	87.3	33.0	53.3	1.7	81.6	99.1	98.6	98.7	13.5	16.5	74.5	NO	NA	23.9	79.6
Child's sex																			
male	NA	NA	74.0	66.4	79.9	29.2	55.2	1.6	73.2	99.2	97.2	97.8	12.6	20.4	77.3	NO	NA	21.2	NA
female	NA	NA	74.4	66.7	77.8	26.1	56.7	1.6	72.5	98.7	98.4	98.4	12.4	14.3	68.6	NO	NA	20.4	NA
Area of residence																			
urban	90.7	64.3	85.1	80.5	90.2	37.1	51.3	2.1	86.3	99.5	98.5	98.0	14.1	15.8	78.4	NO	99.8	24.5	81.2
rural	84.3	57.5	67.5	57.9	72.2	22.0	58.7	1.4	64.5	98.6	97.3	98.2	11.6	18.7	69.5	NO	96.7	18.6	74.6
Country region																			
frontier governorates	84.1	52.3	72.5	65.8	79.1	20.0	56.2	2.2	75.1	98.2	93.3	96.7	13.1	29.3	84.2	NO	86.7	19.8	78.0
lower egypt rural	89.3	63.9	72.6	63.9	83.4	27.4	58.5	0.7	75.1	98.8	98.1	99.1	12.1	16.2	74.0	NO	97.9	20.4	78.2
lower egypt urban	91.1	65.5	81.7	78.5	92.0	43.2	53.3	1.1	86.8	99.4	98.8	99.4	13.9	5.8	74.0	NO	99.8	23.8	79.2
upper egypt rural	76.1	48.4	61.0	50.3	59.2	15.8	58.9	1.9	51.2	98.5	96.5	97.1	10.9	20.5	66.6	NO	95.5	16.7	70.0
upper egypt urban	88.8	62.4	81.7	75.6	85.6	30.9	57.3	3.5	80.6	99.6	98.2	97.8	11.4	16.8	73.7	NO	100.0	22.1	79.6
urban governorates	91.7	65.2	90.1	85.6	92.3	38.5	46.1	1.1	90.1	99.6	98.7	97.4	16.1	17.7	83.9	NO	99.9	26.4	83.3




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Ethiopia (DHS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	30.6	14.7	28.0	12.2	5.8	1.0	69.1	NO	NO	60.4	32.7	34.9	46.1	15.0	18.7	1.5	60.0	2.7	26.1
Wealth quintiles																			
Q1	11.3	4.2	13.2	4.0	0.9	0.0	72.1	NO	NO	50.0	25.6	24.9	39.7	9.7	18.6	1.4	46.8	1.2	16.0
Q2	15.1	6.6	18.7	6.1	1.3	0.3	69.7	NO	NO	60.9	27.3	29.0	42.3	10.4	12.3	0.8	55.6	1.4	18.1
Q3	24.9	12.0	25.6	8.5	2.0	0.2	69.9	NO	NO	59.6	33.7	37.6	45.8	17.0	20.7	1.2	55.3	2.3	24.8
Q4	30.4	15.5	30.9	8.7	4.5	0.5	67.0	NO	NO	65.4	32.5	36.1	49.9	14.7	13.2	1.7	59.7	2.1	25.9
Q5	60.8	37.0	58.6	39.3	26.7	5.3	65.8	NO	NO	70.6	49.2	52.5	56.0	29.6	33.1	2.9	82.4	8.5	47.6
Equity indicators																			
Q5/Q1 ratio	5.4	8.9	4.4	9.8	30.2	201.6	0.9	NO	NO	1.4	1.9	2.1	1.4	3.0	1.8	2.1	1.8	6.9	3.0
Q5-Q1 difference	49.4	32.8	45.4	35.3	25.8	5.3	-6.4	NO	NO	20.5	23.6	27.6	16.2	19.9	14.6	1.5	35.6	7.3	31.6
Concentration index	33.3	41.8	28.7	45.9	68.4	76.7	-2.0	NO	NO	7.3	13.8	15.2	7.4	19.1	9.0	20.4	10.7	41.3	21.4
SII	57.1	37.6	46.6	34.5	30.4	7.9	-7.4	NO	NO	22.9	24.1	29.5	18.8	18.0	9.9	1.8	36.9	7.0	35.5
Maternal education																			
none	22.7	10.0	22.2	7.9	2.4	0.4	70.4	NO	NO	56.5	28.5	30.0	44.0	13.5	15.4	1.2	NA	1.7	21.3
primary	38.8	23.4	39.7	16.9	8.6	0.9	64.8	NO	NO	70.7	42.0	48.4	50.8	17.7	27.6	2.1	NA	4.9	34.0
secondary +	75.9	52.6	81.2	63.1	57.7	13.1	63.0	NO	NO	85.8	65.6	63.4	64.3	41.6	50.1	6.1	NA	14.5	65.2
Child's sex																			
male	NA	NA	28.6	11.7	5.8	1.0	68.4	NO	NO	63.8	34.9	36.4	45.9	15.0	18.9	1.6	NA	3.0	NA
female	NA	NA	27.4	12.7	5.7	1.0	69.8	NO	NO	56.9	30.4	33.2	46.3	15.0	18.5	1.5	NA	2.4	NA
Area of residence																			
urban	73.5	46.7	69.4	54.5	44.8	9.4	64.8	NO	NO	84.0	66.8	65.4	63.0	27.7	45.6	3.9	92.7	12.7	59.7
rural	23.7	10.9	24.1	8.1	2.7	0.3	69.5	NO	NO	58.4	29.8	32.2	44.7	14.3	17.3	1.3	55.5	2.0	22.6
Country region																			
addis abeba	84.8	56.9	88.3	80.6	78.8	16.0	66.2	NO	NO	93.5	83.8	78.8	54.9	25.2	67.0	0.1	99.5	19.8	74.7
afar	33.0	6.6	15.0	8.0	5.9	0.6	86.4	NO	NO	27.6	4.6	8.1	33.3	16.6	5.7	3.4	36.8	0.9	16.3
amhara	35.3	16.1	26.8	7.3	4.0	0.6	62.6	NO	NO	62.3	32.1	34.8	43.3	14.8	14.7	0.8	60.5	2.2	26.5
ben-gumz	27.4	11.1	24.7	10.1	5.1	0.1	72.1	NO	NO	53.5	30.7	33.4	27.4	20.7	23.0	1.4	57.9	1.8	25.5
dire dawa	69.8	34.0	54.3	34.0	26.8	3.5	91.4	NO	NO	75.4	62.5	55.7	48.2	19.0	49.5	20.1	92.7	10.9	52.1
gambela	40.7	15.9	38.2	26.6	15.3	1.7	72.7	NO	NO	49.3	20.3	30.7	39.1	28.9	35.4	2.2	55.3	4.0	32.6
harari	60.2	33.5	41.1	25.9	31.8	3.3	73.7	NO	NO	67.4	45.8	39.9	36.3	27.0	34.9	1.1	81.0	6.8	44.0
oromiya	24.9	13.6	25.0	10.1	4.8	0.7	72.1	NO	NO	57.8	28.8	29.4	43.4	15.0	20.3	0.5	60.1	2.1	23.4
snmp	24.6	11.9	30.7	15.0	4.2	1.0	71.4	NO	NO	64.2	35.6	37.7	50.2	13.6	19.6	3.4	56.5	3.0	25.5
somali	21.3	3.1	7.8	4.4	5.2	1.0	91.4	NO	NO	17.1	5.6	6.4	38.8	6.0	7.6	3.4	29.6	0.8	10.7
tigray	40.9	16.5	37.1	18.0	6.0	0.9	52.9	NO	NO	77.4	52.1	63.3	65.3	25.0	13.9	1.7	69.4	5.0	35.8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected




Figure 2 - Coverage levels in the five wealth quintiles for selected




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Gabon (DHS 2000)


Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	53.9	32.7	95.1	63.3	86.7	5.6	69.1	NO	NO	89.1	36.1	54.8	NO	43.7	60.6	NO	78.8	9.6	62.7
Wealth quintiles																			
Q1	36.2	18.8	84.5	41.8	67.2	3.4	68.7	NO	NO	74.9	18.2	34.1	NO	37.4	35.8	NO	32.9	1.9	45.8
Q2	46.7	27.3	95.6	56.8	85.7	3.6	74.2	NO	NO	89.9	31.9	52.6	NO	42.4	52.6	NO	68.9	8.3	59.0
Q3	56.0	36.0	98.1	66.4	91.5	5.4	65.9	NO	NO	93.2	44.0	57.2	NO	50.0	69.0	NO	94.3	11.9	67.9
Q4	57.9	36.3	98.3	71.9	93.9	8.4	65.6	NO	NO	94.2	41.5	62.9	NO	43.7	79.6	NO	98.4	11.8	69.0
Q5	65.4	41.9	98.3	80.6	97.1	8.1	70.4	NO	NO	95.0	49.1	71.3	NO	45.1	67.6	NO	99.6	15.3	71.2
Equity indicators																			
Q5/Q1 ratio	1.8	2.2	1.2	1.9	1.4	2.4	1.0	NO	NO	1.3	2.7	2.1	NO	1.2	1.9	NO	3.0	8.3	1.6
Q5-Q1 difference	29.2	23.0	13.7	38.9	29.9	4.7	1.7	NO	NO	20.1	31.0	37.2	NO	7.7	31.8	NO	66.7	13.5	25.4
Concentration index	10.0	13.4	2.5	12.1	6.7	20.9	-0.8	NO	NO	4.1	16.1	12.5	NO	3.2	12.3	NO	17.4	25.2	7.8
SII	31.4	25.9	17.1	43.5	35.7	7.1	-3.5	NO	NO	23.7	34.9	40.4	NO	8.9	45.0	NO	83.0	15.2	30.4
Maternal education																			
none	20.6	8.5	91.0	63.7	83.9	4.0	71.3	NO	NO	73.5	43.2	42.3	NO	58.0	67.8	NO	NA	9.9	55.4
primary	39.6	22.0	91.8	55.2	79.4	4.3	70.1	NO	NO	86.3	25.7	44.6	NO	44.6	48.2	NO	NA	5.5	54.2
secondary +	65.5	44.1	98.0	69.2	92.9	6.8	68.0	NO	NO	93.2	42.9	63.9	NO	41.8	70.1	NO	NA	12.9	69.4
Child's sex																			
male	NA	NA	95.3	63.3	86.7	5.4	68.3	NO	NO	88.1	39.8	55.1	NO	42.6	63.6	NO	NA	9.4	NA
female	NA	NA	95.0	63.3	86.6	5.8	69.8	NO	NO	90.1	32.8	54.5	NO	44.7	57.4	NO	NA	9.8	NA
Area of residence																			
urban	57.2	36.5	97.9	69.4	92.9	6.3	67.9	NO	NO	92.5	41.7	61.1	NO	45.9	65.9	NO	93.2	12.2	67.0
rural	40.6	20.6	86.5	44.5	69.4	3.5	72.4	NO	NO	79.9	20.6	37.1	NO	36.6	42.5	NO	37.9	2.4	49.2
Country region																			
east (haut-ogoué & ogooué)	ND	ND	97.3	67.6	93.7	3.4	89.3	NO	NO	93.0	24.4	45.9	NO	40.2	66.5	NO	ND	7.3	NA
libreville,port-gentil	59.5	38.4	97.9	74.1	93.3	7.6	60.6	NO	NO	93.4	46.4	64.0	NO	44.9	67.6	NO	ND	13.2	68.6
north (ogoué-ivindo & woleu)	ND	ND	88.5	46.1	67.5	3.3	73.1	NO	NO	80.0	21.5	41.5	NO	34.0	37.4	NO	ND	4.0	NA
south (ngounié, nyanga)	ND	ND	87.6	42.8	76.9	2.6	63.0	NO	NO	80.6	32.1	46.0	NO	50.7	41.8	NO	ND	6.7	NA
west (estuaire, moyen-ogoué)	ND	ND	93.8	47.6	81.4	5.6	74.4	NO	NO	87.2	30.7	53.7	NO	47.7	65.7	NO	ND	6.8	NA




Source: Gabon DHS 2000  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Gabon DHS 2000  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Gabon DHS 2000

Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Gabon DHS 2000

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Gambia (MICS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	NO	NO	97.8	NO	56.8	NO	47.7	NO	NO	98.7	86.6	92.5	80.1	37.9	68.9	53.8	85.1	29.2	NO
Wealth quintiles																			
Q1	NO	NO	97.6	NO	28.3	NO	48.4	NO	NO	99.4	89.2	94.6	77.0	34.4	68.2	58.9	82.5	27.8	NO
Q2	NO	NO	97.5	NO	45.9	NO	49.8	NO	NO	99.5	85.0	91.4	81.7	37.2	73.9	67.5	79.5	29.5	NO
Q3	NO	NO	97.7	NO	59.0	NO	46.3	NO	NO	97.9	84.1	91.3	82.7	42.8	71.2	55.0	81.3	30.9	NO
Q4	NO	NO	97.8	NO	72.7	NO	46.4	NO	NO	98.3	85.8	93.4	81.9	41.0	62.3	48.8	87.3	29.9	NO
Q5	NO	NO	98.3	NO	88.6	NO	47.7	NO	NO	98.7	89.5	91.4	77.1	33.3	68.1	33.9	94.9	27.8	NO
Equity indicators																			
Q5/Q1 ratio	NO	NO	1.0	NO	3.1	NO	1.0	NO	NO	1.0	1.0	1.0	1.0	1.0	1.0	0.6	1.1	1.0	NO
Q5-Q1 difference	NO	NO	0.7	NO	60.2	NO	-0.7	NO	NO	-0.8	0.4	-3.2	0.1	-1.2	0.0	0.0	12.3	0.1	NO
Concentration index	NO	NO	0.2	NO	21.0	NO	-0.5	NO	NO	-0.2	-0.3	-0.6	0.3	2.1	-1.2	-9.3	3.1	0.6	NO
SII	NO	NO	0.8	NO	66.6	NO	-2.6	NO	NO	-1.6	-0.6	-2.5	1.5	4.3	-5.3	-30.9	16.4	0.8	NO
Maternal education																			
none	NO	NO	97.7	NO	50.8	NO	50.5	NO	NO	98.3	86.1	92.4	80.0	39.5	67.7	54.4	NA	27.8	NO
primary	NO	NO	97.7	NO	68.1	NO	43.3	NO	NO	99.5	85.0	90.8	79.6	40.3	67.9	56.8	NA	32.9	NO
secondary +	NO	NO	97.5	NO	84.5	NO	45.4	NO	NO	99.6	88.2	94.5	80.6	32.8	70.8	49.1	NA	32.3	NO
Child's sex																			
male	NO	NO	ND	NO	ND	NO	ND	NO	NO	98.6	84.6	91.2	80.1	38.5	67.3	53.6	NA	29.3	NO
female	NO	NO	ND	NO	ND	NO	ND	NO	NO	98.9	88.7	93.9	80.0	37.3	70.8	54.0	NA	29.0	NO
Area of residence																			
urban	NO	NO	97.5	NO	83.0	NO	47.1	NO	NO	97.5	86.6	90.9	77.2	31.9	63.5	42.2	91.2	27.7	NO
rural	NO	NO	97.9	NO	43.4	NO	48.1	NO	NO	99.3	86.6	93.3	81.7	40.4	71.8	60.1	81.3	30.0	NO
Country region																			
banjul	NO	NO	100.0	NO	94.7	NO	48.7	NO	NO	97.7	93.0	90.7	74.7	43.5	ND	48.1	80.8	31.6	NO
basse	NO	NO	98.9	NO	34.2	NO	58.5	NO	NO	98.8	81.9	93.1	81.3	53.3	70.0	39.3	87.6	25.4	NO
brikama	NO	NO	98.5	NO	65.3	NO	34.1	NO	NO	98.0	88.9	91.8	89.5	40.4	72.3	67.2	79.0	34.4	NO
janjanburay	NO	NO	98.8	NO	34.8	NO	33.3	NO	NO	100.0	91.5	92.7	74.6	38.4	73.4	65.2	81.7	26.5	NO
kanifing	NO	NO	97.1	NO	87.0	NO	48.2	NO	NO	98.0	85.6	89.3	76.7	29.8	60.7	37.8	90.9	26.7	NO
kerewan	NO	NO	95.8	NO	44.6	NO	77.6	NO	NO	99.0	77.7	93.3	72.4	25.1	78.1	56.4	89.1	30.7	NO
kuntaur	NO	NO	96.3	NO	28.4	NO	49.0	NO	NO	100.0	92.8	96.4	87.3	39.1	70.1	59.8	83.4	30.8	NO
mansakonko	NO	NO	97.2	NO	46.5	NO	35.0	NO	NO	100.0	91.4	98.8	76.0	28.5	56.4	72.4	82.6	28.0	NO




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.

Composite coverage not available

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Ghana (DHS 2008)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	40.0	23.5	95.4	78.2	58.7	6.9	52.3	11.9	65.3	95.8	89.3	90.2	55.8	44.6	50.7	29.1	78.1	20.3	64.0
Wealth quintiles																			
Q1	28.2	14.2	92.5	62.9	24.2	1.3	51.2	9.9	31.6	89.4	89.2	87.5	48.4	33.7	36.5	29.7	64.2	14.0	52.5
Q2	32.2	20.3	93.2	73.2	50.0	5.0	45.6	10.9	57.6	95.6	87.8	86.0	57.1	43.7	48.3	32.0	75.5	19.9	60.0
Q3	35.6	21.8	96.1	77.6	64.8	8.4	52.6	15.0	70.7	97.3	82.1	89.6	54.3	50.2	48.3	23.9	87.2	21.4	63.5
Q4	45.4	29.0	97.7	89.1	81.7	9.1	57.0	15.6	84.3	100.0	95.8	95.5	63.1	54.8	63.2	30.9	88.4	27.6	72.8
Q5	56.5	31.4	99.1	93.8	94.6	15.0	57.0	21.0	94.2	98.7	93.3	94.7	59.4	57.3	73.5	27.8	75.1	21.5	78.7
Equity indicators																			
Q5/Q1 ratio	2.0	2.2	1.1	1.5	3.9	11.4	1.1	2.1	3.0	1.1	1.0	1.1	1.2	1.7	2.0	0.9	1.2	1.5	1.5
Q5-Q1 difference	28.4	17.2	6.6	30.9	70.3	13.7	5.8	11.1	62.6	9.3	4.1	7.2	11.0	23.6	37.0	-1.9	10.9	7.5	26.2
Concentration index	14.4	15.4	1.5	8.3	24.8	36.6	3.3	13.1	19.6	2.2	1.2	2.0	4.5	11.7	11.3	-2.0	3.5	10.5	8.0
SII	34.2	21.7	9.5	38.6	78.0	16.0	10.9	8.7	70.9	14.6	7.1	12.0	15.4	30.1	38.8	-2.6	17.3	13.4	32.6
Maternal education																			
none	27.9	13.6	93.5	68.4	36.3	3.4	50.8	9.4	43.9	91.0	85.3	86.2	51.1	39.2	40.6	25.0	NA	14.9	55.0
primary	39.4	26.6	93.5	72.0	54.6	4.5	53.8	10.1	61.5	98.2	91.2	89.5	56.0	50.4	44.1	27.8	NA	20.4	63.5
secondary +	46.0	28.1	97.8	88.2	78.2	11.0	52.4	18.6	82.1	97.7	91.1	93.3	59.4	46.4	61.6	33.0	NA	24.6	70.3
Child's sex																			
male	NA	NA	95.5	79.3	59.2	7.9	52.2	11.1	65.2	96.7	89.4	88.5	57.6	42.9	49.6	27.3	NA	19.4	NA
female	NA	NA	95.4	76.9	58.1	5.8	52.5	12.7	65.4	95.0	89.3	91.7	53.9	46.3	51.8	31.0	NA	21.4	NA
Area of residence																			
urban	45.6	27.1	97.8	88.1	84.3	10.6	55.4	17.7	86.6	97.3	87.2	93.4	57.8	53.2	52.5	24.1	81.5	23.1	70.3
rural	35.7	20.9	93.9	71.5	43.0	4.7	50.2	10.7	51.0	94.8	90.7	88.1	54.6	40.2	49.7	32.2	75.5	18.7	60.1
Country region																			
ashanti	42.6	27.0	97.3	84.3	72.6	10.7	49.6	22.9	78.8	95.4	91.4	93.0	65.3	38.9	58.2	29.7	93.1	26.6	67.4
brong ahafo	45.0	29.0	96.4	80.2	65.5	4.9	46.6	12.8	69.0	98.2	95.7	95.7	49.7	62.1	51.1	52.8	74.2	22.5	69.8
central	31.6	22.9	92.4	76.3	54.0	10.0	55.5	6.9	56.2	100.0	81.0	87.3	58.7	46.6	49.8	16.0	84.0	17.7	60.5
eastern	37.9	24.2	96.0	73.2	60.8	7.6	47.7	5.5	67.6	98.5	91.5	86.8	50.1	39.7	69.4	33.5	78.4	22.3	65.6
greater accra	55.2	32.6	95.7	89.5	84.3	10.2	52.8	23.2	89.7	100.0	88.6	92.4	53.9	34.1	33.9	15.3	64.8	18.2	67.6
northern	15.7	5.9	95.6	68.3	27.2	2.5	48.2	4.6	35.1	84.3	76.4	80.5	41.2	45.2	51.9	11.7	70.2	11.7	51.3
upper east	31.4	14.7	95.7	66.9	46.7	1.1	67.8	22.2	58.7	97.0	97.5	96.5	67.3	39.3	78.4	45.2	96.7	25.9	65.2
upper west	43.6	21.7	97.6	83.6	46.1	3.5	60.2	18.7	57.4	92.1	94.8	96.7	66.4	45.6	46.6	31.6	96.1	26.7	64.6
volta	45.6	28.6	91.1	74.5	53.7	6.0	53.4	7.1	59.7	96.5	93.0	92.0	56.6	23.8	19.0	38.0	68.4	15.6	58.7
western	32.7	19.1	95.7	78.0	61.7	5.4	58.0	14.0	65.2	98.9	96.0	89.7	60.3	47.2	55.8	41.0	68.7	22.0	64.5




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Guatemala (DHS 1998)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	62.9	38.2	64.8	71.0	40.6	10.8	46.9	NO	NO	90.4	70.4	80.6	NO	21.9	37.4	NO	77.5	8.5	55.7
Wealth quintiles																			
Q1	21.5	8.4	36.8	51.0	8.8	1.6	55.5	NO	NO	86.8	65.1	77.3	NO	17.3	28.5	NO	69.8	3.1	35.2
Q2	31.9	14.6	52.6	65.1	17.8	5.5	48.7	NO	NO	91.3	68.1	81.4	NO	14.2	38.9	NO	90.5	5.6	43.0
Q3	54.8	30.6	65.5	76.2	38.8	7.4	46.5	NO	NO	86.7	71.1	77.9	NO	26.0	38.0	NO	94.3	8.2	54.3
Q4	73.8	55.1	80.5	76.4	73.5	17.0	48.2	NO	NO	92.4	68.7	77.3	NO	38.2	40.5	NO	84.8	14.9	66.6
Q5	90.7	72.9	97.0	92.5	91.9	32.4	32.0	NO	NO	98.0	84.3	94.1	NO	18.9	47.8	NO	48.5	14.4	77.1
Equity indicators																			
Q5/Q1 ratio	4.2	8.6	2.6	1.8	10.5	19.8	0.6	NO	NO	1.1	1.3	1.2	NO	1.1	1.7	NO	0.7	4.6	2.2
Q5-Q1 difference	69.2	64.4	60.2	41.5	83.1	30.7	-23.5	NO	NO	11.2	19.2	16.8	NO	1.6	19.4	NO	-21.2	11.3	41.9
Concentration index	22.9	37.9	19.0	11.1	42.3	50.1	-7.8	NO	NO	2.2	5.0	3.1	NO	11.5	8.3	NO	-5.0	31.4	15.6
SII	77.2	77.3	68.9	46.0	88.3	35.2	-22.6	NO	NO	10.8	16.6	11.7	NO	17.7	18.7	NO	-23.8	16.6	53.7
Maternal education																			
none	40.5	19.4	46.5	59.9	21.8	6.4	51.0	NO	NO	84.8	62.3	72.6	NO	20.5	37.7	NO	NA	4.4	43.4
primary	62.2	38.4	65.3	70.9	40.1	10.2	45.7	NO	NO	91.2	71.9	80.1	NO	22.1	37.1	NO	NA	9.2	55.9
secondary +	85.6	68.0	95.8	91.0	84.7	22.9	42.9	NO	NO	98.2	80.9	97.1	NO	24.9	38.2	NO	NA	15.9	73.7
Child's sex																			
male	NA	NA	64.3	70.4	41.6	11.5	46.3	NO	NO	93.1	73.3	81.8	NO	18.5	38.3	NO	NA	8.8	NA
female	NA	NA	65.3	71.7	39.5	10.1	47.5	NO	NO	87.7	67.5	79.3	NO	25.9	36.5	NO	NA	8.2	NA
Area of residence																			
urban	74.8	52.3	81.8	78.8	66.1	19.3	45.1	NO	NO	93.9	73.6	80.8	NO	26.3	46.5	NO	73.1	11.8	66.3
rural	51.3	27.7	53.4	65.9	24.9	5.7	48.1	NO	NO	88.3	68.5	80.4	NO	19.5	32.7	NO	80.8	6.5	48.3
Country region																			
central	64.0	39.1	65.7	78.6	37.3	12.2	51.9	NO	NO	91.7	72.1	81.9	NO	32.2	41.3	NO	83.4	9.1	58.2
metropolitan	76.4	57.2	81.3	78.1	69.3	19.5	38.2	NO	NO	94.3	71.7	83.0	NO	25.8	45.5	NO	64.1	11.0	66.7
north	40.7	20.8	60.3	51.2	25.5	3.6	56.5	NO	NO	86.0	79.5	86.7	NO	13.6	33.9	NO	60.3	6.0	47.8
north-occidental	36.7	13.9	43.0	63.7	11.3	1.5	62.0	NO	NO	91.4	66.3	75.8	NO	21.3	26.2	NO	92.2	4.3	40.8
north-oriental	57.7	31.5	51.6	62.1	36.7	12.7	52.7	NO	NO	91.6	71.4	78.2	NO	15.7	36.9	NO	82.2	9.3	51.3
petén	ND	ND	44.6	49.1	21.1	3.4	53.1	NO	NO	78.1	54.2	72.9	NO	16.5	27.7	NO	ND	4.1	NA
south-occidental	56.0	30.4	55.7	71.7	29.0	7.3	39.4	NO	NO	86.6	65.9	77.5	NO	18.5	32.5	NO	89.2	7.0	49.5
south-oriental	54.4	32.9	76.1	76.6	32.0	6.3	57.2	NO	NO	90.0	78.3	84.9	NO	26.3	42.6	NO	85.8	11.7	56.3




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Guinea (DHS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	30.0	9.1	82.1	48.8	38.0	1.7	39.8	NO	NO	79.4	51.4	50.2	68.4	37.6	42.0	1.3	31.4	10.4	47.1
Wealth quintiles																			
Q1	22.0	5.3	67.7	36.6	14.5	0.4	37.9	NO	NO	68.6	38.6	42.0	57.3	31.9	29.5	0.4	4.4	6.0	35.3
Q2	23.6	6.2	74.3	39.3	20.0	0.5	36.8	NO	NO	72.9	46.0	44.3	61.8	30.9	43.3	0.9	9.8	7.5	40.1
Q3	25.0	7.6	84.1	47.1	34.2	1.1	38.1	NO	NO	82.8	56.2	55.7	68.7	41.3	42.3	0.6	15.3	9.2	47.3
Q4	32.8	10.9	92.6	58.4	55.2	1.9	41.9	NO	NO	88.7	62.7	57.0	77.4	42.8	46.2	1.6	36.5	13.3	55.1
Q5	42.9	17.1	98.5	69.8	87.4	6.5	46.5	NO	NO	91.4	61.0	57.2	83.3	45.1	59.4	4.1	90.7	19.9	63.8
Equity indicators																			
Q5/Q1 ratio	1.9	3.2	1.5	1.9	6.0	17.0	1.2	NO	NO	1.3	1.6	1.4	1.5	1.4	2.0	9.4	20.8	3.3	1.8
Q5-Q1 difference	20.9	11.7	30.7	33.2	72.9	6.1	8.6	NO	NO	22.8	22.5	15.2	26.0	13.2	29.9	3.6	86.4	13.9	28.5
Concentration index	15.7	25.5	7.9	13.8	35.6	57.3	4.1	NO	NO	6.5	10.4	7.6	8.0	9.7	12.9	43.2	52.9	23.9	11.9
SII	26.7	13.9	40.8	39.8	74.8	7.3	9.9	NO	NO	31.2	31.9	22.5	32.5	19.0	31.5	3.9	87.6	15.6	36.0
Maternal education																			
none	26.9	7.5	79.8	45.8	32.8	1.1	39.5	NO	NO	77.2	49.4	47.7	65.8	37.2	39.0	1.1	NA	9.2	44.4
primary	34.5	13.3	95.3	66.5	66.8	3.4	40.6	NO	NO	91.9	59.2	64.7	84.1	39.3	47.4	2.9	NA	16.7	57.0
secondary +	46.4	25.1	97.5	65.9	84.1	11.2	42.8	NO	NO	95.3	71.0	67.6	87.6	42.4	80.2	3.0	NA	21.7	68.9
Child's sex																			
male	NA	NA	82.6	50.1	39.3	1.7	39.7	NO	NO	80.0	52.5	51.6	68.5	36.4	42.3	1.3	NA	10.5	NA
female	NA	NA	81.7	47.4	36.6	1.8	39.9	NO	NO	78.9	50.4	48.8	68.3	39.2	41.7	1.4	NA	10.3	NA
Area of residence																			
urban	40.2	14.9	96.0	65.7	80.7	4.6	46.0	NO	NO	89.9	58.6	54.8	82.0	39.9	58.3	3.1	77.8	17.4	60.9
rural	25.2	7.0	77.7	43.4	25.6	0.9	37.8	NO	NO	76.5	49.4	48.9	64.2	37.0	37.6	0.8	12.0	8.4	42.6
Country region																			
boké	23.3	5.3	81.4	47.8	26.2	2.0	37.6	NO	NO	80.5	41.8	52.8	58.6	35.2	44.1	1.0	24.0	8.3	42.8
conakry	44.0	18.1	98.2	70.5	89.8	8.1	50.5	NO	NO	89.0	49.6	49.5	79.6	45.2	55.3	4.5	95.0	19.7	61.9
faranah	47.9	18.6	82.4	51.9	32.6	0.8	55.2	NO	NO	81.7	51.3	53.3	78.9	32.5	48.5	1.5	24.1	10.6	51.6
kankan	40.4	13.8	81.7	35.3	39.2	1.0	48.5	NO	NO	76.7	54.4	47.6	65.7	45.4	25.4	1.2	18.4	9.4	49.0
kindia	22.5	6.0	79.3	44.5	29.7	0.9	35.5	NO	NO	78.0	57.4	49.3	78.1	32.5	37.1	1.3	24.4	9.4	42.8
labé	6.2	1.3	75.3	52.8	20.2	1.9	38.7	NO	NO	71.0	46.4	31.8	54.9	42.6	32.7	0.2	13.0	6.4	35.0
mamou	11.3	2.6	61.6	38.2	18.7	1.1	14.8	NO	NO	72.0	56.3	50.9	39.1	28.0	52.0	ND	22.0	7.6	37.6
n'zérékoré	22.8	7.3	85.9	50.1	41.1	0.4	35.6	NO	NO	81.9	52.3	57.3	73.8	36.1	48.1	1.0	20.2	11.2	47.4




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Guinea Bissau (MICS 2006)


Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	29.3	10.3	77.9	NO	38.8	NO	22.6	NO	NO	88.9	64.9	75.5	58.7	34.8	56.5	39.5	59.9	14.8	51.7
Wealth quintiles																			
Q1	21.3	6.3	76.3	NO	19.4	NO	15.7	NO	NO	84.0	57.1	70.4	54.8	36.5	31.9	39.9	30.5	10.3	42.6
Q2	17.3	5.4	76.3	NO	25.9	NO	25.0	NO	NO	87.1	62.4	71.5	53.1	35.7	49.2	38.8	46.9	13.3	45.4
Q3	19.9	7.0	69.7	NO	30.9	NO	23.5	NO	NO	88.5	64.3	71.4	56.9	30.6	45.7	44.0	59.1	12.3	45.1
Q4	35.5	13.7	81.7	NO	53.9	NO	22.4	NO	NO	90.1	67.7	79.3	62.0	33.1	71.9	41.2	71.5	17.9	58.0
Q5	53.3	22.5	89.3	NO	78.5	NO	27.8	NO	NO	98.3	77.9	90.4	72.0	38.4	81.6	30.5	91.4	23.8	70.8
Equity indicators																			
Q5/Q1 ratio	2.5	3.6	1.2	NO	4.0	NO	1.8	NO	NO	1.2	1.4	1.3	1.3	1.1	2.6	0.8	3.0	2.3	1.7
Q5-Q1 difference	32.0	16.2	13.0	NO	59.1	NO	12.1	NO	NO	14.3	20.8	20.0	17.2	1.8	0.0	0.0	60.8	13.5	28.2
Concentration index	22.9	30.4	2.7	NO	28.8	NO	7.8	NO	NO	2.6	5.1	4.6	5.5	-0.5	17.7	-1.8	20.7	15.4	10.5
SII	40.1	19.0	12.7	NO	62.6	NO	10.3	NO	NO	14.5	21.4	20.6	18.6	-1.0	59.6	-5.1	67.6	14.1	34.5
Maternal education																			
none	19.7	6.2	74.9	NO	28.0	NO	22.1	NO	NO	87.2	61.4	72.4	56.7	34.5	49.9	38.2	NA	12.2	46.0
primary	39.9	17.2	82.2	NO	55.7	NO	22.7	NO	NO	91.4	70.2	80.4	63.7	30.5	64.3	42.7	NA	21.3	58.6
secondary +	63.2	30.6	92.4	NO	80.1	NO	25.0	NO	NO	95.5	78.3	86.7	68.6	40.7	73.7	40.5	NA	22.7	72.8
Child's sex																			
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	90.2	65.3	76.8	57.9	38.1	52.3	39.2	NA	15.8	NA
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	87.7	64.6	74.2	59.4	31.1	60.9	39.7	NA	14.0	NA
Area of residence																			
urban	45.6	19.0	87.0	NO	68.7	NO	24.1	NO	NO	94.6	72.0	83.5	66.6	34.5	72.8	32.7	82.3	19.4	64.4
rural	20.9	6.8	74.3	NO	26.8	NO	22.0	NO	NO	86.6	62.0	72.2	55.4	34.9	45.4	42.2	47.6	12.9	45.6
Country region																			
est (bafata e gabu)	8.7	3.1	64.0	NO	24.0	NO	27.8	NO	NO	92.0	80.3	85.6	67.2	35.5	58.0	28.2	62.8	14.4	46.0
nord (biombo, cacheu e oio	31.5	9.8	82.0	NO	33.8	NO	20.7	NO	NO	88.5	60.0	71.2	54.5	34.3	45.2	53.1	40.3	14.7	49.8
sab capital	48.5	20.8	84.2	NO	70.4	NO	26.8	NO	NO	95.9	71.6	86.6	71.7	30.2	74.4	27.5	92.1	19.8	64.9
sud (bolama, quinara e tom	31.6	11.3	80.8	NO	35.5	NO	11.0	NO	NO	72.4	40.6	52.1	37.1	44.7	52.8	31.0	54.2	8.4	47.5




Source: Guinea Bissau MICS 2006  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Guinea Bissau MICS 2006  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Guinea Bissau MICS 2006

Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Guinea Bissau MICS 2006

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Haiti (DHS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	46.1	32.0	84.5	53.8	26.1	3.0	44.3	4.1	30.9	74.9	53.9	57.7	28.7	43.1	24.7	NO	57.9	9.0	49.0
Wealth quintiles																			
Q1	31.2	20.0	72.3	33.0	6.4	0.6	46.8	2.3	9.2	70.8	46.1	50.0	27.1	38.7	16.4	NO	21.7	4.2	38.0
Q2	39.5	28.3	83.0	43.5	10.8	0.8	47.5	5.2	16.1	66.4	50.0	55.7	26.5	35.6	18.0	NO	46.7	8.3	42.5
Q3	47.9	33.6	87.5	53.8	20.7	1.1	41.1	4.4	25.0	78.1	54.8	63.4	29.8	40.9	30.9	NO	67.3	8.9	50.4
Q4	52.7	37.9	87.6	63.1	41.3	3.8	42.6	4.7	42.6	76.8	52.5	56.0	29.3	52.4	37.0	NO	80.9	10.4	55.4
Q5	54.3	37.6	95.4	82.0	67.5	11.8	43.1	5.2	69.6	86.6	71.8	67.0	32.1	54.3	33.0	NO	73.1	16.5	64.0
Equity indicators																			
Q5/Q1 ratio	1.7	1.9	1.3	2.5	10.5	19.3	0.9	2.3	7.5	1.2	1.6	1.3	1.2	1.4	2.0	NO	3.4	3.9	1.7
Q5-Q1 difference	23.1	17.6	23.1	49.0	61.1	11.2	-3.7	3.0	60.3	15.8	25.7	17.0	4.9	15.6	16.6	NO	51.5	12.3	26.0
Concentration index	10.5	11.4	5.1	18.0	45.2	60.6	-2.4	11.6	38.2	4.4	7.1	4.5	3.5	10.0	18.3	NO	19.8	22.2	10.3
SII	27.9	21.6	26.0	54.5	67.0	13.9	-6.4	3.1	66.3	19.1	23.8	16.5	5.9	21.1	27.1	NO	63.8	12.8	32.4
Maternal education																			
none	39.0	24.5	72.9	36.0	9.1	0.5	45.4	3.7	13.1	68.2	48.1	51.5	24.8	35.7	22.5	NO	NA	5.0	41.0
primary	44.2	31.9	86.2	51.7	20.8	1.7	44.2	3.9	25.4	73.8	49.4	56.7	27.9	45.5	23.5	NO	NA	8.5	47.5
secondary +	54.9	40.4	95.8	78.6	59.7	8.8	43.1	5.7	61.1	85.6	68.6	67.5	35.7	51.6	31.2	NO	NA	16.2	61.6
Child's sex																			
male	NA	NA	84.7	54.5	26.0	3.4	43.5	4.1	30.8	75.6	53.1	54.3	27.0	43.1	25.0	NO	NA	9.2	NA
female	NA	NA	84.3	53.2	26.2	2.7	45.1	4.0	31.1	74.3	54.7	61.1	30.3	43.1	24.5	NO	NA	8.8	NA
Area of residence																			
urban	50.7	36.0	89.6	66.9	46.8	6.2	42.4	4.5	48.7	81.1	60.7	61.9	29.8	49.9	31.4	NO	76.2	12.4	56.8
rural	42.6	29.2	81.6	46.1	15.4	1.4	45.4	3.9	20.5	71.9	50.4	55.5	28.2	39.9	22.7	NO	46.7	7.3	45.1
Country region																			
aire metropolitaine/ reste-	48.8	33.6	84.4	59.5	37.7	5.0	44.3	5.2	42.5	72.1	49.2	51.6	24.0	49.0	25.6	NO	70.4	8.4	50.8
artibonite	48.7	35.0	86.7	55.5	21.6	1.8	30.0	2.5	25.0	76.5	53.9	62.8	46.1	39.8	36.6	NO	55.6	10.2	51.0
centre	41.5	26.8	82.4	37.8	14.2	1.4	41.2	4.1	19.4	81.0	66.2	66.4	37.8	43.5	23.3	NO	31.2	10.4	48.8
grand-anse	46.8	32.4	81.2	52.1	15.1	1.1	52.3	2.1	18.1	73.6	58.7	59.9	20.0	36.1	11.4	NO	37.8	8.5	45.7
nippes	43.6	30.9	78.6	50.7	12.8	1.4	38.6	1.7	15.4	65.0	49.2	41.6	20.8	27.4	7.1	NO	36.1	5.3	39.4
nord	41.2	28.7	84.5	50.6	23.4	4.6	53.0	2.3	26.3	84.0	56.9	63.8	28.4	42.0	11.2	NO	53.2	12.4	46.9
nord-est	49.6	34.0	87.5	62.0	30.7	2.8	51.4	8.5	38.4	92.2	77.4	78.0	28.7	34.8	21.5	NO	67.0	14.3	54.8
nord-ouest	39.0	27.9	94.3	60.4	25.8	1.8	55.4	1.1	27.7	68.7	40.4	49.7	23.2	46.5	32.3	NO	56.3	5.3	47.5
sud	47.5	34.9	83.8	52.5	23.7	1.6	53.2	7.4	31.1	79.4	63.8	60.2	19.5	54.7	7.3	NO	61.9	6.8	50.0
sud-est	35.8	24.0	74.2	37.3	12.5	0.3	49.6	6.7	19.3	55.1	39.1	45.0	15.3	29.4	19.5	NO	48.9	6.4	36.8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

India (DHS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	81.6	56.3	75.9	37.0	46.6	8.5	24.5	1.5	42.5	78.1	55.4	58.8	15.7	32.7	70.3	NO	87.6	10.9	64.3
Wealth quintiles																			
Q1	70.1	42.2	57.2	12.1	19.4	1.5	17.9	1.0	14.2	64.0	33.9	39.9	13.0	28.9	62.3	NO	78.1	5.2	49.5
Q2	77.7	51.1	67.9	21.1	31.8	3.5	20.6	1.4	25.8	71.4	47.2	48.2	13.8	29.4	70.0	NO	84.8	7.9	58.0
Q3	81.6	56.8	78.6	36.6	49.0	7.0	26.4	1.5	42.2	80.1	58.6	61.6	16.9	30.5	70.8	NO	88.0	11.4	65.5
Q4	85.5	62.5	88.8	53.0	67.2	12.4	29.0	2.4	61.3	88.8	68.8	72.0	17.3	34.9	76.5	NO	91.5	14.4	73.8
Q5	89.4	67.5	96.7	77.3	88.8	25.7	32.1	3.1	86.1	95.6	82.0	85.2	19.2	44.7	80.3	NO	95.7	20.5	82.8
Equity indicators																			
Q5/Q1 ratio	1.3	1.6	1.7	6.4	4.6	16.9	1.8	3.1	6.1	1.5	2.4	2.1	1.5	1.5	1.3	NO	1.2	4.0	1.7
Q5-Q1 difference	19.3	25.3	39.5	65.2	69.4	24.2	14.2	2.1	71.9	31.6	48.1	45.2	6.3	15.8	18.0	NO	17.6	15.3	33.3
Concentration index	4.6	9.1	11.0	35.2	29.6	50.0	12.4	19.4	33.8	8.4	17.3	15.9	8.4	7.9	5.2	NO	4.0	26.9	10.0
SII	22.3	30.2	49.5	71.6	74.6	28.6	18.4	1.8	77.3	40.2	55.6	53.5	7.9	15.6	19.8	NO	21.5	17.9	41.2
Maternal education																			
none	79.3	52.1	60.4	16.0	26.1	2.5	16.7	1.2	20.8	64.7	37.0	41.0	11.4	28.7	67.2	NO	NA	5.7	54.1
primary	83.6	60.1	81.8	35.5	46.5	6.5	26.1	1.8	40.2	82.2	57.7	60.6	16.4	30.8	73.0	NO	NA	10.8	66.3
secondary +	83.4	60.2	92.9	63.2	75.1	17.6	33.4	2.0	70.0	93.3	77.5	80.2	21.0	38.3	73.8	NO	NA	18.4	76.4
Child's sex																			
male	NA	NA	76.2	37.5	47.9	8.8	24.7	1.4	43.8	80.2	57.5	61.4	15.7	33.9	72.9	NO	NA	11.6	NA
female	NA	NA	75.7	36.4	45.1	8.1	24.3	1.6	41.1	75.8	53.1	55.8	15.6	31.2	67.3	NO	NA	10.1	NA
Area of residence																			
urban	86.9	64.0	89.8	62.4	73.5	16.8	30.3	2.4	71.3	86.9	69.3	71.8	16.9	37.8	78.1	NO	95.2	15.6	75.4
rural	79.0	53.0	70.9	27.7	37.5	5.6	22.4	1.3	32.0	75.1	50.5	54.2	15.2	30.9	68.1	NO	84.2	9.2	60.4
Country region																			
[ap] andhra pradesh	93.5	67.6	94.4	73.1	74.9	22.2	24.6	2.0	65.9	92.9	61.4	69.4	16.6	30.1	58.5	NO	94.4	14.1	73.9
[ar] arunachal pradesh	69.9	43.2	53.5	22.4	30.2	2.9	58.6	0.8	33.4	57.7	40.6	38.3	15.5	41.8	43.6	NO	83.3	6.8	50.3
[as] assam	84.4	56.5	67.2	23.5	31.0	5.2	50.9	0.2	25.1	62.4	45.3	37.4	11.3	20.3	35.4	NO	72.1	6.6	52.1
[bh] bihar	60.1	34.1	34.0	11.2	29.3	3.1	3.7	0.6	21.5	64.7	46.1	40.4	23.7	36.2	72.0	NO	96.3	6.6	49.2
[ch] chhattisgarh	84.1	53.2	88.1	28.3	41.6	4.1	25.0	1.3	15.9	84.6	62.8	62.5	8.5	38.0	66.8	NO	78.2	10.3	67.7
[dl] delhi	89.5	66.9	87.7	64.3	64.1	13.7	21.0	2.5	64.0	87.0	71.7	78.2	11.6	33.1	89.3	NO	91.8	13.9	76.2
[gj] gujarat	89.3	66.6	85.2	50.5	63.0	8.9	27.8	1.9	58.0	86.4	62.1	65.7	12.8	33.1	63.0	NO	89.0	13.6	70.2
[go] goa	78.7	48.2	97.9	92.4	94.0	25.7	59.4	ND	93.5	96.8	87.5	91.2	26.0	51.0	83.0	NO	79.4	21.5	83.1
[hp] himachal pradesh	90.9	72.6	84.5	43.9	47.8	12.6	45.4	2.5	45.5	97.2	85.1	86.3	26.7	62.2	68.9	NO	87.3	16.3	78.2
[hr] haryana	88.4	63.4	79.0	41.8	48.9	5.3	22.1	7.1	43.2	84.9	74.2	75.5	9.8	21.4	88.0	NO	95.4	14.1	71.7
[jh] jharkhand	60.8	35.7	59.0	18.2	27.8	3.9	10.7	0.7	20.5	72.7	40.7	47.6	16.8	27.3	69.8	NO	56.3	6.7	51.1
[jm] jammu and kashmir	78.5	52.6	84.1	60.4	56.5	13.5	31.6	0.7	53.4	90.9	84.5	78.3	11.5	34.4	72.7	NO	79.9	16.2	72.2
[ka] karnataka	86.9	63.6	89.7	68.0	69.7	15.5	35.7	2.4	68.2	87.8	74.3	72.0	13.2	33.5	68.9	NO	85.5	15.2	74.0
[ke] kerala	88.6	68.6	99.3	93.0	99.4	30.1	56.5	ND	99.5	96.3	84.0	82.1	28.0	69.1	88.8	NO	69.2	21.2	88.4
[mg] meghalaya	40.9	24.3	64.0	42.8	31.1	4.1	57.8	0.5	32.7	65.9	47.3	43.8	14.2	58.0	60.9	NO	62.1	6.3	49.9
[mh] maharashtra	87.7	66.9	91.1	59.8	68.7	11.6	52.0	1.5	67.9	95.3	76.4	84.7	22.3	35.2	71.8	NO	92.2	18.9	76.4
[mn] manipur	79.9	48.7	85.9	54.1	59.0	9.0	57.8	0.7	50.4	80.0	61.9	52.8	8.2	37.1	46.5	NO	51.5	10.6	65.0
[mp] madhya pradesh	83.2	55.9	77.6	22.3	32.7	3.5	15.9	1.7	30.4	80.5	49.8	61.4	11.8	39.3	52.8	NO	74.2	8.5	61.8
[mz] mizoram	77.6	59.9	71.9	45.6	65.4	6.2	66.4	1.7	62.9	86.4	66.8	69.5	38.4	63.8	64.4	NO	84.5	12.1	71.2
[na] nagaland	53.4	29.7	57.2	12.1	24.7	2.0	54.2	0.3	14.1	46.3	29.0	27.3	6.2	42.6	28.7	NO	60.2	4.4	40.7
[or] orissa	77.3	50.7	86.8	36.9	44.0	5.1	54.8	2.2	39.2	83.6	67.9	66.5	19.5	49.5	76.5	NO	78.3	13.2	69.7
[pj] punjab	89.6	63.3	82.7	60.2	68.2	16.5	12.7	11.7	60.1	88.0	70.5	78.0	14.0	30.0	87.1	NO	99.5	14.4	75.2
[rj] rajasthan	76.4	47.2	74.4	23.4	41.0	3.8	14.1	1.5	32.9	68.5	38.7	42.7	8.2	19.6	66.4	NO	80.9	7.2	56.4
[sk] sikkim	77.4	57.6	89.6	56.2	53.7	12.3	42.9	ND	50.3	95.9	84.3	83.1	17.0	59.7	45.8	NO	77.3	14.9	72.5
[tn] tamil nadu	87.8	61.4	98.9	87.4	90.6	20.3	58.8	2.9	88.9	99.5	96.4	92.5	32.9	46.5	77.2	NO	93.5	18.4	85.4
[tr] tripura	86.6	65.7	77.0	50.6	48.8	12.9	34.6	0.8	50.8	81.1	60.2	59.9	26.1	44.7	81.2	NO	73.5	11.5	69.6
[uc] uttaranchal	84.6	59.3	60.6	34.9	38.5	8.1	33.5	4.1	37.6	83.5	67.1	71.6	12.2	35.7	75.9	NO	87.6	11.5	66.1
[up] uttar pradesh	67.7	43.6	66.1	11.1	27.2	4.4	7.3	0.5	22.4	61.0	30.0	37.7	5.4	18.8	75.8	NO	93.7	5.4	50.7
[wb] west bengal	90.0	71.2	92.3	39.0	47.6	10.2	23.5	2.2	45.6	90.1	71.5	74.7	28.0	52.4	69.9	NO	93.5	15.8	74.7




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Indonesia (DHS 2007)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	87.2	61.4	93.3	81.5	73.0	6.8	43.9	18.2	57.8	85.4	66.9	76.4	68.5	54.3	66.4	3.7	65.6	16.1	76.4
Wealth quintiles																			
Q1	80.6	53.0	82.2	61.1	43.8	1.8	46.8	16.0	28.7	70.7	45.5	63.3	54.5	54.5	53.9	6.4	35.1	8.2	63.9
Q2	88.1	63.3	92.1	78.3	66.4	4.5	47.0	19.5	46.6	83.6	62.8	74.4	68.9	56.0	61.6	5.0	55.9	14.0	74.6
Q3	87.6	62.4	95.5	83.4	78.8	5.1	42.0	18.3	58.6	84.8	66.9	78.2	72.0	57.8	75.2	3.3	69.5	17.7	79.1
Q4	89.8	63.8	98.5	90.6	87.3	7.3	43.2	19.4	70.8	94.3	78.2	81.6	75.6	52.9	74.4	1.8	79.6	22.1	82.6
Q5	88.6	63.5	99.2	96.4	95.4	16.8	40.0	23.2	88.1	94.0	81.5	84.9	74.2	48.4	77.3	1.5	88.1	20.7	83.6
Equity indicators																			
Q5/Q1 ratio	1.1	1.2	1.2	1.6	2.2	9.6	0.9	1.4	3.1	1.3	1.8	1.3	1.4	0.9	1.4	0.2	2.5	2.5	1.3
Q5-Q1 difference	8.0	10.5	17.0	35.3	51.6	15.1	-6.7	7.2	59.3	23.3	36.0	21.7	19.7	-6.0	23.4	-4.9	53.0	12.5	19.7
Concentration index	1.6	2.8	3.8	8.8	14.8	39.8	-3.3	6.5	20.8	5.6	11.2	5.6	6.1	-1.8	8.6	-29.7	16.5	17.5	4.9
SII	8.2	10.3	24.6	43.2	62.1	17.5	-8.5	5.8	66.5	29.9	43.3	25.5	24.6	-5.0	32.4	-7.1	61.3	17.2	23.7
Maternal education																			
none	79.8	42.3	62.6	44.1	31.3	2.6	56.5	13.1	28.3	58.9	29.0	49.0	42.9	44.7	45.7	5.0	NA	4.5	54.3
primary	86.9	60.5	89.5	73.3	57.1	2.7	45.7	16.9	42.9	77.7	55.7	68.8	62.9	53.2	60.3	4.7	NA	12.3	70.7
secondary +	88.2	64.9	97.9	89.8	87.4	10.1	41.8	20.7	70.6	91.9	76.2	82.8	74.3	56.2	73.7	2.9	NA	19.8	81.9
Child's sex																			
male	NA	NA	93.2	81.1	73.3	7.5	43.1	18.5	58.3	86.1	65.8	75.1	68.2	56.2	67.4	3.7	NA	16.0	NA
female	NA	NA	93.4	81.9	72.7	6.1	44.7	17.9	57.4	84.7	68.1	77.9	68.8	51.9	65.3	3.6	NA	16.2	NA
Area of residence																			
urban	87.7	62.5	97.7	89.9	87.6	11.0	41.6	18.3	76.9	92.0	74.9	82.0	74.0	51.7	71.5	1.8	80.6	18.8	80.9
rural	86.8	60.6	90.1	75.5	62.7	3.9	45.5	18.2	44.0	80.8	61.3	72.5	64.6	55.8	63.2	5.1	54.4	14.2	73.3
Country region																			
balli	92.3	69.4	98.8	94.1	92.6	12.2	54.3	10.5	93.2	94.3	77.3	85.5	78.6	63.9	83.6	0.2	69.5	19.4	86.7
bangka belitung	95.5	67.8	94.0	86.0	81.5	3.0	28.7	13.0	53.2	76.7	69.3	68.9	70.1	66.8	78.3	43.5	67.1	26.3	81.8
banten	86.4	57.4	86.3	72.6	52.1	9.4	46.6	3.4	40.3	80.4	48.8	76.6	62.6	33.0	77.2	0.2	66.8	10.9	69.5
bengkulu	92.2	74.0	93.7	79.4	72.3	2.7	33.4	9.8	21.1	89.6	61.6	81.0	66.5	64.9	79.8	38.0	54.8	19.2	80.7
central sulawesi	88.6	63.6	90.7	75.0	59.6	4.3	44.0	7.8	26.0	80.5	58.5	72.3	77.6	63.5	63.6	2.2	58.6	13.8	73.9
central java	89.7	63.7	97.3	90.1	83.0	5.4	45.2	13.7	60.7	95.7	88.3	87.1	73.0	42.2	76.9	0.3	66.7	19.4	82.7
central kalimantan	91.9	66.5	91.0	82.9	68.1	1.4	42.9	5.7	20.3	80.7	50.1	83.3	71.4	63.5	46.4	8.5	43.3	12.5	73.2
di aceh	79.7	47.4	89.2	69.8	72.5	4.9	41.6	30.6	48.6	63.5	33.7	50.1	71.3	64.5	77.9	37.3	53.4	15.3	69.4
di yogyakarta	90.8	66.9	99.3	96.7	95.8	10.3	42.8	20.5	89.3	100.0	97.0	95.2	84.1	89.7	68.2	1.3	80.9	20.9	91.3
dki jakarta	89.7	60.1	99.5	97.6	97.3	13.8	28.3	13.1	89.9	88.4	77.4	79.7	73.7	63.8	81.3	0.6	89.8	19.1	85.4
east java	88.9	66.1	93.2	86.4	77.5	9.0	51.5	26.1	76.4	87.1	70.7	80.3	72.8	56.3	66.2	ND	69.0	15.1	78.6
east kalimantan	88.6	59.2	93.9	81.6	75.5	8.7	51.0	10.5	53.9	85.9	75.0	82.4	75.9	57.3	71.1	1.4	65.8	18.5	79.1
east nusa tenggara	71.0	42.1	87.1	74.2	46.2	4.2	48.8	12.3	32.6	86.5	52.6	77.2	76.3	75.4	64.7	7.2	45.8	12.2	68.8
gorontalo	90.0	60.1	88.5	66.3	53.6	3.3	26.2	17.3	38.3	83.2	60.3	69.3	60.0	69.5	56.2	1.2	68.7	14.4	72.9
jambi	90.3	65.2	84.6	75.4	69.8	3.9	26.4	58.5	69.4	71.7	55.2	61.7	71.2	70.6	73.0	17.7	62.0	14.3	75.4
kep bangka belitung	82.4	57.6	93.8	85.0	91.6	13.1	36.1	15.4	80.8	82.8	68.6	82.4	66.5	43.6	82.0	9.1	69.9	18.6	78.7
lampung	92.6	71.1	95.4	86.2	69.8	3.8	49.0	23.1	58.5	93.4	78.5	83.5	72.3	46.4	79.7	15.5	70.9	25.8	80.7
maluku	60.3	34.1	70.3	50.7	32.8	1.8	32.5	18.2	29.4	67.7	44.2	58.4	45.7	61.0	39.2	0.9	64.2	8.1	53.9
maluku utara	78.9	48.8	88.0	79.5	45.9	4.2	37.1	24.9	40.5	73.9	41.5	70.2	54.1	62.5	72.2	2.3	57.7	7.2	67.0
north sulawesi	91.9	69.3	95.9	78.8	87.3	11.2	60.8	16.6	64.1	96.2	81.8	86.2	77.0	61.4	71.4	ND	58.8	20.4	84.3
north sumatra	81.5	54.2	89.3	66.3	84.5	7.0	23.4	31.2	56.1	66.2	39.7	52.4	34.3	42.2	67.6	5.5	58.8	9.2	68.3
papua	70.8	38.3	69.0	52.2	46.3	4.9	56.3	15.1	41.7	72.0	40.9	63.0	57.2	70.3	74.1	7.6	41.2	10.7	64.2
papua barat	70.5	39.6	80.4	49.8	57.7	4.8	41.0	10.8	52.3	61.0	35.2	55.3	57.8	67.0	69.7	6.6	75.4	10.2	64.3
riau	86.1	56.7	93.2	77.8	84.9	11.4	36.6	30.1	60.4	73.3	53.3	68.9	57.9	48.4	78.2	5.3	65.0	15.2	75.5
south kalimantan	90.8	64.4	93.0	76.1	75.6	4.6	46.9	31.4	45.5	81.3	55.0	62.1	70.1	52.5	55.0	1.4	58.0	11.8	73.3
south sulawesi	79.3	53.4	92.2	64.4	58.8	3.2	43.8	18.5	44.8	79.8	61.8	69.0	65.1	53.5	86.3	0.8	61.4	12.8	73.4
south sumatra	89.8	64.8	91.3	74.0	67.5	3.8	40.2	18.9	46.6	91.0	68.7	73.0	63.6	61.2	75.0	12.0	63.5	14.3	78.7
southeast sulawesi	79.7	50.7	91.3	71.3	56.6	2.1	31.6	9.1	17.3	85.4	67.2	79.5	68.0	59.1	51.2	0.5	51.3	14.2	71.1
sulawesi barat	72.4	45.4	86.6	61.3	43.8	3.0	40.0	9.5	22.5	80.6	59.2	74.9	60.7	57.6	58.8	0.7	54.4	10.6	66.3
west java	85.9	61.1	95.3	84.1	68.2	6.3	46.9	15.6	54.3	89.6	70.0	81.2	74.5	51.2	49.5	0.6	66.6	19.3	74.3
west kalimantan	89.1	62.7	90.6	72.9	62.2	7.9	50.0	16.1	44.3	81.2	63.5	68.2	67.2	55.7	53.5	4.7	52.1	15.0	72.3
west nusa tenggara	81.0	54.8	95.3	86.0	64.3	6.7	58.0	11.7	49.9	86.3	65.0	80.3	77.9	58.9	71.6	0.8	70.6	15.3	75.5
west sumatra	84.1	59.9	96.0	86.1	80.5	8.7	31.1	12.1	69.3	87.1	70.2	72.7	65.6	76.1	59.1	2.4	56.5	16.3	78.7




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Kenya (DHS 2008)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	64.0	45.5	91.7	47.1	43.8	6.2	58.1	6.9	50.6	95.6	86.6	85.0	30.6	42.6	55.9	46.3	60.2	16.5	67.5
Wealth quintiles																			
Q1	34.6	20.1	83.6	36.0	20.3	2.0	57.9	6.4	24.3	92.8	77.6	75.6	28.3	49.4	56.5	38.7	35.4	9.3	55.4
Q2	55.2	40.0	93.2	38.8	31.3	3.1	59.4	4.8	35.6	97.4	86.9	80.8	30.4	34.9	48.0	43.2	47.8	13.0	61.8
Q3	69.0	49.8	93.2	41.1	41.9	6.4	56.2	6.5	48.9	95.5	91.5	85.5	29.1	40.6	62.5	49.4	55.5	15.8	69.7
Q4	73.9	56.9	93.1	55.3	52.9	7.1	59.5	10.9	60.2	96.1	89.0	89.8	31.2	42.8	52.0	47.8	70.7	20.6	71.6
Q5	74.3	54.7	95.7	63.4	81.4	14.3	57.3	8.1	82.6	96.5	89.6	93.9	34.6	41.3	62.6	55.2	91.3	26.5	77.0
Equity indicators																			
Q5/Q1 ratio	2.1	2.7	1.1	1.8	4.0	7.2	1.0	1.3	3.4	1.0	1.2	1.2	1.2	0.8	1.1	1.4	2.6	2.8	1.4
Q5-Q1 difference	39.8	34.6	12.2	27.4	61.1	12.3	-0.6	1.7	58.3	3.7	11.9	18.3	6.3	-8.1	6.1	16.4	55.9	17.2	21.5
Concentration index	11.3	15.0	2.5	12.9	27.9	38.7	-0.5	8.1	24.4	0.5	2.6	4.4	4.1	-3.1	1.8	7.4	18.6	21.5	6.3
SII	41.9	39.5	13.1	35.8	66.7	15.4	-0.6	4.2	67.0	3.5	14.0	24.0	6.7	-8.0	3.9	19.3	63.0	21.3	26.4
Maternal education																			
none	35.4	14.1	72.6	34.6	19.2	1.2	59.0	7.0	23.3	93.8	81.6	78.8	27.5	43.0	57.2	41.2	NA	10.4	54.0
primary	59.5	44.2	93.1	42.4	38.2	5.0	57.4	6.4	44.6	95.4	85.4	83.4	29.6	45.2	54.3	44.2	NA	15.3	65.7
secondary +	78.0	59.8	96.4	63.8	72.5	12.4	59.3	9.6	76.4	97.0	92.1	92.1	34.9	33.2	61.5	54.7	NA	23.3	75.6
Child's sex																			
male	NA	NA	91.7	46.0	44.3	6.1	57.0	7.5	51.3	94.6	83.2	84.1	30.9	43.3	57.4	45.7	NA	15.8	NA
female	NA	NA	91.7	48.4	43.2	6.4	59.3	6.3	49.8	96.6	90.0	85.9	30.3	41.8	54.3	46.9	NA	17.2	NA
Area of residence																			
urban	72.4	53.1	96.4	59.9	74.8	11.3	54.3	12.8	79.0	96.2	87.9	90.4	35.1	44.4	65.5	58.2	89.7	28.2	76.1
rural	61.3	43.1	90.5	43.8	36.8	5.1	59.1	6.3	43.2	95.4	86.2	83.4	29.6	42.2	53.9	43.6	53.1	13.8	65.3
Country region																			
central	81.1	66.7	93.8	57.8	73.8	14.5	55.3	9.4	76.9	90.7	92.2	88.3	27.8	43.9	45.2	35.6	67.0	15.1	75.3
coast	57.4	34.3	94.5	48.7	45.6	5.9	42.6	11.7	55.1	96.5	86.7	85.4	38.3	54.9	56.4	57.3	59.7	20.7	68.2
eastern	68.8	52.0	93.4	48.0	43.1	7.9	69.4	3.8	51.8	97.5	91.7	88.7	25.6	48.1	52.6	50.8	49.9	16.2	70.1
nairobi	78.6	55.3	96.5	66.8	88.9	11.5	56.3	6.0	91.1	93.8	82.9	87.6	38.7	33.1	89.9	48.8	95.6	23.3	80.4
northeastern	17.7	3.5	69.8	32.0	31.6	0.6	75.4	0.8	20.1	85.0	59.0	78.9	25.6	27.1	60.9	61.8	69.2	10.1	45.8
nyanza	54.1	37.3	93.6	42.8	45.5	4.4	61.3	7.8	51.4	93.0	77.4	78.0	37.0	43.6	54.6	58.4	52.8	17.0	63.6
rift valley	57.7	42.4	88.7	44.1	33.7	5.1	63.7	8.4	39.3	99.2	92.9	89.3	31.0	40.3	58.0	29.1	53.6	15.7	65.3
western	64.3	46.5	91.5	41.9	25.8	3.5	33.7	3.7	32.1	93.1	81.8	77.7	20.1	32.5	45.4	57.4	74.5	14.5	61.8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Kyrgyzstan (MICS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	76.8	47.8	96.9	NO	97.6	NO	64.9	NO	NO	90.6	47.8	83.5	47.1	22.2	63.0	NO	88.2	16.1	71.0
Wealth quintiles																			
Q1	75.5	50.2	93.6	NO	93.4	NO	63.3	NO	NO	81.8	24.9	79.8	37.6	26.1	74.5	NO	73.8	8.3	68.1
Q2	72.7	41.9	96.5	NO	98.8	NO	67.4	NO	NO	90.1	44.9	83.0	41.4	11.6	59.8	NO	77.6	10.0	67.9
Q3	76.3	46.0	97.8	NO	97.2	NO	66.8	NO	NO	85.5	41.8	79.5	45.8	28.7	64.5	NO	92.1	21.0	70.6
Q4	79.6	49.5	96.6	NO	98.1	NO	63.1	NO	NO	94.7	48.5	84.5	48.5	22.4	33.0	NO	97.5	17.2	68.4
Q5	78.7	50.7	99.0	NO	100.0	NO	64.0	NO	NO	99.0	71.8	89.7	59.8	22.8	76.1	NO	100.0	23.0	77.7
Equity indicators																			
Q5/Q1 ratio	1.0	1.0	1.1	NO	1.1	NO	1.0	NO	NO	1.2	2.9	1.1	1.6	0.9	1.0	NO	1.4	2.8	1.1
Q5-Q1 difference	3.3	0.5	5.3	NO	6.6	NO	0.6	NO	NO	17.1	46.9	9.8	22.1	-3.4	1.6	NO	26.2	14.6	9.6
Concentration index	1.3	1.5	0.9	NO	1.1	NO	-0.6	NO	NO	-3.8	-16.4	-1.6	-9.2	-6.3	2.0	NO	6.7	-18.6	2.2
SII	6.7	4.8	5.7	NO	7.1	NO	-1.6	NO	NO	19.9	47.6	10.9	26.4	3.4	-4.6	NO	41.1	18.6	9.9
Maternal education																			
none	77.2	48.0	96.9	NO	97.4	NO	65.6	NO	NO	90.6	47.8	83.5	47.2	22.3	63.0	NO	NA	16.1	71.1
primary	NA	NA	ND	NO	ND	NO	ND	NO	NO	89.1	46.0	85.0	45.3	17.2	64.3	NO	NA	13.7	NA
secondary +	NA	NA	ND	NO	ND	NO	ND	NO	NO	91.8	49.3	82.1	49.1	29.2	61.6	NO	NA	18.6	NA
Child's sex																			
male	78.4	49.2	99.0	NO	99.9	NO	65.2	NO	NO	97.5	64.0	86.8	52.2	26.9	69.8	NO	98.7	19.8	76.1
female	75.7	46.8	95.4	NO	96.0	NO	64.7	NO	NO	86.1	37.4	81.3	43.7	19.9	58.0	NO	81.8	13.6	67.7
Area of residence																			
urban	70.1	45.3	97.4	NO	96.4	NO	48.5	NO	NO	97.3	70.2	77.4	39.2	ND	21.8	NO	68.3	8.6	64.2
rural	80.5	53.3	99.4	NO	100.0	NO	66.7	NO	NO	100.0	68.4	86.8	55.4	28.6	71.4	NO	100.0	20.5	77.8
Country region																			
chui	76.4	52.2	96.0	NO	100.0	NO	48.1	NO	NO	99.0	49.9	79.9	54.0	14.8	35.0	NO	99.0	22.7	67.2
isyk-kul	ND	ND	ND	NO	ND	NO	ND	NO	NO	98.9	61.7	96.7	55.1	33.9	72.8	NO	ND	16.9	NA
jalalabad	71.4	36.2	92.7	NO	92.7	NO	74.9	NO	NO	70.5	29.2	68.9	26.7	43.8	24.0	NO	84.2	11.6	61.9
naryn	77.9	53.4	96.4	NO	98.3	NO	83.6	NO	NO	100.0	30.7	92.7	70.9	33.4	77.4	NO	86.0	11.2	73.5
osh	75.7	45.7	96.8	NO	96.6	NO	70.4	NO	NO	84.2	37.8	87.5	43.5	27.9	80.5	NO	82.4	15.5	72.1
talas	81.0	55.6	97.9	NO	97.9	NO	55.0	NO	NO	98.2	26.0	93.0	48.3	8.7	64.7	NO	87.6	9.7	69.1




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.







Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Lao (MICS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	NO	NO	35.1	NO	20.3	NO	29.8	NO	NO	63.7	41.3	40.2	18.1	49.2	32.3	40.6	51.5	5.2	NO
Wealth quintiles																			
Q1	NO	NO	16.3	NO	3.0	NO	21.7	NO	NO	56.4	29.4	32.8	16.8	50.0	27.8	37.2	40.4	2.3	NO
Q2	NO	NO	24.4	NO	8.6	NO	25.4	NO	NO	54.6	34.0	32.1	15.7	39.9	10.8	38.8	46.0	3.8	NO
Q3	NO	NO	31.2	NO	14.3	NO	29.5	NO	NO	73.7	53.2	45.8	19.8	47.6	37.6	53.8	47.7	5.5	NO
Q4	NO	NO	54.9	NO	32.8	NO	32.7	NO	NO	71.1	46.8	45.0	19.2	51.5	59.5	43.3	51.0	6.1	NO
Q5	NO	NO	87.6	NO	81.2	NO	56.2	NO	NO	74.3	59.0	60.2	22.1	70.4	49.4	28.1	72.4	13.6	NO
Equity indicators																			
Q5/Q1 ratio	NO	NO	5.4	NO	27.4	NO	2.6	NO	NO	1.3	2.0	1.8	1.3	1.4	1.8	0.8	1.8	6.0	NO
Q5-Q1 difference	NO	NO	71.3	NO	78.2	NO	34.5	NO	NO	17.9	29.6	27.4	5.3	20.5	21.6	-9.1	32.0	11.4	NO
Concentration index	NO	NO	34.8	NO	59.4	NO	16.1	NO	NO	6.2	14.4	12.4	5.2	2.8	17.7	1.0	11.5	32.2	NO
SII	NO	NO	67.6	NO	72.6	NO	31.3	NO	NO	26.5	36.5	29.4	6.1	9.5	35.3	2.3	34.0	10.8	NO
Maternal education																			
none	NO	NO	14.2	NO	3.4	NO	24.4	NO	NO	51.6	29.6	31.2	15.2	43.9	19.4	33.5	NA	2.1	NO
primary	NO	NO	37.9	NO	18.3	NO	25.4	NO	NO	70.8	45.4	43.6	19.2	52.0	34.9	48.5	NA	6.1	NO
secondary +	NO	NO	75.7	NO	62.8	NO	51.3	NO	NO	73.7	57.3	55.2	22.2	60.8	69.4	38.4	NA	10.8	NO
Child's sex																			
male	NO	NO	ND	NO	ND	NO	ND	NO	NO	62.4	40.5	42.2	18.4	53.1	36.2	40.9	NA	5.1	NO
female	NO	NO	ND	NO	ND	NO	ND	NO	NO	65.0	42.0	38.3	17.8	44.1	28.1	40.2	NA	5.3	NO
Area of residence																			
urban	NO	NO	76.2	NO	67.8	NO	52.8	NO	NO	72.6	55.7	54.4	17.6	73.1	58.0	36.6	70.4	10.9	NO
rural	NO	NO	27.1	NO	11.0	NO	25.3	NO	NO	62.0	38.6	37.6	18.2	46.7	29.6	41.4	45.1	4.0	NO
Country region																			
centre	NO	NO	44.4	NO	28.2	NO	33.5	NO	NO	54.8	39.7	39.7	16.1	44.9	31.1	32.1	47.0	4.7	NO
north	NO	NO	27.9	NO	14.4	NO	33.9	NO	NO	65.5	39.4	32.5	16.5	52.4	32.0	41.6	56.7	5.5	NO
south	NO	NO	30.1	NO	15.3	NO	17.5	NO	NO	76.0	46.4	51.5	24.1	51.4	35.7	54.3	53.4	5.6	NO



Composite coverage not available

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Lesotho (DHS 2009)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	67.2	47.0	91.8	70.4	61.5	6.7	53.4	7.2	65.7	95.1	84.0	80.3	33.8	47.6	65.5	NO	76.8	17.6	71.5
Wealth quintiles																			
Q1	45.1	30.1	87.1	58.1	34.6	2.7	48.9	5.8	38.9	91.0	73.2	67.8	24.2	48.6	57.9	NO	56.7	11.7	59.1
Q2	56.4	38.1	89.4	64.9	50.1	3.9	50.9	8.0	53.1	93.7	83.3	77.5	33.0	41.9	73.8	NO	72.2	15.5	67.1
Q3	68.4	46.9	92.9	67.8	60.9	6.0	53.1	7.5	63.6	97.2	86.5	82.8	33.1	54.0	64.1	NO	75.1	17.5	73.0
Q4	70.6	49.5	93.5	74.8	78.5	7.4	56.5	8.4	79.0	95.7	90.7	83.8	36.3	41.9	74.5	NO	85.4	19.1	76.1
Q5	82.7	61.7	95.8	85.3	89.7	14.8	57.0	7.5	91.2	98.7	88.3	91.7	44.4	52.4	48.1	NO	94.3	25.5	79.7
Equity indicators																			
Q5/Q1 ratio	1.8	2.0	1.1	1.5	2.6	5.6	1.2	1.3	2.3	1.1	1.2	1.4	1.8	1.1	0.8	NO	1.7	2.2	1.3
Q5-Q1 difference	37.6	31.5	8.7	27.2	55.1	12.2	8.1	1.6	52.3	7.7	15.1	23.8	20.2	3.8	-9.8	NO	37.6	13.8	20.6
Concentration index	10.8	13.2	2.0	8.1	19.2	33.5	3.0	7.7	16.8	1.5	4.0	5.7	11.1	0.7	2.6	NO	9.9	15.5	5.7
SII	42.7	36.7	11.0	32.0	65.2	14.1	11.0	3.0	61.7	9.7	20.1	28.2	22.2	2.0	10.8	NO	43.8	15.7	25.1
Maternal education																			
none	59.8	32.1	86.9	67.5	39.6	0.4	61.1	3.4	44.3	95.3	95.3	77.0	36.6	32.3	64.9	NO	NA	12.0	66.4
primary	59.8	40.2	88.7	63.6	48.6	4.6	51.8	6.8	52.4	93.7	80.2	74.8	29.8	45.0	62.8	NO	NA	13.3	66.0
secondary +	75.3	55.7	95.6	78.6	80.1	9.7	54.9	8.8	82.2	96.6	87.7	86.3	39.1	53.0	71.0	NO	NA	23.6	78.7
Child's sex																			
male	NA	NA	92.0	70.7	61.5	7.6	54.1	5.9	64.6	95.5	84.0	77.9	30.9	50.0	70.3	NO	NA	15.8	NA
female	NA	NA	91.6	70.1	61.6	5.7	52.7	8.5	66.8	94.8	84.1	82.6	36.7	45.0	61.7	NO	NA	19.4	NA
Area of residence																			
urban	79.6	58.3	95.7	82.5	88.2	11.4	58.2	14.3	89.7	97.6	91.4	90.0	44.2	49.1	70.7	NO	90.2	23.2	81.2
rural	61.5	42.2	90.5	66.3	53.5	5.2	51.8	6.5	57.5	94.4	81.9	77.5	30.5	47.2	64.9	NO	72.5	15.9	68.2
Country region																			
bera	72.2	50.8	91.4	75.7	65.7	9.3	45.3	5.5	70.2	96.2	95.7	85.3	27.6	45.8	81.4	NO	82.4	19.9	77.1
butha-bothe	73.6	54.2	92.7	71.5	63.8	6.2	56.7	11.0	69.3	83.3	78.5	75.0	44.5	39.4	62.4	NO	81.6	14.6	70.0
leribe	65.1	44.8	89.2	72.6	64.4	6.7	57.7	6.3	66.8	97.7	81.4	76.9	29.4	59.2	85.1	NO	64.7	13.7	74.3
mafeteng	71.1	51.7	90.4	69.3	59.4	5.6	62.4	4.7	63.1	96.0	87.4	82.1	38.0	58.7	65.0	NO	83.7	19.2	73.6
maseru	75.6	56.0	93.5	77.5	72.3	9.6	58.2	8.7	74.3	98.2	85.6	83.2	45.7	46.1	59.8	NO	85.8	21.3	74.7
mohale's hoek	62.6	41.6	93.3	62.1	54.9	3.3	45.8	11.9	61.7	91.1	80.2	77.5	27.1	48.8	61.6	NO	75.9	18.3	68.5
mokhotlong	46.4	30.3	94.8	64.7	48.3	3.6	47.6	6.3	55.3	97.1	84.3	84.3	30.7	41.9	59.3	NO	73.6	17.3	64.4
qacha's-nek	56.8	35.7	94.5	70.7	63.6	7.4	59.4	4.6	67.8	98.0	94.2	86.8	32.7	27.2	72.4	NO	81.8	12.8	70.1
quthing	54.1	33.2	90.3	56.7	57.3	4.4	56.4	4.8	59.0	88.0	81.8	76.5	34.5	36.3	64.5	NO	70.5	19.0	65.4
thaba-tseka	50.9	34.1	90.7	58.8	42.5	3.4	39.4	6.5	48.3	93.0	71.1	74.1	20.3	50.4	53.7	NO	60.1	13.4	62.1




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Liberia (DHS 2007)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	24.3	11.4	79.3	66.0	46.3	3.5	67.4	11.5	49.3	77.1	50.5	63.0	43.0	47.3	62.2	NO	66.2	11.2	51.0
Wealth quintiles																			
Q1	10.0	3.6	67.3	54.9	25.8	0.8	66.1	9.5	30.3	62.7	29.8	45.1	33.9	40.0	58.5	NO	28.3	5.1	37.5
Q2	13.3	5.7	69.2	56.7	31.9	2.0	72.1	10.4	35.4	64.8	38.2	55.2	36.7	40.9	45.8	NO	58.3	7.1	39.0
Q3	27.2	14.2	77.9	67.9	42.6	3.6	71.4	15.6	49.8	78.4	55.9	64.0	42.5	51.7	72.1	NO	75.4	12.3	54.1
Q4	28.9	15.4	91.8	76.3	68.7	5.7	62.8	11.5	64.4	94.1	66.0	74.4	52.6	52.6	62.4	NO	81.7	16.3	61.2
Q5	39.2	20.4	95.8	78.3	81.3	7.5	62.9	10.4	75.7	92.1	71.9	86.2	56.7	55.9	89.0	NO	87.3	20.9	70.3
Equity indicators																			
Q5/Q1 ratio	3.9	5.7	1.4	1.4	3.2	9.7	1.0	1.1	2.5	1.5	2.4	1.9	1.7	1.4	1.5	NO	3.1	4.1	1.9
Q5-Q1 difference	29.2	16.8	28.5	23.5	55.5	6.7	-3.2	1.0	45.4	29.4	42.1	41.1	22.8	15.9	30.5	NO	59.0	15.9	32.7
Concentration index	23.5	30.1	8.2	8.0	24.3	37.7	-1.7	8.6	19.5	9.5	17.1	12.2	11.2	6.7	9.0	NO	17.7	27.8	13.4
SII	35.0	22.1	38.5	32.3	63.0	8.6	-7.0	4.5	54.1	43.9	52.3	45.9	28.3	20.9	32.7	NO	66.1	19.2	43.8
Maternal education																			
none	19.1	7.7	74.2	61.5	35.7	1.9	69.6	9.5	39.7	71.5	46.8	57.9	40.6	48.7	56.5	NO	NA	8.1	46.2
primary	22.4	12.1	79.0	65.9	47.5	4.3	67.9	15.0	50.3	76.7	44.0	60.8	41.6	44.4	63.5	NO	NA	11.5	49.4
secondary +	37.8	20.9	92.8	77.1	75.7	6.4	60.6	9.9	71.6	90.1	70.3	78.4	53.3	49.5	77.2	NO	NA	20.4	65.8
Child's sex																			
male	NA	NA	77.7	67.4	46.6	3.6	68.0	11.7	50.5	74.5	49.2	61.3	43.6	48.4	63.6	NO	NA	11.8	NA
female	NA	NA	81.0	64.4	45.9	3.4	66.7	11.3	48.0	80.0	52.0	65.0	42.3	46.1	60.8	NO	NA	10.6	NA
Area of residence																			
urban	35.4	18.8	94.4	76.1	78.7	5.4	62.9	10.7	71.5	91.6	69.8	76.7	53.2	49.6	72.9	NO	83.7	18.9	65.5
rural	17.5	7.7	71.7	60.9	32.2	2.6	69.7	11.7	38.2	70.1	41.2	56.4	38.5	46.4	58.9	NO	55.8	8.0	44.0
Country region																			
monrovia	36.3	19.0	95.6	75.9	83.8	6.3	61.9	10.9	75.9	93.7	75.1	79.8	59.1	50.8	83.7	NO	83.8	21.3	68.8
north central	19.4	8.5	63.3	63.4	32.6	3.2	78.2	14.5	45.4	71.5	46.4	59.8	37.5	47.9	64.5	NO	60.7	9.1	45.6
north western	18.3	9.6	82.0	67.5	47.6	2.8	76.3	11.4	36.9	85.2	64.0	67.8	29.0	57.1	62.8	NO	71.8	10.1	52.7
south central	21.3	10.2	92.9	68.1	43.1	2.7	64.0	6.3	36.4	76.5	39.5	57.8	47.8	53.5	49.1	NO	51.4	9.1	48.6
south eastern a	22.9	9.7	79.1	51.3	32.8	2.0	42.6	8.3	37.0	68.1	28.0	51.7	27.6	37.9	38.4	NO	58.4	6.6	41.1
south eastern b	14.8	6.1	78.4	53.5	30.6	0.9	49.8	11.3	35.9	49.6	19.1	40.0	47.2	31.2	69.6	NO	56.7	5.0	38.9




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Madagascar (DHS 2008)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	67.9	39.9	86.3	49.3	43.9	1.5	72.4	13.7	46.7	83.1	73.1	69.6	72.2	49.4	42.0	44.5	38.2	16.1	63.2
Wealth quintiles																			
Q1	46.4	19.9	72.9	34.9	21.9	0.2	67.2	10.4	27.9	65.0	53.6	51.0	60.9	46.0	32.5	46.1	6.9	8.2	47.3
Q2	57.3	28.5	82.8	41.7	28.3	0.5	71.6	13.6	35.8	79.6	67.6	62.0	71.2	39.5	29.2	47.5	16.9	11.9	54.0
Q3	69.0	39.6	89.2	47.6	42.9	0.6	76.3	14.4	47.3	89.7	77.4	73.5	74.0	46.5	39.4	37.5	29.2	14.2	64.3
Q4	74.5	49.1	94.5	55.0	60.1	1.3	75.3	15.4	57.5	93.9	86.1	83.5	80.2	55.1	51.5	38.7	52.2	21.7	72.9
Q5	77.8	57.3	97.2	75.4	90.0	6.7	72.8	21.3	74.7	96.8	92.7	90.5	81.4	65.2	68.0	54.1	85.6	32.0	82.8
Equity indicators																			
Q5/Q1 ratio	1.7	2.9	1.3	2.2	4.1	40.8	1.1	2.0	2.7	1.5	1.7	1.8	1.3	1.4	2.1	1.2	12.5	3.9	1.8
Q5-Q1 difference	31.4	37.4	24.2	40.5	68.1	6.6	5.6	10.8	46.8	31.8	39.1	39.5	20.4	19.2	35.5	8.0	78.8	23.8	35.6
Concentration index	9.1	20.3	6.0	15.2	29.0	64.4	1.9	12.1	20.2	8.0	11.1	12.1	5.8	8.2	16.7	-0.1	42.3	26.7	11.2
SII	35.7	46.6	32.3	43.6	69.9	7.9	8.6	9.6	53.3	43.0	48.6	49.2	25.8	24.3	42.3	-0.5	83.8	26.3	45.0
Maternal education																			
none	51.0	20.5	71.2	36.9	22.8	0.4	66.3	11.1	27.8	63.2	49.5	47.7	59.6	43.7	28.8	46.1	NA	8.3	46.7
primary	66.0	38.9	88.8	47.4	42.3	0.7	73.6	13.6	46.0	86.9	77.3	72.7	74.6	48.0	39.1	41.2	NA	15.7	63.2
secondary +	77.6	55.8	96.0	67.2	76.2	5.0	75.8	19.7	68.4	95.8	89.3	87.0	81.8	59.5	66.2	51.9	NA	27.3	79.1
Child's sex																			
male	NA	NA	85.5	48.9	43.7	1.8	71.3	13.7	46.4	80.4	73.0	69.1	71.6	50.5	43.9	44.7	NA	16.2	NA
female	NA	NA	87.1	49.8	44.2	1.1	73.5	13.8	47.0	85.8	73.2	70.2	72.9	48.2	39.8	44.3	NA	15.9	NA
Area of residence																			
urban	75.6	54.3	94.7	70.5	81.6	5.7	70.8	21.9	71.1	95.0	89.4	87.1	78.0	62.1	58.6	54.8	82.9	31.1	78.6
rural	66.1	37.2	85.1	46.3	39.3	0.9	72.6	13.1	43.3	81.7	71.2	67.6	71.5	47.1	39.0	43.2	30.8	14.2	60.9
Country region																			
alaotra mangoro	69.1	43.5	97.1	46.4	63.5	1.3	70.2	26.3	59.6	85.8	81.4	74.3	82.9	30.8	44.8	59.7	54.1	27.2	66.6
analamanga	76.0	58.1	96.4	66.5	73.8	4.3	69.6	10.9	65.4	93.1	86.8	85.8	80.9	77.5	73.7	28.7	76.3	22.6	80.9
ananajirofo	68.1	39.4	90.0	51.0	24.4	0.7	88.7	10.8	26.6	95.5	83.7	83.7	74.2	25.5	33.2	76.4	10.1	14.2	60.8
anamoroni'i mania	63.2	41.4	90.0	44.3	43.7	1.1	81.5	25.4	57.0	91.1	82.3	76.7	82.2	22.1	31.8	11.7	29.9	14.1	60.2
androy	15.7	4.3	64.8	39.4	25.0	0.2	81.8	0.7	24.4	48.2	40.1	40.1	51.3	65.2	39.5	44.8	13.8	8.1	39.2
anosit	61.1	30.2	73.5	42.5	35.6	0.2	65.9	5.4	33.9	73.2	53.8	56.6	53.4	41.7	24.6	48.6	23.6	10.2	52.3
atsimo andrefana	59.2	26.0	77.8	39.9	35.4	0.7	61.5	4.0	29.5	61.8	52.7	47.2	62.8	34.3	59.7	47.3	29.5	12.7	53.8
atsimo atsinanana	35.1	12.3	71.0	45.4	22.4	1.0	64.9	5.8	24.9	61.6	49.3	53.0	63.9	31.5	41.5	48.3	6.6	9.7	42.9
atsinanana	79.5	45.1	89.2	54.6	48.0	3.1	88.9	12.8	50.0	87.9	75.3	78.9	75.8	42.7	55.5	72.3	26.5	18.6	69.0
betsiboka	67.5	36.5	88.4	32.9	51.1	1.9	64.4	13.1	50.5	81.5	69.3	61.4	69.3	58.9	56.9	63.0	28.4	16.8	66.1
boeny	72.4	44.6	89.1	62.0	60.4	3.2	65.2	9.1	51.8	72.2	53.0	55.3	66.8	67.9	31.6	57.5	39.0	15.8	63.7
bongolava	79.2	57.0	87.9	33.7	52.9	0.4	74.6	38.2	63.9	93.9	89.0	75.4	68.2	82.9	64.2	46.9	68.2	21.2	77.6
diana	63.6	34.3	88.2	61.0	45.8	0.5	75.5	14.5	50.0	91.3	78.0	68.3	62.7	45.8	34.5	78.3	37.8	24.4	62.6
haute matsiatra	72.8	43.9	89.6	41.2	37.5	1.5	73.3	44.6	63.9	96.9	89.4	77.9	85.0	36.6	61.8	27.6	36.5	14.1	68.6
ihorombe	68.3	24.9	83.4	53.1	30.2	ND	54.2	3.2	30.0	74.5	68.6	60.4	66.5	64.2	42.1	45.0	46.3	13.1	61.5
itatsy	81.9	58.5	95.1	47.1	72.7	0.8	71.6	5.3	70.1	96.1	92.2	86.4	83.8	63.7	38.5	5.0	52.8	15.2	77.0
melaky	60.0	24.5	69.3	33.5	33.1	0.7	68.6	9.9	34.8	63.3	56.4	44.4	55.9	36.4	10.1	66.7	7.5	8.3	47.6
menabe	62.8	33.1	77.2	50.4	41.4	1.0	61.8	27.5	49.2	81.2	65.1	62.1	66.2	49.4	32.2	58.6	39.6	18.7	58.0
sava	62.4	33.1	89.0	56.7	50.1	0.5	68.0	5.2	42.7	84.2	63.7	55.3	59.8	33.6	4.9	64.5	33.3	18.5	53.8
sofia	67.6	35.8	89.0	51.9	41.4	1.6	75.6	6.7	42.5	90.3	66.9	69.8	72.2	57.2	26.5	67.4	27.9	19.8	61.7
vakankaratra	57.2	32.9	84.8	38.1	32.3	0.5	83.5	2.8	37.5	91.9	89.4	82.0	74.5	53.0	43.9	11.0	35.6	11.1	62.9
vavovavy fitovinany	50.0	27.4	73.7	50.9	12.3	0.9	61.1	22.8	30.7	65.6	57.0	55.9	69.2	33.4	36.1	63.5	12.6	11.2	46.2




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Malawi (DHS 2010)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	63.8	46.1	97.5	45.5	71.3	4.6	96.0	2.7	79.2	97.2	93.2	93.0	85.6	47.6	70.4	39.9	79.3	27.7	75.6
Wealth quintiles																			
Q1	56.6	38.7	96.1	40.6	63.3	2.9	95.1	2.3	71.5	96.0	91.4	90.2	85.0	45.0	61.8	29.6	71.0	24.0	70.8
Q2	61.3	44.0	97.0	45.1	65.5	3.4	96.2	2.7	74.0	97.0	93.7	92.5	84.9	46.4	66.8	35.9	74.2	24.1	73.6
Q3	62.6	45.0	97.3	46.0	67.6	3.9	96.2	2.5	76.1	96.8	92.2	91.5	87.3	48.6	76.8	41.9	76.3	26.4	75.5
Q4	65.9	48.4	98.1	45.5	76.8	4.6	96.8	2.7	83.9	98.6	94.8	96.0	86.1	45.7	71.9	42.3	81.0	29.9	77.4
Q5	70.6	53.0	99.2	50.9	88.5	9.1	95.6	4.4	93.0	97.9	94.3	95.9	84.5	53.3	75.3	53.3	93.9	37.0	81.2
Equity indicators																			
Q5/Q1 ratio	1.2	1.4	1.0	1.3	1.4	3.1	1.0	1.9	1.3	1.0	1.0	1.1	1.0	1.2	1.2	1.8	1.3	1.5	1.1
Q5-Q1 difference	14.1	14.3	3.1	10.3	25.2	6.2	0.5	2.1	21.6	1.9	2.9	5.7	-0.5	8.3	13.5	23.7	22.8	12.9	10.4
Concentration index	4.3	6.0	0.6	3.9	6.6	23.5	0.1	3.9	5.3	0.5	0.6	1.4	0.2	1.9	3.8	11.0	5.6	9.0	2.6
SII	16.0	16.0	3.7	10.2	28.5	6.3	0.9	1.1	25.7	2.8	3.5	7.5	0.5	7.4	16.2	25.7	26.3	14.5	12.3
Maternal education																			
none	59.3	40.3	94.6	44.1	61.5	2.5	95.5	2.3	69.2	95.1	88.8	89.2	83.1	45.6	69.0	32.1	NA	21.9	71.6
primary	63.0	46.0	97.8	44.3	70.3	3.8	96.2	2.7	78.5	97.3	93.3	93.3	85.9	47.0	69.6	38.8	NA	27.0	75.2
secondary +	71.7	53.2	99.3	51.6	87.6	10.4	95.5	3.5	92.1	99.2	97.2	95.5	87.2	52.9	75.5	53.7	NA	38.6	81.7
Child's sex																			
male	NA	NA	97.6	46.0	72.1	5.3	95.5	2.8	80.2	96.6	92.8	91.7	85.3	47.4	71.2	39.1	NA	28.2	NA
female	NA	NA	97.4	45.0	70.5	3.9	96.5	2.5	78.2	97.8	93.6	94.3	85.9	47.8	69.5	40.6	NA	27.3	NA
Area of residence																			
urban	69.5	53.7	98.6	48.6	84.0	8.2	96.1	4.2	89.8	97.8	94.2	96.0	79.3	48.9	67.1	46.9	91.9	34.0	78.8
rural	62.5	44.5	97.3	44.9	69.2	4.0	96.0	2.5	77.3	97.1	93.0	92.5	86.7	47.3	70.9	38.7	76.9	26.7	75.0
Country region																			
central	64.0	48.0	96.7	48.6	69.0	4.5	96.1	1.9	77.1	96.5	90.2	91.5	83.8	48.1	68.1	39.1	73.4	26.5	74.6
northern	66.4	47.1	99.1	46.7	78.5	5.3	95.6	1.5	84.6	98.7	95.3	93.4	88.7	39.8	76.0	36.5	82.9	28.4	77.4
southern	62.9	44.0	97.7	42.3	71.7	4.4	96.0	3.6	79.8	97.4	95.4	94.3	86.5	48.9	71.3	41.5	84.0	28.8	76.1




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Mali (DHS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	20.9	8.2	37.2	35.4	26.8	1.6	45.8	NO	47.9	76.7	68.1	68.4	72.0	37.8	38.1	26.8	56.0	7.7	40.4
Wealth quintiles																			
Q1	10.5	3.7	19.3	22.9	9.0	0.9	43.5	NO	31.9	72.9	65.1	67.5	70.0	31.9	27.8	26.6	36.6	3.7	30.6
Q2	13.9	5.0	23.4	27.3	12.3	0.6	42.3	NO	34.6	72.1	62.0	64.5	71.7	36.4	31.6	25.8	45.6	4.5	33.0
Q3	12.9	4.6	25.5	28.4	15.7	0.6	42.5	NO	35.8	73.7	69.1	66.4	67.0	40.2	29.8	23.2	48.0	5.5	34.7
Q4	21.5	8.0	40.6	36.0	29.2	1.5	45.8	NO	53.8	76.7	66.9	66.9	71.7	35.5	43.3	26.0	57.4	9.4	41.5
Q5	36.3	19.1	79.7	63.8	75.4	4.9	55.5	NO	85.1	89.6	78.3	78.1	80.5	50.8	60.4	33.2	92.0	16.5	62.7
Equity indicators																			
Q5/Q1 ratio	3.5	5.1	4.1	2.8	8.3	5.3	1.3	NO	2.7	1.2	1.2	1.2	1.2	1.6	2.2	1.2	2.5	4.5	2.0
Q5-Q1 difference	25.8	15.4	60.3	40.9	66.3	4.0	12.0	NO	53.2	16.7	13.2	10.6	10.5	18.9	32.6	6.6	55.4	12.8	32.1
Concentration index	26.7	35.3	29.2	19.9	42.4	42.4	4.8	NO	20.6	3.5	3.4	2.6	2.4	4.4	16.5	3.7	17.3	29.9	14.4
SII	34.2	18.6	63.1	42.8	67.0	4.6	13.4	NO	58.0	18.1	14.8	11.0	10.0	13.5	36.3	6.2	58.1	15.2	36.4
Maternal education																			
none	15.5	5.6	31.9	31.2	21.5	1.1	45.0	NO	41.9	74.5	65.8	66.1	70.4	36.4	34.4	26.1	NA	6.5	36.5
primary	30.9	14.1	57.0	51.3	49.2	4.8	45.6	NO	74.0	86.0	79.0	77.5	79.0	46.3	53.4	30.3	NA	11.6	53.2
secondary +	43.2	29.0	82.4	70.2	78.4	4.7	60.0	NO	89.9	95.6	86.2	89.8	85.3	44.6	64.2	32.1	NA	22.0	66.8
Child's sex																			
male	NA	NA	37.2	34.5	27.7	1.6	45.2	NO	47.7	79.1	71.2	71.3	72.0	38.2	39.3	26.5	NA	8.3	NA
female	NA	NA	37.2	36.3	25.9	1.6	46.5	NO	48.0	74.1	64.8	65.5	72.0	37.3	36.7	27.1	NA	7.1	NA
Area of residence																			
urban	32.0	15.2	72.1	54.8	66.7	3.9	55.7	NO	80.1	87.6	76.7	75.7	78.2	42.8	50.6	29.1	79.0	15.8	57.0
rural	14.3	5.1	23.2	27.6	12.1	0.8	41.8	NO	34.9	72.3	64.6	65.5	69.6	36.5	33.5	25.9	46.0	4.6	33.5
Country region																			
bamako	34.3	19.6	88.8	67.6	85.8	6.5	57.1	NO	91.7	94.0	81.0	80.6	81.1	53.4	52.6	32.0	95.4	18.8	64.8
gao	13.0	5.1	44.6	26.4	27.9	0.8	85.3	NO	34.0	78.9	70.1	70.4	51.9	59.4	34.0	23.6	58.0	9.7	42.6
kayes	19.2	6.2	29.6	33.3	18.1	1.4	30.7	NO	38.0	67.2	49.6	55.0	70.5	33.2	39.0	25.5	57.8	5.7	33.9
kidal	21.9	9.3	1.5	22.9	1.5	0.1	76.3	NO	19.5	43.0	25.7	31.6	24.8	ND	36.9	2.1	31.6	1.0	NA
koulikoro	19.6	8.9	27.2	36.6	22.2	0.8	30.6	NO	54.0	79.8	74.8	71.2	73.4	40.6	26.0	22.4	40.2	6.4	38.3
mopti	8.1	2.2	27.9	19.8	16.1	0.5	56.3	NO	30.1	62.1	58.9	52.2	59.4	30.3	44.3	31.1	48.6	5.4	31.8
segou	22.2	9.4	45.2	33.8	26.6	1.4	39.7	NO	45.7	84.1	74.2	76.8	78.6	42.3	41.0	26.5	51.5	8.7	44.0
sikasso	16.5	6.5	21.1	34.4	14.0	1.1	45.8	NO	45.7	76.8	73.7	74.8	78.0	32.1	30.3	26.0	55.8	5.2	35.1
tombouctou	22.9	4.6	29.0	18.8	17.6	0.8	75.8	NO	25.3	57.4	48.9	52.9	57.7	27.3	27.5	32.8	49.3	3.9	31.4




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Mauritania (MICS 2007)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	27.7	9.3	75.4	NO	60.9	NO	44.3	NO	NO	85.6	56.8	76.2	55.5	32.0	40.0	NO	50.5	9.9	50.2
Wealth quintiles																			
Q1	7.1	1.5	52.9	NO	20.5	NO	40.4	NO	NO	75.8	53.7	67.3	63.5	25.0	31.7	NO	35.7	5.6	33.7
Q2	15.3	3.4	66.9	NO	40.6	NO	42.4	NO	NO	86.8	59.2	81.8	66.6	25.0	33.1	NO	49.7	9.6	42.5
Q3	21.3	7.5	82.0	NO	70.6	NO	43.5	NO	NO	90.1	59.0	79.8	61.5	37.2	35.9	NO	63.8	12.3	51.5
Q4	33.6	13.9	89.0	NO	90.3	NO	44.0	NO	NO	90.9	51.7	75.0	47.2	41.7	44.9	NO	52.4	11.5	58.5
Q5	42.2	19.0	93.5	NO	95.1	NO	52.7	NO	NO	87.0	60.6	79.1	34.7	37.1	54.1	NO	52.1	12.2	63.5
Equity indicators																			
Q5/Q1 ratio	5.9	12.8	1.8	NO	4.6	NO	1.3	NO	NO	1.1	1.1	1.2	0.5	1.5	1.7	NO	1.5	2.2	1.9
Q5-Q1 difference	35.1	17.5	40.6	NO	74.6	NO	12.3	NO	NO	11.2	6.9	11.7	-28.8	12.1	22.4	NO	16.4	6.6	29.8
Concentration index	27.4	42.6	11.9	NO	27.7	NO	5.0	NO	NO	2.8	1.3	2.1	-10.7	11.0	12.2	NO	6.6	13.5	12.1
SII	43.2	25.1	53.0	NO	87.2	NO	12.9	NO	NO	15.3	3.9	10.3	-35.6	21.4	28.6	NO	17.7	8.3	37.8
Maternal education																			
none	18.1	4.4	70.9	NO	44.7	NO	45.1	NO	NO	79.7	51.5	70.0	56.9	31.5	40.1	NO	NA	8.0	43.7
primary	30.6	11.5	81.2	NO	71.8	NO	45.2	NO	NO	88.4	58.8	78.7	54.0	36.5	34.7	NO	NA	11.8	53.5
secondary +	43.8	21.9	90.5	NO	91.6	NO	46.7	NO	NO	88.4	63.6	80.1	42.7	38.0	67.7	NO	NA	14.1	65.4
Child's sex																			
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	86.5	56.5	78.6	55.2	32.2	38.2	NO	NA	9.5	NA
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	84.6	57.1	73.6	55.9	31.8	42.4	NO	NA	10.4	NA
Area of residence																			
urban	37.3	15.8	88.0	NO	90.1	NO	47.5	NO	NO	87.0	53.0	72.1	41.0	39.1	45.2	NO	48.5	10.2	58.7
rural	15.5	4.0	66.1	NO	39.1	NO	42.0	NO	NO	84.5	59.5	79.1	65.8	27.5	35.3	NO	52.1	9.7	42.5
Country region																			
adrar	32.9	12.6	58.9	NO	66.8	NO	52.6	NO	NO	81.7	59.9	74.6	65.8	43.6	22.7	NO	49.9	8.3	49.5
assaba	6.5	2.6	72.8	NO	39.3	NO	42.8	NO	NO	91.4	63.6	79.0	71.8	21.1	37.8	NO	60.0	10.8	41.6
brakna	21.2	6.3	86.9	NO	60.3	NO	46.3	NO	NO	90.0	62.8	86.5	56.1	30.5	35.8	NO	78.4	12.5	50.9
gorgol	13.7	3.7	74.8	NO	38.1	NO	34.5	NO	NO	80.8	63.6	72.0	60.4	31.8	46.1	NO	56.7	9.7	44.8
guidimagma	4.3	0.9	73.4	NO	30.6	NO	47.9	NO	NO	83.8	47.8	72.6	69.3	31.4	30.4	NO	52.6	6.3	37.6
hodh echarghi	16.5	2.7	49.3	NO	37.2	NO	41.1	NO	NO	71.2	49.7	68.4	65.0	26.8	33.7	NO	32.1	6.2	37.4
hodh elgharbi	29.5	5.0	47.2	NO	30.4	NO	47.7	NO	NO	78.7	53.6	78.2	73.3	11.1	25.8	NO	32.6	6.6	38.2
inchiri	39.5	14.3	86.8	NO	89.1	NO	48.6	NO	NO	93.1	72.4	84.3	52.8	7.0	30.4	NO	77.3	18.7	56.7
nouadhibou	45.0	21.1	96.0	NO	97.2	NO	56.6	NO	NO	98.1	92.1	89.4	61.9	32.9	42.5	NO	89.6	23.5	68.1
nouakchott	42.4	18.2	90.6	NO	94.0	NO	45.9	NO	NO	85.7	42.8	64.6	24.0	42.3	42.7	NO	30.5	7.5	59.0
tagant	21.5	5.1	54.2	NO	40.2	NO	15.1	NO	NO	98.3	88.1	96.5	59.5	21.7	50.0	NO	62.6	9.7	49.3
tiris zemmour	54.3	18.9	87.1	NO	88.2	NO	71.7	NO	NO	83.3	79.9	77.5	67.5	33.3	100.0	NO	16.3	13.4	72.2
trarza	22.4	10.2	88.2	NO	81.8	NO	43.9	NO	NO	96.7	63.8	95.7	65.4	49.1	56.4	NO	86.0	17.8	60.0




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Morocco (DHS 2003)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	86.6	63.0	67.8	30.5	62.6	5.4	51.0	NO	NO	98.4	94.9	90.4	26.6	45.8	37.8	NO	75.4	13.6	72.3
Wealth quintiles																			
Q1	84.5	58.3	39.7	10.6	29.4	1.5	55.1	NO	NO	96.8	89.4	83.1	20.7	37.0	19.2	NO	32.2	4.3	59.5
Q2	85.5	60.9	56.4	19.6	49.4	2.0	56.0	NO	NO	97.8	94.6	86.9	23.9	49.9	34.1	NO	57.5	9.7	69.0
Q3	85.3	61.9	70.6	27.9	70.3	3.4	53.9	NO	NO	99.6	96.7	91.3	30.8	45.4	37.0	NO	90.4	16.9	73.8
Q4	86.9	63.6	86.8	40.8	86.1	7.5	47.0	NO	NO	99.3	96.9	95.9	30.2	50.9	52.9	NO	98.7	19.2	80.9
Q5	90.5	69.9	93.1	60.4	95.4	16.0	40.0	NO	NO	98.5	98.2	97.6	29.7	49.8	58.1	NO	98.4	22.6	84.3
Equity indicators																			
Q5/Q1 ratio	1.1	1.2	2.3	5.7	3.2	10.8	0.7	NO	NO	1.0	1.1	1.2	1.4	1.3	3.0	NO	3.1	5.2	1.4
Q5-Q1 difference	6.0	11.6	53.4	49.8	65.9	14.6	-15.2	NO	NO	1.7	8.8	14.4	9.1	12.8	38.9	NO	66.2	18.3	24.8
Concentration index	1.4	3.7	17.0	32.4	22.9	47.5	-6.2	NO	NO	0.5	1.7	3.5	8.3	4.7	19.2	NO	19.1	28.7	6.7
SII	7.0	13.1	64.9	56.5	76.7	18.2	-18.5	NO	NO	2.9	10.9	19.6	13.0	14.1	45.1	NO	83.2	23.8	30.8
Maternal education																			
none	85.5	61.2	55.5	19.6	48.8	2.7	54.8	NO	NO	98.0	93.3	87.6	24.0	44.8	32.3	NO	NA	9.7	67.6
primary	86.8	62.9	78.5	34.5	76.6	4.8	50.7	NO	NO	98.6	97.3	92.7	30.6	45.2	45.2	NO	NA	19.5	76.9
secondary +	90.1	68.8	93.4	58.2	94.4	14.6	40.0	NO	NO	99.4	97.6	96.3	31.1	49.4	50.7	NO	NA	21.1	82.8
Child's sex																			
male	NA	NA	66.6	29.2	62.9	5.5	51.8	NO	NO	98.4	94.9	88.2	24.8	43.3	41.5	NO	NA	12.9	NA
female	NA	NA	69.0	31.8	62.4	5.3	50.1	NO	NO	98.4	94.9	92.3	28.4	48.1	33.7	NO	NA	14.4	NA
Area of residence																			
urban	87.5	65.5	84.9	44.0	85.3	9.1	44.7	NO	NO	98.8	97.0	94.2	30.3	50.5	50.4	NO	97.0	20.1	80.1
rural	85.4	59.7	47.9	14.9	39.5	1.6	58.0	NO	NO	97.8	92.4	85.9	22.8	41.4	25.4	NO	46.6	7.0	64.2
Country region																			
chaouia-ouardigha	84.4	65.0	73.7	32.7	68.6	2.8	55.0	NO	NO	98.9	93.5	89.0	22.2	38.7	24.9	NO	58.6	13.5	70.7
doukkala-abda	93.3	67.8	61.0	23.4	59.0	4.8	53.5	NO	NO	100.0	97.5	93.0	25.9	56.0	38.3	NO	67.9	10.6	74.8
fes-boulemane	87.1	62.1	77.5	40.4	62.1	4.3	63.1	NO	NO	98.1	94.7	91.2	39.3	35.1	59.4	NO	85.9	14.8	75.0
gharb-chrarda-bni hssen	86.7	61.2	60.8	22.4	55.6	5.1	39.8	NO	NO	100.0	97.5	88.2	18.6	38.7	26.0	NO	72.6	9.1	68.4
grand-casablanca	89.2	68.4	87.0	53.3	91.1	14.3	45.9	NO	NO	100.0	97.2	90.6	25.8	35.3	45.7	NO	99.6	20.4	79.3
guelmim-es-smara	72.5	53.3	64.9	27.3	66.6	4.0	97.0	NO	NO	97.2	97.2	94.1	39.5	18.8	41.6	NO	88.5	23.7	67.6
laayoune-boujdou-sakia al hamra	86.6	65.8	90.5	24.3	86.6	ND	90.5	NO	NO	100.0	100.0	100.0	28.7	ND	100.0	NO	29.6	22.9	NA
marrakech-tensift-al haouz	87.1	62.9	59.2	24.1	47.8	3.2	66.4	NO	NO	97.4	97.4	92.2	29.1	42.1	35.7	NO	64.8	11.0	68.7
meknes-tafilalet	87.8	63.7	68.6	23.3	58.0	2.1	42.2	NO	NO	98.5	97.9	94.7	33.0	41.1	39.6	NO	76.4	15.4	72.1
oriental	86.1	58.4	68.8	35.0	69.5	6.4	47.6	NO	NO	100.0	92.9	80.7	22.6	41.0	26.4	NO	76.9	12.4	69.5
rabat-sale-zemmour-zaer	86.9	65.6	85.2	45.4	85.3	7.1	38.3	NO	NO	98.8	98.8	93.3	40.5	52.9	47.2	NO	92.0	21.3	80.2
souss-massa-draa	86.8	62.9	61.5	26.9	55.6	4.6	59.0	NO	NO	98.3	95.4	92.7	21.8	45.4	39.8	NO	86.6	13.1	71.5
tadla-azilal	87.2	63.6	52.8	19.4	61.0	3.7	71.7	NO	NO	87.8	77.6	80.9	23.6	78.3	35.6	NO	66.1	10.1	69.6
tanger-tetouan	82.3	57.9	65.8	28.8	56.2	7.1	27.0	NO	NO	98.2	91.5	89.4	23.4	55.0	36.0	NO	64.1	13.5	71.1
taza-al hoceima-taounate	83.2	58.2	55.3	15.8	48.5	2.5	41.3	NO	NO	100.0	94.9	90.1	22.4	32.7	19.6	NO	48.7	7.5	64.4




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Mozambique (DHS 2003)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	58.1	25.5	84.6	53.1	47.7	1.9	63.2	NO	NO	87.4	72.1	76.7	50.9	46.6	55.4	NO	39.9	13.2	63.3
Wealth quintiles																			
Q1	53.4	19.1	67.0	36.6	24.7	0.3	69.8	NO	NO	74.6	52.6	60.8	39.4	40.1	42.2	NO	8.8	7.1	50.5
Q2	53.8	21.1	82.5	44.8	33.4	0.2	66.3	NO	NO	85.9	64.6	67.5	43.5	42.4	53.8	NO	17.0	9.6	57.9
Q3	58.9	26.4	86.1	52.1	42.5	0.6	65.4	NO	NO	88.4	73.0	77.9	49.7	46.4	53.2	NO	32.8	12.2	63.1
Q4	51.7	22.5	96.9	64.0	68.4	2.3	64.0	NO	NO	95.7	86.2	91.2	59.4	47.9	65.9	NO	53.1	18.7	70.5
Q5	69.2	42.0	98.3	76.5	88.7	8.1	47.0	NO	NO	99.8	96.0	96.4	70.7	60.2	62.5	NO	87.6	22.9	80.4
Equity indicators																			
Q5/Q1 ratio	1.3	2.2	1.5	2.1	3.6	27.1	0.7	NO	NO	1.3	1.8	1.6	1.8	1.5	1.5	NO	9.9	3.2	1.6
Q5-Q1 difference	15.7	22.9	31.3	39.9	63.9	7.8	-22.7	NO	NO	25.3	43.5	35.5	31.3	20.1	20.3	NO	78.7	15.7	29.9
Concentration index	4.9	15.0	7.9	15.4	26.7	67.2	-5.8	NO	NO	5.8	12.5	10.1	12.4	7.9	8.2	NO	40.7	24.8	9.0
SII	16.9	22.3	43.4	47.9	70.7	11.1	-22.8	NO	NO	34.2	54.1	47.3	37.2	22.3	26.1	NO	83.9	19.8	36.2
Maternal education																			
none	53.3	19.8	75.0	42.4	31.4	0.9	67.6	NO	NO	80.0	59.5	65.6	41.2	42.0	47.5	NO	NA	8.5	54.5
primary	59.1	28.5	91.5	59.6	59.2	2.2	61.2	NO	NO	93.0	81.2	84.9	57.7	48.7	58.6	NO	NA	16.5	68.6
secondary +	79.2	55.8	98.7	84.3	94.8	11.2	43.4	NO	NO	100.0	98.7	99.1	76.9	70.7	78.0	NO	NA	26.6	87.5
Child's sex																			
male	NA	NA	84.0	53.3	47.6	1.8	62.4	NO	NO	87.9	73.1	77.4	50.2	46.0	55.6	NO	NA	13.9	NA
female	NA	NA	85.1	52.9	47.8	2.0	64.1	NO	NO	86.9	71.0	76.0	51.6	47.2	55.1	NO	NA	12.4	NA
Area of residence																			
urban	62.7	33.2	97.1	70.7	80.7	5.3	55.7	NO	NO	96.5	86.8	90.8	66.0	57.1	59.8	NO	71.7	19.8	75.3
rural	55.7	22.4	78.9	45.2	34.2	0.5	66.5	NO	NO	83.6	65.9	70.8	44.6	41.3	52.8	NO	23.7	10.4	58.0
Country region																			
cabo delgado	55.1	24.9	88.6	54.6	31.4	0.7	51.9	NO	NO	85.3	70.9	80.2	49.1	35.7	64.2	NO	39.6	11.2	60.7
gaza	38.0	16.6	97.2	65.7	60.6	1.9	48.7	NO	NO	97.1	90.4	91.7	56.2	62.1	59.6	NO	47.1	21.2	67.6
inhambane	34.6	13.0	92.6	56.4	49.0	1.0	57.5	NO	NO	99.1	93.6	92.9	44.3	44.7	54.9	NO	38.1	14.8	62.6
manica	33.4	10.4	90.1	62.5	55.9	0.8	84.2	NO	NO	93.1	73.6	81.5	57.1	56.2	79.8	NO	43.0	15.0	64.0
maputo cidade	69.6	50.0	99.5	75.2	89.2	9.8	25.8	NO	NO	99.7	97.7	96.9	78.3	57.0	54.6	NO	96.9	25.8	79.5
maputo provincia	65.2	38.4	99.9	77.2	85.2	6.3	65.6	NO	NO	100.0	98.0	95.2	65.1	71.1	55.2	NO	69.4	22.3	79.7
nampula	73.1	36.2	86.1	47.4	38.2	2.3	68.5	NO	NO	83.5	62.5	69.1	47.4	48.1	48.5	NO	26.6	11.3	63.6
niassa	70.5	33.5	81.3	57.8	47.0	0.7	86.9	NO	NO	81.4	54.6	51.9	36.5	35.9	45.2	NO	25.6	9.3	59.2
sofala	58.1	21.0	82.4	55.7	51.0	1.2	65.1	NO	NO	86.2	77.9	74.7	42.8	34.5	58.9	NO	48.5	12.5	62.9
tete	56.5	26.4	85.8	51.1	46.8	0.5	60.4	NO	NO	88.3	63.8	72.0	47.6	26.6	62.2	NO	39.5	10.1	60.2
zambezia	44.9	13.7	57.9	28.8	32.1	0.5	67.3	NO	NO	71.9	53.0	63.3	50.4	46.2	43.3	NO	17.6	8.3	48.8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Nepal (DHS 2006)


Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	66.1	48.0	69.7	29.4	22.8	2.7	35.4	2.2	22.5	93.4	88.7	85.0	87.5	36.8	42.9	NO	82.5	14.5	60.8
Wealth quintiles																			
Q1	50.7	32.9	46.1	10.5	7.8	0.8	29.8	0.7	8.1	84.7	75.2	73.2	84.9	25.3	36.0	NO	54.9	8.6	46.9
Q2	61.4	42.6	65.7	20.1	14.2	0.5	38.1	1.6	11.6	94.7	88.0	84.9	87.7	35.5	36.3	NO	87.0	12.8	57.2
Q3	68.4	49.2	71.7	27.6	16.1	1.0	34.6	2.9	15.3	97.4	96.0	87.4	90.5	33.7	43.5	NO	89.2	16.1	61.6
Q4	69.6	52.8	81.9	38.0	29.6	2.0	35.0	2.8	26.8	96.6	93.9	91.3	90.0	43.0	49.9	NO	88.0	18.0	67.1
Q5	75.9	60.9	91.6	60.3	61.2	11.9	41.2	5.7	60.1	97.0	96.3	94.5	84.8	56.8	54.0	NO	93.3	20.6	76.4
Equity indicators																			
Q5/Q1 ratio	1.5	1.9	2.0	5.7	7.8	14.9	1.4	8.2	7.4	1.1	1.3	1.3	1.0	2.2	1.5	NO	1.7	2.4	1.6
Q5-Q1 difference	25.3	28.0	45.6	49.8	53.4	11.1	11.4	5.0	52.0	12.3	21.0	21.3	-0.2	31.4	18.1	NO	38.4	12.0	29.5
Concentration index	7.0	11.4	13.0	32.3	40.4	62.1	4.9	34.1	41.4	3.1	5.3	5.4	0.5	15.4	9.1	NO	8.2	17.5	8.9
SII	27.7	32.2	53.2	54.6	53.7	12.7	10.0	4.9	54.7	17.1	29.5	27.2	2.7	33.6	23.5	NO	39.5	15.0	34.4
Maternal education																			
none	69.6	49.3	58.2	16.1	11.3	1.1	31.7	1.4	11.3	90.1	82.2	77.6	87.1	28.2	36.1	NO	NA	10.4	55.2
primary	62.2	45.5	77.1	35.6	25.4	2.8	37.4	2.5	22.4	94.7	94.4	89.2	88.7	34.8	46.0	NO	NA	17.5	62.0
secondary +	59.7	46.1	91.9	57.3	52.7	6.9	42.8	5.2	49.9	99.8	99.1	98.6	87.7	59.8	54.1	NO	NA	24.2	72.2
Child's sex																			
male	NA	NA	71.2	30.1	23.2	2.8	35.5	2.2	23.4	94.9	90.3	87.1	87.7	40.6	42.2	NO	NA	15.6	NA
female	NA	NA	67.9	28.7	22.4	2.5	35.3	2.3	21.5	91.7	87.0	82.8	87.3	32.2	43.8	NO	NA	13.3	NA
Area of residence																			
urban	75.2	60.0	87.0	51.9	51.6	8.4	39.4	2.1	53.2	95.6	92.9	88.9	80.6	38.6	53.7	NO	90.2	18.1	71.1
rural	64.3	45.9	67.0	26.0	18.8	1.9	34.8	2.2	17.9	93.1	88.1	84.5	88.5	36.6	41.5	NO	81.1	14.0	59.2
Country region																			
central	69.3	50.0	69.2	31.1	28.7	4.2	33.8	3.1	31.7	93.0	87.0	81.1	86.1	33.1	35.5	NO	87.8	14.2	60.3
eastern	67.9	50.0	76.9	30.2	22.3	1.9	32.9	2.8	20.3	93.9	90.6	87.9	86.5	41.9	51.2	NO	82.3	13.7	64.2
far-western	71.7	51.7	71.7	30.6	13.9	0.8	44.7	0.6	11.0	91.3	84.3	83.8	86.6	36.4	41.1	NO	75.8	14.8	60.2
mid-western	64.0	45.5	60.0	24.8	16.7	1.3	32.5	1.0	17.0	88.3	82.3	84.1	90.8	39.6	43.4	NO	73.0	11.1	57.8
western	55.8	40.9	67.0	27.9	24.0	3.1	35.7	2.3	21.7	97.7	96.2	89.2	89.7	36.4	45.8	NO	84.1	17.9	60.1




Source: Nepal DHS 2006  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Nepal DHS 2006  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Nepal DHS 2006

Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Nepal DHS 2006

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Niger (DHS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	41.5	11.2	46.1	14.9	17.6	1.0	48.2	NO	18.5	63.6	39.7	47.0	69.7	33.8	47.2	7.2	41.6	6.1	40.6
Wealth quintiles																			
Q1	41.1	10.9	35.7	8.6	5.0	0.1	43.8	NO	4.5	50.6	30.9	32.2	65.1	30.9	39.6	5.0	1.0	2.2	33.4
Q2	35.1	8.0	35.5	10.3	7.9	0.6	44.6	NO	7.3	60.8	35.9	44.1	65.7	31.0	44.4	6.5	26.8	3.5	35.0
Q3	33.0	7.4	36.8	9.4	8.2	0.4	44.7	NO	9.3	56.3	30.4	42.2	70.7	34.1	40.5	5.9	31.3	3.6	33.3
Q4	42.5	10.1	42.7	13.1	12.8	0.3	49.5	NO	14.1	63.3	39.3	44.6	69.1	29.8	49.5	6.0	62.4	5.1	39.4
Q5	50.4	20.9	82.6	34.6	58.8	3.9	59.4	NO	60.7	88.7	63.4	73.6	78.9	45.9	66.0	12.9	86.5	16.8	62.3
Equity indicators																			
Q5/Q1 ratio	1.2	1.9	2.3	4.0	11.8	28.6	1.4	NO	13.5	1.8	2.0	2.3	1.2	1.5	1.7	2.6	90.3	7.6	1.9
Q5-Q1 difference	9.3	10.0	46.9	26.0	53.8	3.7	15.6	NO	56.2	38.1	32.5	41.3	13.9	15.0	26.4	7.9	85.6	14.6	28.9
Concentration index	6.9	16.1	17.7	30.7	51.5	60.0	6.3	NO	52.6	10.1	14.4	14.6	3.6	4.9	10.4	17.7	41.4	41.9	12.2
SII	15.8	10.4	46.5	27.0	55.5	4.5	17.4	NO	59.5	38.1	33.3	39.8	15.2	12.2	26.3	7.5	87.5	16.2	31.1
Maternal education																			
none	39.1	9.8	41.6	12.3	13.1	0.6	47.1	NO	13.5	59.9	35.5	42.9	68.2	32.2	45.7	6.6	NA	4.7	37.4
primary	48.9	17.2	69.5	24.2	39.4	1.3	53.1	NO	40.6	85.0	64.5	66.0	79.3	45.5	52.6	10.4	NA	11.4	55.6
secondary +	57.5	31.7	94.1	54.4	80.5	11.2	63.9	NO	81.9	89.5	66.2	84.4	81.4	52.4	73.1	13.7	NA	27.5	71.2
Child's sex																			
male	NA	NA	46.1	14.4	17.5	1.1	49.5	NO	18.9	65.0	38.7	46.6	71.1	34.8	49.2	7.4	NA	5.9	NA
female	NA	NA	46.1	15.4	17.8	0.9	47.0	NO	18.0	62.3	40.7	47.4	68.3	32.7	45.2	7.0	NA	6.2	NA
Area of residence																			
urban	49.3	23.0	87.3	35.3	70.6	4.6	61.5	NO	71.9	88.9	63.2	72.1	78.0	47.0	62.1	14.2	93.3	18.7	63.8
rural	38.8	9.1	38.5	11.1	8.2	0.3	45.8	NO	8.7	58.6	35.0	42.0	68.2	31.7	44.7	5.8	30.3	3.8	36.0
Country region																			
agadez	38.6	16.5	71.1	32.7	44.0	0.4	72.9	NO	47.1	82.3	61.5	68.5	86.4	34.2	56.0	15.6	70.1	14.3	52.7
diffa	14.4	3.7	49.7	15.3	14.0	0.5	48.0	NO	13.2	73.4	39.6	55.2	73.3	34.9	54.3	8.4	56.1	7.5	36.0
dosso	46.9	18.9	61.6	13.1	16.1	1.0	42.8	NO	17.6	70.8	47.4	58.3	86.9	32.9	63.5	8.6	34.2	6.3	47.5
maradi	32.8	4.3	33.7	15.8	13.8	0.1	55.1	NO	13.2	59.3	32.0	40.6	60.8	28.9	47.2	5.5	39.4	3.7	34.3
niamey	49.1	27.7	92.5	39.1	73.6	8.2	54.4	NO	75.8	94.0	56.6	77.6	71.9	51.6	63.0	6.5	94.0	18.2	65.1
tahoua	42.1	8.9	46.9	12.2	14.2	0.1	44.9	NO	15.4	71.3	47.8	49.8	64.5	33.3	45.8	6.4	34.9	6.1	41.9
tillabéri	54.4	20.5	49.4	10.3	11.2	1.1	37.6	NO	11.4	65.4	45.6	53.5	83.0	40.2	41.3	8.9	24.7	6.0	44.8
zinder	19.8	4.1	27.2	11.4	11.8	0.7	51.1	NO	12.1	40.5	22.0	25.5	60.8	30.1	29.3	6.7	42.6	3.9	24.4




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Nigeria (DHS 2008)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	41.9	14.6	57.7	44.8	38.9	1.8	38.4	3.0	40.6	49.7	35.9	41.4	25.9	24.9	45.4	5.5	55.8	7.0	41.5
Wealth quintiles																			
Q1	14.9	3.2	23.5	15.7	8.3	0.3	29.9	1.8	10.3	18.2	8.7	17.3	13.1	16.8	31.9	2.5	24.0	0.7	17.2
Q2	20.5	5.2	39.7	28.6	17.6	0.4	37.7	1.7	19.1	33.6	21.2	28.1	17.5	20.8	40.3	4.3	37.0	2.3	26.5
Q3	34.4	11.4	64.0	47.6	37.5	0.8	42.5	3.7	38.5	50.3	33.1	40.5	26.2	31.3	55.6	6.5	53.2	5.9	41.9
Q4	48.0	21.3	81.9	64.2	63.2	2.7	43.2	5.1	63.1	73.0	52.8	57.9	33.1	34.1	60.7	7.2	75.7	12.1	56.8
Q5	65.9	35.0	93.8	80.7	85.7	6.1	41.2	12.3	86.9	87.7	76.7	74.9	44.4	41.2	66.3	7.9	89.1	17.7	72.1
Equity indicators																			
Q5/Q1 ratio	4.4	10.9	4.0	5.1	10.4	23.4	1.4	6.8	8.4	4.8	8.8	4.3	3.4	2.5	2.1	3.2	3.7	26.3	4.2
Q5-Q1 difference	50.9	31.8	70.4	64.9	77.4	5.8	11.3	10.5	76.6	69.5	68.0	57.5	31.2	24.4	34.4	5.4	65.1	17.1	54.9
Concentration index	26.9	45.1	26.5	30.3	41.3	59.7	6.8	32.3	39.2	29.5	37.6	28.5	24.7	18.7	15.7	22.3	25.7	50.4	26.1
SII	63.4	41.9	80.9	74.2	84.4	8.5	15.3	6.2	83.6	78.4	74.5	66.1	38.0	27.9	42.4	7.2	75.7	24.3	70.1
Maternal education																			
none	15.7	3.6	30.8	21.9	11.5	0.4	31.7	1.6	12.7	20.2	10.9	19.0	14.4	18.9	35.7	3.0	NA	1.5	19.9
primary	43.1	17.2	68.9	53.9	44.2	1.4	43.8	4.1	46.0	58.2	38.3	47.4	27.5	32.2	53.0	5.2	NA	6.4	46.8
secondary +	59.6	29.5	88.1	71.1	77.0	4.4	44.1	8.1	76.7	85.3	69.4	69.0	41.4	37.5	62.6	9.2	NA	16.1	66.3
Child's sex																			
male	NA	NA	57.2	44.3	38.6	2.0	37.9	2.9	40.3	49.1	36.1	41.5	25.8	25.1	43.5	5.3	NA	6.8	NA
female	NA	NA	58.3	45.3	39.3	1.7	38.9	3.1	41.0	50.2	35.6	41.4	25.9	24.6	47.3	5.7	NA	7.1	NA
Area of residence																			
urban	57.2	25.9	83.8	68.8	65.4	3.7	40.5	6.4	67.7	71.4	55.3	59.1	35.5	34.1	45.9	6.6	79.7	12.6	58.1
rural	31.4	9.4	46.4	34.4	27.7	1.0	37.5	2.3	28.9	40.2	27.4	33.7	21.6	22.0	45.2	5.0	43.8	4.6	33.6
Country region																			
north central	41.0	13.0	65.1	48.3	42.7	2.0	60.5	2.6	44.8	62.4	43.5	51.8	25.7	32.1	61.0	3.6	47.9	6.8	47.9
north east	18.7	4.0	43.0	32.4	15.5	0.6	24.7	3.3	16.9	27.2	12.9	24.8	18.6	19.0	30.7	3.7	32.6	2.1	23.1
north west	11.7	2.8	31.1	20.6	9.8	0.4	31.4	1.5	11.2	19.1	9.4	19.5	13.9	21.1	52.6	4.0	50.1	1.7	21.0
south east	56.3	23.4	87.0	60.9	81.8	3.9	38.1	2.9	78.5	79.1	67.1	63.9	28.6	42.3	63.7	10.8	68.4	14.1	65.8
south south	61.7	31.7	87.1	80.7	76.5	3.4	35.5	6.5	79.2	80.3	67.4	65.5	46.2	45.5	60.1	5.0	58.6	15.1	66.5
south west	50.3	26.2	69.8	53.3	55.8	3.2	51.2	7.1	55.3	75.3	54.7	55.5	34.4	23.0	55.9	9.5	75.6	10.7	53.0




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Pakistan (DHS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	54.3	29.6	60.9	28.4	38.8	7.3	28.8	6.3	41.5	80.3	58.7	59.9	60.2	36.6	71.0	0.2	92.1	9.9	56.1
Wealth quintiles																			
Q1	33.4	15.6	36.9	10.1	16.1	1.8	24.9	5.7	19.9	61.9	35.4	36.3	58.0	31.8	58.0	0.2	87.5	3.3	37.1
Q2	43.1	20.8	48.3	14.4	24.7	2.2	27.7	4.7	26.3	73.3	48.0	50.5	56.1	36.0	65.2	0.1	90.6	7.1	46.9
Q3	53.1	30.1	61.4	21.9	35.5	5.1	30.8	5.9	37.5	85.4	63.1	65.3	60.4	34.4	70.2	0.1	95.0	9.8	56.6
Q4	64.9	36.8	73.7	38.4	52.1	10.7	31.9	9.3	54.1	91.7	72.5	74.9	62.2	39.1	79.7	0.1	94.9	15.5	67.0
Q5	68.2	43.4	91.9	64.0	77.3	20.1	29.9	9.0	77.3	91.8	78.0	75.5	65.2	44.5	88.0	0.2	92.8	16.5	75.2
Equity indicators																			
Q5/Q1 ratio	2.0	2.8	2.5	6.3	4.8	11.0	1.2	1.6	3.9	1.5	2.2	2.1	1.1	1.4	1.5	1.0	1.1	5.1	2.0
Q5-Q1 difference	34.8	27.8	55.0	53.9	61.3	18.3	5.0	3.3	57.4	30.0	42.5	39.2	7.2	12.7	30.0	0.0	5.3	13.3	38.2
Concentration index	13.9	20.5	18.3	37.4	31.2	48.9	5.1	11.9	28.1	8.4	16.1	14.8	3.1	6.7	8.8	-4.8	1.4	30.4	13.6
SII	43.3	35.4	63.2	61.3	67.0	24.0	7.5	4.1	64.9	40.2	52.6	50.0	9.8	13.4	36.6	-0.1	7.6	18.1	48.2
Maternal education																			
none	48.9	25.3	50.1	17.4	26.7	3.5	28.1	5.7	29.4	73.7	47.7	50.6	58.0	33.9	64.7	0.1	NA	6.7	48.3
primary	58.4	34.4	70.1	32.0	46.5	8.8	29.6	6.7	47.6	87.5	65.3	66.4	64.0	43.8	81.0	0.3	NA	12.1	63.3
secondary +	65.7	39.6	88.6	60.7	73.6	18.9	30.5	10.9	75.4	94.0	84.7	81.2	64.2	39.8	85.5	0.1	NA	18.9	74.2
Child's sex																			
male	NA	NA	61.7	29.0	39.4	7.7	27.6	6.6	42.4	82.2	61.6	63.1	60.5	36.0	71.6	0.2	NA	10.6	NA
female	NA	NA	60.0	27.7	38.1	6.8	30.3	5.9	40.4	78.2	55.4	56.1	59.8	37.2	70.2	0.2	NA	9.0	NA
Area of residence																			
urban	65.2	41.1	78.1	48.3	60.1	12.9	28.4	8.6	63.0	89.3	68.4	68.8	61.9	37.7	82.2	0.1	92.7	13.4	67.5
rural	47.5	23.9	53.5	19.8	29.8	4.9	29.0	5.7	32.2	76.2	54.2	55.7	59.4	36.1	66.8	0.2	91.9	8.4	50.7
Country region																			
balochistan	31.5	14.4	40.7	7.3	23.0	1.5	41.9	1.7	20.5	63.0	47.4	54.0	53.6	36.1	56.1	0.4	85.3	5.1	41.0
nwfp	44.9	24.9	51.3	18.0	37.9	2.9	34.8	3.8	34.8	71.1	56.4	56.6	56.5	35.3	49.9	ND	85.0	9.1	48.7
punjab	59.2	33.2	60.9	29.3	37.7	9.2	30.4	5.0	40.2	85.5	64.7	65.1	57.5	33.0	73.8	0.1	95.5	11.0	58.6
sindh	51.2	26.7	70.4	36.3	44.4	6.5	19.3	12.7	52.3	76.7	47.9	50.7	69.5	44.4	78.6	0.4	89.5	8.7	56.8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Peru (DHS 2004)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	90.2	72.0	93.5	89.8	77.0	17.3	51.7	19.4	81.7	96.3	80.9	71.5	5.4	59.5	70.9	NO	71.4	13.6	81.0
Wealth quintiles																			
Q1	83.0	62.8	80.7	78.1	38.4	3.0	55.4	11.9	43.5	91.8	74.3	66.4	7.0	49.7	73.1	NO	17.8	5.0	70.5
Q2	89.0	71.1	89.3	85.3	62.8	7.4	57.4	22.0	68.7	96.4	79.9	74.7	7.6	55.5	68.8	NO	66.9	11.8	78.1
Q3	90.6	74.5	97.3	91.4	88.7	15.1	56.1	33.0	91.8	97.2	79.9	69.2	5.3	62.3	63.7	NO	74.8	15.0	82.4
Q4	92.5	74.9	98.3	95.3	96.9	25.6	46.9	24.5	97.2	98.4	84.7	71.5	3.7	65.9	74.8	NO	79.7	18.6	86.4
Q5	91.9	71.7	99.2	97.1	99.0	39.9	41.3	31.3	99.2	97.0	85.6	74.9	2.8	72.0	77.8	NO	89.7	17.6	88.0
Equity indicators																			
Q5/Q1 ratio	1.1	1.1	1.2	1.2	2.6	13.4	0.7	2.6	2.3	1.1	1.2	1.1	0.4	1.4	1.1	NO	5.0	3.5	1.2
Q5-Q1 difference	8.9	9.0	18.5	19.1	60.6	36.9	-14.1	19.4	55.6	5.2	11.4	8.5	-4.2	22.3	4.7	NO	71.8	12.6	17.5
Concentration index	1.5	1.5	3.8	4.2	16.3	42.2	-6.4	22.5	13.1	1.0	2.9	1.5	-18.7	6.8	1.5	NO	14.7	19.0	4.3
SII	8.2	6.7	24.9	23.6	74.2	45.0	-19.3	25.5	67.8	6.0	12.9	5.4	-6.3	25.2	5.9	NO	59.7	15.3	21.6
Maternal education																			
none	84.1	61.7	85.6	79.6	46.4	4.7	60.3	17.3	53.4	95.8	81.5	73.3	7.5	43.9	60.1	NO	NA	6.4	71.8
primary	88.4	69.4	87.7	83.4	56.1	7.1	56.5	17.5	62.9	94.0	77.1	70.7	6.9	53.4	66.7	NO	NA	9.6	75.3
secondary +	91.6	74.2	97.1	93.9	91.8	24.4	48.7	25.3	93.5	97.6	83.0	71.8	4.4	64.7	75.1	NO	NA	16.7	85.1
Child's sex																			
male	NA	NA	93.4	90.2	77.8	17.5	50.6	19.4	82.1	96.7	81.3	69.1	5.6	60.7	66.8	NO	NA	12.9	NA
female	NA	NA	93.7	89.4	76.2	17.2	52.9	19.3	81.2	95.9	80.4	73.7	5.3	58.1	75.3	NO	NA	14.3	NA
Area of residence																			
urban	91.4	73.6	97.9	93.5	93.7	25.3	48.6	23.8	95.0	97.3	83.5	70.5	4.1	62.8	71.5	NO	80.3	16.4	84.6
rural	87.9	68.9	86.7	84.1	53.8	6.3	56.7	18.4	60.9	94.8	77.2	72.9	7.2	55.5	70.2	NO	54.6	9.7	75.9
Country region																			
amazonas	89.6	74.1	82.1	83.5	55.5	7.0	60.8	21.0	65.5	92.2	76.1	67.6	9.5	57.0	72.1	NO	68.3	10.8	76.2
ancash	90.1	70.4	94.5	87.9	68.5	15.0	52.1	20.1	74.6	96.5	76.1	82.8	5.9	62.7	66.2	NO	75.4	12.0	79.9
apurimac	88.3	72.4	89.7	94.5	84.0	10.9	63.3	34.8	94.2	99.1	87.9	79.0	18.6	64.8	76.2	NO	69.5	20.8	83.9
arequipa	92.6	76.6	99.2	93.7	90.0	20.0	36.3	31.4	92.3	97.4	86.2	72.7	4.6	75.0	86.5	NO	76.7	15.4	88.6
ayacucho	89.6	71.2	92.8	92.1	82.3	9.2	67.1	32.0	85.4	98.6	79.6	68.9	9.8	60.4	72.0	NO	69.6	12.4	81.5
cajamarca	92.6	72.8	92.3	83.2	48.4	4.5	54.8	15.5	57.4	95.1	75.0	81.2	11.1	51.1	59.0	NO	64.3	11.4	75.1
callao	92.2	70.8	99.2	98.0	98.7	34.3	43.6	ND	98.7	97.4	77.4	80.3	ND	56.6	70.4	NO	83.4	25.3	84.6
cusco	90.0	71.6	98.3	92.7	78.2	8.4	58.2	27.5	80.0	95.6	82.9	74.2	7.3	53.8	57.5	NO	70.0	10.1	79.9
huancavelica	84.9	65.5	85.3	90.9	60.1	5.5	56.4	29.7	71.5	95.0	77.0	69.6	10.4	48.4	62.2	NO	55.7	9.7	74.3
huanuco	83.5	66.9	86.0	86.6	62.4	6.0	63.7	20.0	70.7	96.5	83.8	68.7	10.4	53.2	77.2	NO	49.7	10.1	76.9
ica	92.1	74.8	97.5	91.7	98.1	26.0	49.1	42.5	98.1	98.6	78.9	66.2	2.2	67.0	89.8	NO	76.4	15.7	87.3
junin	90.3	72.0	92.6	87.4	77.5	10.4	62.3	24.4	81.2	93.3	78.3	67.3	4.1	61.1	63.5	NO	71.2	13.3	79.8
la libertad	90.3	72.6	93.4	87.9	72.9	16.7	64.1	11.0	73.5	94.2	75.7	71.5	2.4	64.4	69.4	NO	70.3	13.9	80.6
lambayeque	91.4	72.1	94.7	89.3	82.0	23.6	55.9	9.7	83.8	99.4	82.0	72.6	1.1	61.4	77.4	NO	73.9	14.6	83.9
lima	90.7	72.7	97.9	93.8	96.6	30.9	45.8	25.5	98.0	97.8	83.9	70.2	1.4	73.2	75.4	NO	80.5	15.7	86.7
loreto	82.3	60.7	79.0	76.6	52.1	6.0	43.1	7.8	57.6	91.0	80.7	58.7	12.7	48.4	72.7	NO	42.3	10.3	71.3
madre de dios	88.0	71.6	94.7	88.6	89.6	15.0	56.3	24.7	92.8	97.3	75.2	63.3	15.0	62.9	56.3	NO	74.6	13.5	79.5
moquegua	93.7	77.0	98.0	92.3	95.0	30.0	38.3	25.0	94.4	97.0	86.7	76.4	8.3	69.3	74.2	NO	83.7	15.5	87.4
pasco	91.5	76.0	89.2	85.1	74.4	9.7	48.0	32.9	82.3	92.4	63.9	61.5	6.2	61.5	69.3	NO	63.0	8.7	77.4
piura	91.1	73.2	94.3	89.8	74.0	18.3	53.0	11.5	79.5	99.0	80.7	74.0	1.6	50.6	76.1	NO	62.0	14.7	80.7
puno	89.8	71.0	93.5	86.8	52.1	6.9	39.9	25.5	57.6	96.2	80.1	67.1	6.9	58.5	57.5	NO	69.3	9.8	76.1
san martin	89.7	72.5	87.3	93.5	71.4	12.3	56.4	21.5	81.1	90.9	89.9	74.7	7.6	48.6	75.0	NO	67.9	10.4	79.4
tacna	94.1	79.2	97.3	94.6	92.6	31.0	40.4	28.1	92.6	100.0	87.0	69.3	2.7	63.9	68.4	NO	83.2	15.7	85.3
tumbes	94.4	76.7	98.3	94.8	94.0	37.3	49.3	6.6	94.5	96.7	93.1	86.5	8.3	56.8	70.8	NO	62.1	16.8	86.9
ucayali	84.5	67.1	83.7	84.3	68.7	8.8	52.7	15.1	75.1	94.8	83.5	63.0	10.5	62.0	71.9	NO	59.3	15.5	77.1




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Philippines (DHS 2008)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	69.4	50.7	96.1	77.8	62.2	9.5	53.5	24.1	59.7	93.9	85.6	84.5	75.9	59.6	49.8	NO	88.8	19.3	72.9
Wealth quintiles																			
Q1	59.1	40.8	91.6	61.1	25.7	1.3	59.0	24.0	34.0	85.1	71.6	71.4	67.1	58.5	41.6	NO	68.7	12.0	60.8
Q2	69.9	52.7	95.7	71.5	55.6	5.1	54.1	24.1	50.2	94.1	86.7	85.1	78.1	57.0	52.1	NO	88.4	18.6	72.1
Q3	72.0	54.0	97.4	82.4	75.8	7.3	50.9	23.3	61.0	97.5	88.5	86.8	80.3	58.0	50.8	NO	92.1	22.0	76.2
Q4	74.1	55.8	98.8	88.9	86.0	15.5	50.3	24.1	77.5	98.0	93.4	93.2	81.9	64.4	59.1	NO	96.3	25.8	81.0
Q5	70.9	50.0	98.5	93.1	94.4	27.7	50.3	28.9	89.6	98.3	94.0	91.3	74.7	65.0	64.4	NO	98.5	22.7	81.8
Equity indicators																			
Q5/Q1 ratio	1.2	1.2	1.1	1.5	3.7	20.8	0.9	1.2	2.6	1.2	1.3	1.3	1.1	1.1	1.5	NO	1.4	1.9	1.3
Q5-Q1 difference	11.8	9.2	6.9	32.0	68.7	26.4	-8.7	5.0	55.7	13.2	22.4	19.8	7.7	6.5	22.7	NO	29.8	10.7	21.0
Concentration index	3.3	3.7	1.5	8.9	23.6	48.4	-3.7	0.6	18.9	3.2	5.5	5.2	3.0	2.4	7.7	NO	6.6	14.2	5.5
SII	13.4	10.8	10.0	41.7	79.0	31.1	-11.7	1.0	64.0	19.5	28.7	26.7	13.4	7.6	25.0	NO	37.9	16.2	25.5
Maternal education																			
none	39.3	18.5	83.4	31.7	10.9	ND	73.7	19.1	25.4	45.7	35.8	32.5	46.5	25.8	ND	NO	NA	3.6	NA
primary	64.9	45.3	91.1	62.0	33.7	2.2	55.2	23.5	37.8	85.0	73.5	71.8	69.6	54.8	38.5	NO	NA	13.3	62.8
secondary +	71.2	53.2	97.8	83.5	72.8	12.1	52.5	24.6	67.1	97.6	90.4	89.4	78.5	61.9	55.7	NO	NA	21.7	77.0
Child's sex																			
male	NA	NA	95.9	76.8	61.8	9.5	52.8	24.4	59.2	94.3	86.8	85.0	76.3	60.1	46.5	NO	NA	19.4	NA
female	NA	NA	96.3	78.9	62.7	9.5	54.3	23.7	60.2	93.4	84.3	83.8	75.4	58.8	54.9	NO	NA	19.2	NA
Area of residence																			
urban	71.7	53.4	96.4	83.0	77.5	13.8	52.5	21.0	70.1	96.2	88.2	86.8	76.1	63.5	54.4	NO	93.4	21.2	77.2
rural	67.0	48.0	95.7	72.6	47.7	5.3	54.4	25.8	49.4	91.6	83.1	82.1	75.6	56.0	46.9	NO	84.2	17.5	69.0
Country region																			
armm	31.6	15.1	95.6	49.7	19.2	2.7	51.9	15.7	27.4	58.1	41.1	39.8	48.0	34.7	7.9	NO	61.3	6.2	39.3
cordillera admin region	76.9	54.9	92.9	59.8	67.4	11.7	56.2	15.9	61.4	92.7	85.8	90.8	69.9	82.9	47.0	NO	91.3	20.8	77.7
i - ilocos region	74.4	54.2	93.6	72.7	81.9	10.3	54.2	11.7	51.5	96.9	81.8	84.9	70.5	60.6	60.0	NO	98.8	22.0	77.8
ii - cagayan valley	73.3	54.3	97.4	67.0	59.2	7.2	61.7	14.9	41.1	97.0	82.5	88.9	76.2	47.2	75.6	NO	93.9	20.0	75.5
iii - central luzon	76.6	57.8	96.2	79.2	81.9	15.4	26.3	32.0	72.0	95.9	82.9	85.4	80.8	61.9	48.4	NO	98.1	22.8	77.1
iva - calabarzon	66.5	46.8	96.5	80.5	74.5	16.3	53.3	21.9	65.8	95.7	91.2	90.5	73.3	70.8	63.1	NO	94.2	21.6	78.4
ivb - mimaropa	71.0	53.6	95.1	67.2	39.1	5.9	44.9	32.8	52.6	87.4	81.9	77.6	71.8	64.6	40.9	NO	82.8	18.7	68.6
ix - zamboanga peninsula	61.5	43.8	95.3	77.2	38.4	4.7	40.6	14.0	41.3	90.5	87.6	83.0	70.1	40.7	82.3	NO	84.8	17.0	69.5
national capital region	72.3	54.1	95.9	85.7	86.8	14.9	49.1	20.2	77.3	98.1	89.1	87.7	80.2	59.8	55.3	NO	96.8	21.4	78.2
v - bicol region	55.0	39.4	97.2	75.3	49.9	4.0	47.1	79.7	86.7	93.9	79.9	78.3	78.0	76.4	49.3	NO	75.3	17.0	68.9
vi - western visayas	68.4	51.9	96.3	81.6	60.4	5.9	66.9	17.6	57.9	96.1	95.0	91.5	78.6	57.5	66.2	NO	77.1	18.8	75.9
vii - central visayas	72.2	55.7	97.7	86.8	66.8	6.9	75.3	11.3	52.8	97.7	92.3	86.2	81.5	63.3	48.0	NO	85.7	21.1	75.6
viii - eastern visayas	63.2	47.5	94.3	69.7	43.1	5.3	58.6	12.6	43.5	93.9	84.9	83.4	78.7	46.6	41.9	NO	88.3	14.8	65.8
x - northern mindanao	74.0	53.2	95.0	83.1	47.8	4.5	75.1	21.6	49.0	92.3	91.8	87.9	74.8	86.4	32.7	NO	86.9	16.8	73.8
xi - davao peninsula	80.3	60.2	98.8	83.3	51.4	6.7	57.1	23.4	57.2	95.2	88.9	88.9	84.1	55.8	29.6	NO	84.4	18.8	72.5
xii - soccskargen	71.7	55.1	93.4	76.6	35.6	6.3	58.4	18.2	39.6	94.6	84.9	80.1	72.7	45.4	48.0	NO	88.0	21.7	67.7
xiii - caraga	66.5	51.7	97.8	75.2	49.9	5.5	60.0	24.3	48.5	100.0	94.7	96.5	81.1	67.0	29.8	NO	93.9	16.3	71.4




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Rwanda (DHS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	31.4	17.4	94.3	13.3	38.6	2.9	65.1	NO	NO	96.5	87.3	85.6	84.1	23.7	27.9	12.6	34.0	12.6	53.4
Wealth quintiles																			
Q1	21.6	11.0	91.4	10.4	27.2	1.3	63.3	NO	NO	95.8	86.1	84.9	82.1	20.7	23.1	4.3	4.2	7.8	48.0
Q2	28.9	15.2	94.4	11.6	30.2	2.2	65.5	NO	NO	96.3	85.4	83.9	86.7	17.5	26.9	10.1	25.3	12.1	50.6
Q3	28.5	15.7	95.7	11.7	33.9	1.7	66.4	NO	NO	95.1	88.6	84.1	85.3	22.7	24.5	7.9	38.2	12.3	51.7
Q4	28.0	14.8	95.1	13.5	39.7	2.4	62.1	NO	NO	97.0	90.1	88.1	81.3	28.9	22.8	13.2	40.7	14.2	53.4
Q5	48.4	31.8	95.3	20.5	66.4	7.8	68.6	NO	NO	98.5	86.4	87.6	85.2	30.7	43.4	29.7	62.1	17.6	64.3
Equity indicators																			
Q5/Q1 ratio	2.2	2.9	1.0	2.0	2.4	6.2	1.1	NO	NO	1.0	1.0	1.0	1.0	1.5	1.9	7.0	14.9	2.3	1.3
Q5-Q1 difference	26.8	20.8	3.9	10.1	39.2	6.6	5.4	NO	NO	2.7	0.3	2.7	3.1	10.0	20.2	25.4	57.9	9.8	16.3
Concentration index	15.4	19.5	0.7	13.4	18.4	35.4	0.6	NO	NO	0.4	0.5	0.8	0.0	11.1	10.3	34.3	31.8	14.0	5.3
SII	27.0	19.6	4.5	10.5	40.6	6.7	3.4	NO	NO	2.8	3.1	4.7	0.4	14.7	17.3	26.9	62.1	10.8	17.7
Maternal education																			
none	21.8	10.8	91.6	12.6	27.2	2.1	61.7	NO	NO	94.2	84.6	82.6	82.2	23.2	24.6	6.4	NA	9.1	48.1
primary	30.9	17.3	95.1	11.9	39.2	2.6	66.2	NO	NO	97.2	88.5	86.0	84.6	22.1	27.2	12.3	NA	13.5	53.4
secondary +	58.5	40.4	97.3	26.0	72.9	8.7	68.1	NO	NO	98.2	86.4	92.0	87.0	45.5	46.9	34.7	NA	18.6	70.2
Child's sex																			
male	NA	NA	94.3	13.1	39.4	3.2	65.3	NO	NO	95.6	85.5	84.9	84.0	23.9	27.6	12.2	NA	13.1	NA
female	NA	NA	94.3	13.6	37.9	2.7	64.9	NO	NO	97.4	89.3	86.4	84.3	23.4	28.2	13.1	NA	12.2	NA
Area of residence																			
urban	47.9	31.6	92.6	17.6	63.1	7.5	68.6	NO	NO	97.6	85.7	89.6	85.2	30.0	40.5	24.7	61.9	16.9	62.7
rural	28.3	15.2	94.6	12.6	34.6	2.2	64.5	NO	NO	96.3	87.6	85.0	83.9	22.7	25.5	10.6	29.0	12.0	51.8
Country region																			
butare	25.6	13.2	94.0	17.4	45.9	2.6	70.5	NO	NO	98.3	92.2	94.9	87.4	25.5	30.4	20.4	23.5	14.6	54.7
byumba	30.1	15.9	95.9	13.5	30.6	1.7	74.5	NO	NO	95.9	83.3	85.7	93.7	15.9	29.9	14.9	31.5	13.3	51.2
city of kigali	59.1	42.3	92.2	21.9	70.3	11.5	65.4	NO	NO	96.8	81.2	85.5	82.0	33.5	46.6	27.1	ND	16.7	66.7
cyangugu	31.3	17.4	92.6	21.4	52.6	5.3	61.3	NO	NO	97.7	80.6	87.5	82.5	23.9	20.8	20.4	28.7	13.9	53.3
gikongoro	22.1	10.9	93.4	6.9	18.6	1.7	71.5	NO	NO	97.6	95.0	93.0	93.3	22.9	19.2	3.8	16.5	9.1	48.7
gisenyi	28.4	15.2	93.0	8.5	28.6	1.8	55.0	NO	NO	94.5	79.5	74.4	67.8	27.5	21.5	7.4	41.4	10.8	49.2
gitarama	34.4	19.0	96.8	15.0	48.7	5.3	70.5	NO	NO	98.9	90.6	94.0	88.2	32.1	38.2	19.3	22.5	13.2	59.2
kibungo	42.4	27.2	96.1	9.8	46.0	2.2	56.1	NO	NO	96.9	86.1	73.9	84.3	22.3	23.5	7.9	37.0	12.0	56.0
kibuye	19.9	9.7	93.6	7.3	28.8	2.0	59.4	NO	NO	99.0	96.3	92.4	82.7	22.0	16.7	14.4	34.0	12.4	49.2
kigali ngali	27.9	13.9	91.5	8.4	31.2	0.8	81.1	NO	NO	91.0	83.4	80.7	83.6	22.8	23.5	6.7	45.5	12.1	49.4
ruhengeri	24.0	13.9	95.7	16.9	32.3	1.7	53.7	NO	NO	98.2	93.1	93.0	86.7	20.8	34.6	4.4	30.8	11.9	52.6
umutara	27.4	15.2	95.6	14.4	40.4	2.1	65.7	NO	NO	93.6	89.7	74.6	82.0	21.9	23.5	14.7	28.8	13.3	51.5




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Sao Tome e Principe (DHS 2008)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	50.8	38.4	97.9	72.4	81.7	5.3	45.4	17.2	84.5	96.1	87.4	84.0	47.8	62.8	74.7	56.2	94.1	26.8	74.7
Wealth quintiles																			
Q1	45.0	35.5	96.6	57.7	73.6	2.7	45.2	14.2	75.2	96.8	86.5	78.8	42.3	63.0	86.2	42.8	91.0	24.1	73.3
Q2	48.1	35.7	97.1	66.0	73.2	4.7	42.8	12.7	76.4	94.8	84.2	81.8	40.6	64.3	60.6	49.5	89.1	26.3	70.7
Q3	46.1	34.4	99.9	73.4	84.8	5.5	48.4	28.2	89.0	97.4	88.2	88.9	46.0	62.6	79.3	62.4	94.8	27.3	75.1
Q4	55.8	41.6	97.8	77.2	87.3	5.8	47.8	14.5	90.4	97.7	88.3	88.4	54.1	54.7	67.9	63.3	96.4	26.7	75.4
Q5	57.9	44.1	98.3	90.7	92.9	8.6	42.8	26.1	93.1	94.1	91.0	83.8	58.7	73.6	77.4	64.9	99.4	30.3	79.6
Equity indicators																			
Q5/Q1 ratio	1.3	1.2	1.0	1.6	1.3	3.2	0.9	1.8	1.2	1.0	1.1	1.1	1.4	1.2	0.9	1.5	1.1	1.3	1.1
Q5-Q1 difference	12.9	8.6	1.6	33.0	19.3	6.0	-2.4	11.9	17.9	-2.7	4.5	5.1	16.4	10.6	-8.8	22.2	8.4	6.2	6.2
Concentration index	5.5	5.2	0.4	8.7	5.3	17.4	0.2	7.4	4.8	0.0	1.4	2.3	8.0	-0.1	-3.5	8.9	2.0	4.5	1.8
SII	16.7	11.8	2.2	37.1	26.0	6.3	0.7	12.8	25.3	-1.1	6.6	9.3	21.9	3.7	-13.1	28.8	12.8	6.2	8.6
Maternal education																			
none	31.8	18.3	93.5	53.3	73.4	2.9	39.4	15.0	77.2	100.0	80.6	73.7	35.0	26.2	22.1	48.8	NA	16.7	55.2
primary	53.2	40.7	98.3	70.1	80.1	4.9	44.6	18.3	82.1	95.0	87.6	84.8	44.9	63.2	74.9	53.8	NA	24.9	75.2
secondary +	48.7	38.0	97.7	81.8	88.0	6.8	48.7	11.2	92.2	98.7	87.9	83.3	58.5	67.1	79.4	64.0	NA	34.1	76.3
Child's sex																			
male	NA	NA	96.5	70.3	80.7	4.5	43.9	19.9	84.2	95.4	87.8	86.3	46.6	65.7	70.3	55.8	NA	28.4	NA
female	NA	NA	99.3	74.5	82.7	6.1	47.0	14.2	84.7	96.9	87.0	81.3	48.9	59.5	79.8	56.5	NA	25.2	NA
Area of residence																			
urban	44.5	33.3	98.4	75.9	88.7	6.5	45.1	13.6	89.5	95.0	88.8	81.6	48.2	54.2	68.2	65.4	99.2	28.3	72.0
rural	57.9	44.1	97.5	68.9	75.1	4.2	45.7	18.9	79.6	97.0	86.3	86.0	47.4	69.0	77.1	47.5	88.9	25.3	76.8
Country region																			
região centro	48.9	37.9	97.3	75.0	84.5	5.8	47.3	12.1	86.4	97.3	88.7	81.3	51.0	63.9	73.5	56.7	97.0	27.2	74.4
região do príncipe	64.8	50.7	99.6	85.7	81.4	2.7	25.4	9.5	84.4	96.4	96.4	96.4	71.2	52.3	67.9	52.3	64.1	32.3	78.4
região norte	54.5	40.3	99.0	61.6	78.4	4.5	45.0	23.0	83.1	93.6	79.9	84.8	35.3	62.4	81.4	54.2	93.7	25.0	75.2
região sul	49.2	33.5	98.3	73.7	75.0	5.3	44.5	23.7	78.1	95.5	92.5	89.1	46.9	55.2	79.7	58.6	92.9	26.1	74.2




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Senegal (DHS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	27.2	11.8	87.4	39.8	51.9	3.3	22.9	NO	NO	91.7	78.4	73.5	75.5	42.6	47.2	7.1	68.9	17.2	55.7
Wealth quintiles																			
Q1	10.7	3.7	76.7	28.4	20.1	0.7	22.1	NO	NO	92.2	72.8	71.0	74.1	40.2	34.6	3.5	37.6	11.5	43.5
Q2	16.9	6.3	82.2	30.5	30.6	1.3	22.4	NO	NO	91.4	74.5	71.5	71.6	42.8	38.1	7.4	47.6	12.1	48.0
Q3	23.5	10.3	88.1	37.9	54.9	2.1	26.6	NO	NO	90.5	81.6	71.2	74.4	40.8	41.8	10.8	68.1	17.9	54.5
Q4	32.3	16.0	95.9	47.3	83.5	7.2	24.4	NO	NO	91.1	80.2	74.8	79.5	46.0	57.4	8.5	92.8	23.2	63.9
Q5	45.9	24.6	97.1	60.2	88.7	7.0	18.3	NO	NO	93.6	84.5	81.2	79.5	44.3	61.2	5.2	98.2	24.3	69.7
Equity indicators																			
Q5/Q1 ratio	4.3	6.7	1.3	2.1	4.4	10.2	0.8	NO	NO	1.0	1.2	1.1	1.1	1.1	1.8	1.5	2.6	2.1	1.6
Q5-Q1 difference	35.2	20.9	20.4	31.8	68.5	6.3	-3.8	NO	NO	1.4	11.7	10.3	5.4	4.1	26.7	1.7	60.6	12.8	26.2
Concentration index	27.1	36.2	5.1	16.0	29.9	45.9	-1.2	NO	NO	0.3	2.9	2.4	2.0	2.5	12.4	8.3	20.0	17.6	9.8
SII	42.5	26.1	28.5	37.7	81.5	10.0	-1.6	NO	NO	0.8	14.2	10.6	8.8	5.5	35.1	3.5	76.5	18.1	34.1
Maternal education																			
none	17.1	6.5	84.6	35.6	42.4	1.8	22.9	NO	NO	90.2	76.0	69.2	74.4	40.7	41.5	6.7	NA	15.2	49.9
primary	36.9	20.2	92.8	45.2	72.5	5.9	22.2	NO	NO	94.6	81.0	81.2	77.2	46.8	55.3	7.5	NA	21.4	64.0
secondary +	56.3	33.9	97.6	62.2	87.9	9.9	24.8	NO	NO	97.7	95.1	94.8	81.6	48.4	61.4	9.7	NA	24.7	75.0
Child's sex																			
male	NA	NA	87.7	38.6	52.9	3.4	22.4	NO	NO	92.6	77.9	73.2	75.0	44.3	49.4	7.4	NA	17.9	NA
female	NA	NA	87.1	41.2	50.9	3.1	23.5	NO	NO	90.7	78.9	73.9	76.1	40.4	44.5	6.8	NA	16.3	NA
Area of residence																			
urban	38.8	20.3	95.9	50.6	84.6	6.6	23.0	NO	NO	92.0	79.6	77.4	77.9	44.1	54.0	7.2	90.8	22.5	65.3
rural	16.2	6.0	82.0	33.0	33.2	1.4	22.9	NO	NO	91.5	77.6	71.1	74.1	41.7	41.3	7.0	52.0	14.1	48.7
Country region																			
dakar	39.4	21.4	97.7	52.3	92.1	10.1	19.8	NO	NO	89.9	77.3	78.0	77.5	45.6	56.1	4.7	98.3	21.5	66.7
diourbel	10.6	4.0	83.5	37.6	50.8	1.5	10.3	NO	NO	88.0	78.3	63.2	77.8	40.8	36.3	2.9	75.9	16.6	48.4
fatick	19.6	8.2	86.3	34.8	35.2	0.8	23.0	NO	NO	92.2	80.6	75.3	82.4	47.6	41.9	5.1	42.7	14.2	51.9
kaolack	15.9	6.6	79.1	34.5	34.5	0.9	16.0	NO	NO	91.4	76.7	69.1	73.0	52.4	42.4	5.4	66.8	13.9	49.6
kolda	28.5	10.1	87.5	35.4	25.8	1.8	27.8	NO	NO	95.0	71.5	75.5	83.8	37.6	53.5	7.9	16.2	15.0	52.6
louga	15.6	6.2	84.4	31.0	49.4	2.0	42.5	NO	NO	93.3	86.3	73.9	71.3	32.8	35.0	4.1	78.0	17.9	50.5
matam	3.9	1.2	84.6	26.9	40.4	0.5	49.6	NO	NO	86.7	64.5	59.0	59.7	42.8	50.5	25.2	62.3	12.9	45.6
saint-louis	25.5	10.6	92.3	37.5	48.2	2.8	38.8	NO	NO	95.0	90.0	87.0	66.0	36.2	49.6	19.4	73.6	22.3	57.6
tambacounda	18.6	6.3	72.9	31.4	27.3	1.0	15.5	NO	NO	89.5	67.3	64.5	68.6	33.6	54.7	6.6	40.8	9.2	46.0
thiès	35.2	17.2	90.7	45.0	62.5	2.6	20.4	NO	NO	92.8	83.0	77.2	78.1	31.4	42.1	5.8	78.8	20.9	58.2
ziguinchor	46.4	24.5	90.6	49.2	50.1	5.4	21.6	NO	NO	100.0	85.5	85.9	85.1	56.3	60.8	8.6	31.6	16.9	66.2




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Sierra Leone (DHS 2008)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	22.9	8.2	86.9	56.1	42.4	1.5	50.5	23.2	44.7	82.0	61.1	59.7	25.9	56.5	45.8	26.5	50.5	12.3	51.2
Wealth quintiles																			
Q1	14.3	4.4	82.1	48.8	28.1	0.7	50.4	19.0	34.6	78.2	55.9	55.7	23.5	46.7	39.2	23.9	13.7	8.2	43.6
Q2	11.3	3.5	83.2	52.4	35.4	0.8	52.6	21.9	41.7	80.3	58.6	61.8	22.7	57.6	46.4	22.5	30.3	10.8	46.9
Q3	14.1	4.6	85.9	55.7	38.6	0.9	53.4	22.5	43.2	84.2	62.2	58.5	28.2	57.9	49.2	26.8	52.6	11.7	49.1
Q4	26.6	10.6	89.4	56.7	49.0	1.4	50.7	23.3	45.8	82.3	59.7	57.4	24.7	62.5	48.0	31.8	62.4	13.3	53.7
Q5	43.2	20.2	96.1	70.0	71.4	4.9	43.7	33.9	62.0	87.4	73.1	68.2	32.0	60.2	45.7	28.8	93.5	20.6	64.0
Equity indicators																			
Q5/Q1 ratio	3.0	4.6	1.2	1.4	2.5	7.4	0.9	1.8	1.8	1.1	1.3	1.2	1.4	1.3	1.2	1.2	6.8	2.5	1.5
Q5-Q1 difference	28.9	15.8	14.0	21.2	43.3	4.2	-6.7	14.9	27.4	9.2	17.1	12.4	8.5	13.6	6.5	4.9	79.9	12.4	20.4
Concentration index	28.5	37.1	3.1	6.3	18.2	45.8	-1.9	9.3	10.6	2.2	4.3	2.8	6.1	4.7	2.9	5.9	31.8	16.4	7.4
SII	38.9	19.2	16.4	21.6	44.2	4.2	-6.3	13.0	27.2	9.8	15.8	8.9	8.6	16.8	9.7	9.7	82.9	12.4	23.8
Maternal education																			
none	17.6	5.7	84.5	53.4	35.7	0.8	51.9	21.6	39.8	78.9	57.1	56.3	24.0	55.5	42.2	25.2	NA	10.3	47.2
primary	26.3	10.8	92.7	60.1	55.9	1.9	47.6	27.1	52.4	91.1	71.9	67.1	29.8	67.2	54.0	31.0	NA	18.8	58.8
secondary +	42.3	22.3	95.0	67.9	73.1	5.5	45.2	32.2	64.8	93.0	75.9	75.0	35.1	49.5	61.9	30.4	NA	20.6	65.5
Child's sex																			
male	NA	NA	87.8	56.7	42.8	1.3	50.7	23.7	45.0	84.8	61.9	58.8	26.0	55.1	48.5	26.0	NA	12.4	NA
female	NA	NA	86.1	55.6	42.1	1.7	50.3	22.7	44.3	79.3	60.2	60.7	25.8	58.0	43.1	26.9	NA	12.3	NA
Area of residence																			
urban	36.3	16.2	93.9	65.9	66.9	3.2	48.5	29.8	58.9	89.0	70.2	64.5	29.5	59.4	49.8	30.4	81.7	17.7	61.2
rural	15.6	5.0	84.1	52.2	33.2	0.9	51.3	21.2	38.9	79.7	58.0	58.1	24.6	55.7	45.0	25.0	35.2	10.4	47.1
Country region																			
eastern	16.2	6.2	89.6	60.8	50.1	0.7	38.2	20.8	45.7	88.7	66.5	63.2	20.5	42.4	23.4	26.1	48.9	12.9	47.5
northern	14.0	4.4	81.9	49.3	27.4	0.7	60.7	21.9	36.6	75.2	49.9	51.7	22.7	64.0	41.4	22.2	36.7	8.1	44.5
southern	25.8	8.4	90.3	56.6	53.2	1.7	46.1	20.6	50.5	82.6	69.2	66.3	33.9	44.7	71.2	35.5	45.7	16.3	56.8
western	42.6	21.2	94.1	69.3	63.7	4.7	42.0	34.8	59.5	93.8	77.4	71.1	32.1	58.9	45.5	27.7	91.2	19.6	63.3




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.







Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Somalia (MICS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	NO	14.6	26.1	NO	33.0	NO	26.3	NO	NO	29.9	14.1	29.4	24.2	6.8	13.0	NO	29.1	1.8	NO
Wealth quintiles																			
Q1	NO	11.9	8.4	NO	10.6	NO	23.5	NO	NO	18.7	5.4	22.2	17.9	5.1	4.6	NO	3.3	0.3	NO
Q2	NO	13.8	12.8	NO	14.3	NO	28.6	NO	NO	14.5	6.5	18.9	24.2	4.4	7.7	NO	10.6	0.1	NO
Q3	NO	13.8	23.4	NO	19.6	NO	25.6	NO	NO	27.9	14.6	27.4	23.0	7.2	13.1	NO	20.0	1.2	NO
Q4	NO	15.0	34.9	NO	45.1	NO	24.3	NO	NO	33.7	14.6	30.9	28.8	9.1	18.8	NO	37.9	2.3	NO
Q5	NO	18.8	51.4	NO	76.8	NO	29.7	NO	NO	53.1	28.8	47.4	27.5	11.2	27.7	NO	73.9	5.5	NO
Equity indicators																			
Q5/Q1 ratio	NO	1.6	6.1	NO	7.2	NO	1.3	NO	NO	2.8	5.4	2.1	1.5	2.2	6.0	NO	22.5	16.4	NO
Q5-Q1 difference	NO	6.9	43.1	NO	66.2	NO	6.2	NO	NO	34.4	23.4	25.2	9.6	6.1	23.0	NO	70.6	5.1	NO
Concentration index	NO	8.5	33.6	NO	40.0	NO	2.3	NO	NO	24.8	31.6	17.9	8.9	18.2	34.5	NO	48.7	56.0	NO
SII	NO	7.1	51.7	NO	73.3	NO	3.5	NO	NO	43.3	28.2	30.9	12.0	7.4	27.5	NO	77.7	7.8	NO
Maternal education																			
none	NO	13.6	20.5	NO	24.5	NO	26.2	NO	NO	23.5	10.6	23.8	22.8	6.1	9.8	NO	NA	1.0	NO
primary	NO	15.7	47.7	NO	59.3	NO	35.5	NO	NO	44.9	19.2	42.0	29.5	12.9	26.5	NO	NA	3.3	NO
secondary +	NO	22.6	53.3	NO	72.6	NO	30.0	NO	NO	63.2	24.7	48.4	35.7	9.7	43.5	NO	NA	7.5	NO
Child's sex																			
male	NO	NA	ND	NO	ND	NO	ND	NO	NO	29.9	15.9	29.9	24.9	7.0	14.4	NO	NA	2.1	NO
female	NO	NA	ND	NO	ND	NO	ND	NO	NO	29.9	12.2	28.8	23.5	6.4	11.4	NO	NA	1.5	NO
Area of residence																			
urban	NO	16.9	45.5	NO	65.0	NO	26.6	NO	NO	47.0	26.4	40.4	29.2	8.8	23.7	NO	58.3	4.5	NO
rural	NO	13.4	14.9	NO	14.5	NO	26.1	NO	NO	19.6	6.8	23.0	21.5	6.0	7.7	NO	11.2	0.3	NO
Country region																			
central south	NO	11.6	24.4	NO	29.7	NO	21.4	NO	NO	29.5	18.8	30.5	25.1	4.9	12.3	NO	25.5	2.1	NO
north east	NO	11.9	25.6	NO	36.8	NO	38.5	NO	NO	18.6	6.4	15.9	15.2	13.4	22.0	NO	24.3	0.7	NO
north west	NO	25.6	31.8	NO	41.3	NO	35.1	NO	NO	36.7	4.8	33.2	25.9	15.9	15.9	NO	40.3	1.4	NO



Composite coverage not available

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Swaziland (DHS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	68.0	50.6	97.1	79.3	74.3	7.9	66.6	8.0	77.9	97.2	91.7	91.5	80.5	49.9	58.4	NO	63.9	20.5	75.3
Wealth quintiles																			
Q1	53.6	37.2	95.1	72.3	50.6	6.7	60.2	4.2	54.0	97.2	91.7	89.4	81.1	42.1	57.8	NO	34.5	19.7	67.3
Q2	63.2	42.9	94.8	76.8	66.0	8.0	68.2	8.7	68.3	96.8	89.5	88.5	79.1	57.2	57.3	NO	53.7	18.4	73.1
Q3	69.1	54.2	97.5	78.4	77.9	7.9	65.1	3.7	81.9	98.8	93.8	93.1	82.9	53.9	56.7	NO	62.3	25.9	77.2
Q4	67.8	50.7	98.6	82.9	86.4	8.4	69.2	21.8	88.6	98.0	94.4	94.3	83.7	59.1	58.5	NO	74.0	20.2	78.8
Q5	78.5	62.2	99.2	85.0	92.3	8.6	69.8	10.9	94.3	94.7	88.8	92.9	76.0	43.7	61.9	NO	95.0	18.6	79.6
Equity indicators																			
Q5/Q1 ratio	1.5	1.7	1.0	1.2	1.8	1.3	1.2	2.6	1.7	1.0	1.0	1.0	0.9	1.0	1.1	NO	2.8	0.9	1.2
Q5-Q1 difference	24.9	25.0	4.1	12.7	41.7	1.9	9.6	6.7	40.3	-2.5	-2.9	3.5	-5.1	1.6	4.1	NO	60.5	-1.1	12.3
Concentration index	7.1	10.2	1.1	3.2	11.5	6.0	2.3	24.7	10.5	-0.3	-0.2	1.2	-0.8	2.7	1.2	NO	18.6	0.0	3.2
SII	27.2	29.2	6.5	15.6	50.9	2.1	9.9	13.3	49.8	-1.5	0.2	6.6	-2.6	12.1	4.3	NO	65.9	-0.1	15.1
Maternal education																			
none	48.8	28.9	96.3	75.6	57.2	6.0	65.5	6.2	58.6	95.2	90.5	84.4	71.2	42.0	29.0	NO	NA	14.9	63.0
primary	59.9	43.3	95.1	76.8	62.7	6.6	66.8	6.6	67.1	97.7	89.8	90.3	81.7	43.4	64.3	NO	NA	20.4	71.2
secondary +	76.0	60.3	98.4	81.2	84.4	9.0	66.6	10.7	87.1	97.1	93.2	93.4	81.1	57.6	61.0	NO	NA	21.6	80.3
Child's sex																			
male	NA	NA	97.9	79.0	74.0	8.7	64.7	6.7	77.6	97.1	93.4	91.5	80.4	52.2	55.0	NO	NA	21.3	NA
female	NA	NA	96.3	79.5	74.5	7.0	68.7	9.3	78.2	97.3	89.9	91.5	80.6	46.6	62.6	NO	NA	19.7	NA
Area of residence																			
urban	74.6	58.1	98.2	84.1	88.1	8.4	68.2	13.1	91.5	96.6	90.8	94.8	75.8	46.5	50.6	NO	91.9	19.4	77.5
rural	65.5	48.0	96.7	77.8	70.3	7.7	66.1	7.5	73.8	97.3	91.9	90.7	81.8	50.5	59.8	NO	56.4	20.8	74.3
Country region																			
hhohho	72.5	53.7	97.3	80.2	78.3	8.4	71.2	8.5	81.6	97.2	93.1	93.7	83.2	48.7	51.9	NO	76.5	22.6	76.2
lubombo	63.5	48.0	96.6	77.0	69.5	8.1	57.4	9.4	74.8	97.9	86.4	90.0	74.2	42.4	60.0	NO	56.2	19.4	72.2
manzini	69.4	52.5	98.3	83.3	79.9	7.5	73.1	10.3	82.8	96.6	93.3	90.5	82.5	58.5	61.4	NO	68.0	20.3	78.1
shiselweni	63.7	45.6	95.6	74.3	65.9	7.6	60.8	4.5	69.1	97.2	92.6	91.6	80.1	49.1	58.3	NO	50.9	19.3	72.8




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Tajikistan (MICS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	61.5	37.9	77.1	NO	83.4	NO	60.9	NO	NO	87.8	83.2	82.2	46.6	22.1	63.9	1.3	69.5	11.9	67.2
Wealth quintiles																			
Q1	54.7	31.8	61.7	NO	70.0	NO	57.2	NO	NO	82.1	81.0	79.6	34.0	20.4	62.7	2.7	47.9	9.1	60.7
Q2	58.5	37.0	73.0	NO	81.1	NO	58.3	NO	NO	82.6	82.6	73.6	46.1	18.6	65.3	0.8	61.4	12.2	64.5
Q3	61.0	37.4	81.1	NO	86.5	NO	65.0	NO	NO	90.0	80.3	87.8	54.2	13.4	51.2	0.3	65.1	11.4	65.4
Q4	64.0	39.1	82.7	NO	89.9	NO	61.2	NO	NO	94.0	88.4	89.2	55.9	34.8	45.1	1.4	77.9	12.9	70.1
Q5	68.0	43.7	89.8	NO	91.4	NO	63.4	NO	NO	92.2	84.0	82.3	45.0	25.9	81.8	1.2	95.3	14.1	74.5
Equity indicators																			
Q5/Q1 ratio	1.2	1.4	1.5	NO	1.3	NO	1.1	NO	NO	1.1	1.0	1.0	1.3	1.3	1.3	0.4	2.0	1.6	1.2
Q5-Q1 difference	13.3	11.8	28.2	NO	21.5	NO	6.2	NO	NO	10.1	2.9	2.8	10.9	5.4	19.0	-1.5	47.4	5.0	13.8
Concentration index	4.7	5.9	7.3	NO	5.5	NO	2.2	NO	NO	3.1	1.2	2.4	6.1	9.3	4.1	-15.6	13.4	8.9	4.0
SII	16.0	12.9	33.4	NO	26.9	NO	7.8	NO	NO	16.5	5.9	10.4	16.9	11.5	12.8	-1.4	53.6	5.7	16.6
Maternal education																			
none	39.7	13.9	55.3	NO	63.6	NO	42.9	NO	NO	35.4	24.6	45.4	39.3	ND	ND	NO	NA	4.9	NA
primary	56.5	24.7	52.3	NO	66.0	NO	60.0	NO	NO	88.9	79.6	79.3	35.0	1.0	54.9	1.6	NA	5.6	56.4
secondary +	61.8	38.4	77.9	NO	83.9	NO	61.2	NO	NO	88.3	83.9	82.5	46.9	22.8	64.3	1.3	NA	12.1	67.7
Child's sex																			
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	85.7	85.7	84.2	45.9	22.9	60.3	1.6	NA	12.9	NA
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	90.1	80.3	80.0	47.4	21.1	68.5	1.0	NA	10.8	NA
Area of residence																			
urban	67.1	42.4	85.4	NO	89.4	NO	59.4	NO	NO	91.6	87.0	82.0	46.9	28.2	57.8	0.1	93.1	14.4	71.1
rural	59.3	36.3	74.4	NO	81.3	NO	61.4	NO	NO	86.4	81.8	82.3	46.5	19.8	66.8	1.8	60.7	10.9	65.9
Country region																			
drd	47.8	28.9	74.3	NO	82.1	NO	64.6	NO	NO	84.6	69.4	79.9	50.6	23.9	83.0	0.1	73.6	11.4	63.8
dushanbe	64.0	37.7	87.8	NO	87.4	NO	61.5	NO	NO	98.8	86.4	87.7	43.6	37.9	90.6	ND	95.7	17.2	76.4
gbao	62.7	39.2	78.3	NO	77.2	NO	76.5	NO	NO	84.0	80.4	77.7	55.9	24.9	74.4	ND	51.4	8.6	67.7
khatlon	58.2	35.1	65.8	NO	75.2	NO	46.6	NO	NO	84.5	83.7	79.2	44.6	18.6	52.7	3.2	54.7	7.8	61.8
sogd	72.0	46.3	91.7	NO	94.7	NO	76.5	NO	NO	91.5	91.2	85.7	46.5	21.8	77.8	ND	78.1	16.7	76.2




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.





Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Tanzania (DHS 2010)


Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	57.5	34.4	87.7	42.8	50.6	4.5	48.7	3.1	56.8	95.5	88.0	84.5	60.8	50.4	70.6	61.4	52.6	20.3	68.9
Wealth quintiles																			
Q1	42.6	22.9	83.7	37.1	33.0	1.8	42.4	3.0	37.1	95.5	84.1	79.9	53.3	45.2	57.0	60.3	32.6	15.4	59.2
Q2	49.4	26.7	85.2	34.9	35.8	2.3	42.8	2.7	41.8	95.0	84.1	82.1	54.2	48.5	74.7	62.2	38.9	16.1	64.3
Q3	49.7	28.6	85.7	39.9	47.0	3.5	46.2	3.0	52.3	95.1	87.3	79.8	62.7	47.8	56.3	60.4	50.2	17.4	63.8
Q4	64.5	42.6	90.1	47.1	63.3	5.7	53.2	4.1	67.9	95.9	91.3	90.9	68.7	53.9	77.6	64.0	65.7	24.5	74.6
Q5	75.6	50.6	95.4	58.7	90.4	12.0	62.0	2.6	91.9	96.2	96.9	93.8	69.5	59.1	93.4	60.0	78.8	33.6	84.9
Equity indicators																			
Q5/Q1 ratio	1.8	2.2	1.1	1.6	2.7	6.8	1.5	0.9	2.5	1.0	1.2	1.2	1.3	1.3	1.6	1.0	2.4	2.2	1.4
Q5-Q1 difference	33.0	27.6	11.7	21.6	57.4	10.2	19.6	-0.4	54.8	0.7	12.9	13.9	16.2	13.9	36.4	-0.3	46.2	18.2	25.7
Concentration index	11.7	16.9	2.4	10.5	21.0	38.1	7.7	6.5	18.9	0.3	3.0	3.4	6.0	5.3	7.8	0.3	18.4	16.3	7.1
SII	40.2	34.7	13.4	25.8	59.8	11.0	23.4	0.9	60.6	1.0	15.5	16.7	22.8	15.3	37.6	1.1	55.3	19.6	30.8
Maternal education																			
none	42.3	22.0	83.7	34.9	34.1	2.2	43.8	2.0	38.2	91.1	78.8	72.9	48.7	47.5	64.7	59.2	NA	13.9	59.2
primary	59.8	36.7	88.5	43.1	53.5	4.4	49.3	3.7	59.9	96.8	90.5	87.8	64.3	50.3	70.8	62.6	NA	21.4	70.4
secondary +	75.4	51.8	92.7	65.3	86.3	14.7	59.3	1.5	87.0	98.6	96.3	93.3	71.3	59.2	83.4	57.9	NA	34.6	83.1
Child's sex																			
male	NA	NA	87.6	42.7	51.8	4.9	48.1	4.0	58.1	97.0	88.2	86.4	61.8	49.4	73.3	61.3	NA	20.4	NA
female	NA	NA	87.9	42.9	49.3	4.0	49.4	2.2	55.5	94.0	87.8	82.7	59.8	51.4	67.7	61.6	NA	20.2	NA
Area of residence																			
urban	70.2	45.9	95.5	54.9	83.0	9.6	61.7	2.7	85.9	98.2	97.0	92.9	65.4	55.2	86.1	60.5	76.0	29.6	81.4
rural	52.9	30.5	85.4	39.2	42.3	3.2	44.8	3.1	48.0	94.8	85.9	82.5	59.6	48.7	65.3	61.7	45.8	18.0	65.0
Country region																			
arusha	52.1	40.3	88.7	53.2	47.2	5.1	83.4	6.4	52.1	100.0	100.0	91.4	69.9	66.5	61.7	42.3	81.8	24.5	70.6
dar es salaam	79.0	50.4	99.8	72.6	91.0	13.4	69.1	4.1	90.3	100.0	100.0	98.4	67.4	49.8	85.9	56.5	59.4	35.5	85.2
dodoma	47.3	29.4	90.6	41.4	45.9	2.8	42.8	0.9	50.7	100.0	95.3	84.8	63.3	50.9	58.2	78.1	50.2	19.3	65.8
iringa	63.2	45.2	96.7	40.4	80.8	9.7	73.0	15.9	83.2	97.3	93.3	93.3	81.9	61.4	74.7	53.6	58.9	24.0	78.0
kagera	49.7	26.2	78.1	43.6	54.3	2.7	51.7	3.5	62.2	97.1	100.0	97.1	77.0	26.0	49.0	62.5	46.2	18.1	63.3
kigoma	37.9	25.2	61.4	37.8	33.5	2.0	44.9	2.2	37.6	98.7	79.0	82.3	65.3	46.1	80.4	55.3	59.3	14.4	57.8
killimanjaro	80.4	64.8	86.1	59.4	86.1	11.0	55.2	ND	89.7	96.9	96.9	96.9	60.5	64.2	87.0	63.2	79.9	28.4	84.8
lindi	63.1	40.5	99.6	39.3	52.1	3.4	41.1	15.8	62.9	94.8	83.3	83.4	57.0	46.3	88.3	63.1	29.5	17.3	73.6
manyara	44.0	27.4	84.9	50.0	38.5	1.4	92.9	1.1	46.7	96.5	88.6	81.0	60.1	74.1	83.2	73.8	53.4	22.5	68.3
mara	25.7	11.9	73.4	40.4	30.4	0.6	22.3	ND	36.7	97.0	90.0	85.6	69.4	30.8	56.8	75.9	45.1	16.6	53.1
mbeya	76.0	48.5	90.4	23.0	42.9	2.5	37.9	ND	48.6	88.5	78.3	83.3	62.6	55.7	38.5	44.2	55.6	19.8	68.0
morogoro	67.4	46.7	96.3	49.3	60.6	5.8	66.3	1.3	62.0	100.0	95.4	92.4	77.1	63.5	92.8	27.8	68.3	27.7	79.7
mtwara	61.4	38.0	98.3	44.7	59.5	5.8	64.8	4.7	64.0	100.0	100.0	94.0	69.6	55.1	100.0	70.6	44.5	25.0	79.6
mwanza	28.5	15.2	78.4	40.5	44.1	3.5	24.5	1.5	47.6	95.8	87.8	86.7	76.9	38.4	55.4	77.7	42.8	19.6	55.9
pemba north	14.5	7.1	28.7	25.0	25.1	0.6	41.9	0.6	22.2	98.2	96.9	88.2	87.4	33.5	88.7	60.7	79.4	19.8	49.5
pemba south	22.5	11.1	45.4	36.0	42.3	4.2	44.0	ND	43.0	97.3	95.8	83.9	69.9	40.0	27.9	52.5	73.6	13.0	48.3
pwani	68.3	41.6	99.5	65.7	74.0	5.8	75.0	ND	74.0	100.0	98.2	92.2	58.2	65.4	100.0	76.7	58.7	23.2	83.8
rukwa	65.8	39.4	79.9	28.4	29.5	5.2	18.2	1.4	36.4	97.9	78.5	77.0	52.4	57.3	90.5	67.4	46.5	16.1	69.5
ruvuma	68.8	47.3	99.5	46.2	83.0	8.2	46.5	19.4	88.2	100.0	96.0	91.3	79.8	57.0	80.9	72.4	69.8	31.1	80.8
shinyanga	40.6	15.1	93.6	33.8	34.7	2.1	35.5	3.6	40.8	95.1	79.4	70.0	12.1	62.1	66.2	76.4	39.9	15.2	62.7
singida	42.3	27.8	96.0	40.5	48.5	2.8	31.2	2.2	55.2	96.1	94.8	93.2	66.2	55.4	42.1	28.6	49.9	14.5	64.5
tabora	56.7	24.5	91.2	28.2	46.4	4.8	55.3	3.6	50.5	72.5	61.4	51.0	27.5	65.3	23.5	56.0	18.3	11.7	58.0
tanga	83.1	53.7	81.8	42.0	44.5	4.7	42.0	3.7	51.0	93.5	85.7	84.8	57.6	78.1	88.4	49.5	45.9	19.8	78.5
town west	44.7	26.3	95.6	61.5	77.2	7.8	58.0	3.0	73.8	98.3	90.6	81.1	73.6	55.9	79.5	42.8	86.5	24.5	72.4
zanzibar north	24.6	11.4	90.3	46.5	44.6	3.7	33.6	4.9	40.8	98.7	96.5	88.8	83.7	56.3	74.6	49.3	71.6	22.1	63.0
zanzibar south	59.2	33.1	76.8	74.2	71.0	5.7	71.0	6.7	63.9	97.9	97.9	86.9	90.3	67.2	100.0	61.0	66.9	25.3	77.4




Source: Tanzania DHS 2010  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Tanzania DHS 2010  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Tanzania DHS 2010

Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Source: Tanzania DHS 2010

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Togo (MICS 2006)


Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	29.3	16.8	82.4	NO	51.9	NO	35.8	NO	NO	88.0	63.9	63.1	39.3	37.5	22.7	38.5	60.6	16.0	49.1
Wealth quintiles																			
Q1	21.7	12.1	67.5	NO	24.3	NO	28.8	NO	NO	84.1	58.0	57.2	35.4	33.6	18.4	40.5	31.1	9.7	39.5
Q2	27.4	15.5	72.4	NO	22.9	NO	28.5	NO	NO	79.4	55.7	55.7	39.8	36.8	24.2	40.6	35.8	11.2	41.8
Q3	29.6	17.0	82.9	NO	44.9	NO	42.6	NO	NO	87.4	60.8	60.7	39.0	34.7	6.1	41.3	54.1	13.0	45.4
Q4	30.8	19.3	92.2	NO	79.1	NO	40.4	NO	NO	95.8	70.5	70.1	39.9	33.6	33.3	34.6	78.8	23.7	56.7
Q5	35.8	19.4	97.7	NO	88.8	NO	40.0	NO	NO	93.9	74.8	72.1	42.6	56.4	27.7	35.4	94.4	23.2	62.5
Equity indicators																			
Q5/Q1 ratio	1.7	1.6	1.4	NO	3.7	NO	1.4	NO	NO	1.1	1.3	1.3	1.2	1.7	1.5	0.9	3.0	2.4	1.6
Q5-Q1 difference	14.1	7.3	30.1	NO	64.5	NO	11.2	NO	NO	9.7	16.8	14.9	7.2	22.8	9.3	-5.1	63.3	13.5	23.0
Concentration index	8.6	8.9	8.2	NO	29.9	NO	8.2	NO	NO	3.7	6.6	6.1	3.3	5.7	9.4	-3.5	23.4	20.8	9.9
SII	15.5	9.1	41.7	NO	81.5	NO	17.4	NO	NO	19.1	24.3	22.3	7.5	14.1	13.9	-8.1	76.9	20.1	30.4
Maternal education																			
none	21.7	11.9	74.0	NO	36.4	NO	33.6	NO	NO	79.4	51.3	50.0	35.4	39.6	20.7	38.9	NA	10.2	41.3
primary	32.3	18.8	87.8	NO	57.8	NO	36.9	NO	NO	93.2	70.7	68.7	42.8	30.4	23.3	37.1	NA	19.7	51.9
secondary +	42.2	26.7	93.0	NO	78.8	NO	38.9	NO	NO	97.9	78.9	82.0	43.9	49.4	25.5	40.4	NA	25.5	62.5
Child's sex																			
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	89.0	65.3	60.9	38.0	37.0	22.7	40.3	NA	15.8	NA
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	87.1	62.6	65.2	40.6	38.0	22.8	36.6	NA	16.2	NA
Area of residence																			
urban	30.5	17.5	94.0	NO	85.2	NO	39.5	NO	NO	93.7	70.9	66.7	38.6	41.7	24.3	36.1	89.5	22.7	57.1
rural	28.5	16.3	75.4	NO	31.6	NO	33.6	NO	NO	84.4	59.4	60.8	39.7	35.8	21.8	39.9	42.6	11.9	44.2
Country region																			
centrale	48.9	27.3	82.7	NO	34.7	NO	35.1	NO	NO	90.2	73.5	75.0	26.6	29.9	20.8	53.6	60.0	14.8	52.7
kara	28.5	17.8	74.9	NO	30.2	NO	41.0	NO	NO	78.0	56.0	51.9	37.7	28.1	13.3	48.4	63.9	13.6	40.6
lomé commune	26.1	14.7	93.6	NO	90.8	NO	44.4	NO	NO	95.0	75.8	67.6	37.6	45.2	24.0	31.0	ND	23.9	57.9
maritime (sans lomé comm	35.8	22.7	85.0	NO	57.3	NO	34.0	NO	NO	90.4	58.8	62.0	41.9	33.7	24.3	31.9	ND	17.2	50.9
plateaux	18.5	9.7	84.5	NO	46.9	NO	32.2	NO	NO	87.1	66.9	63.0	45.5	41.5	12.5	41.6	41.9	12.2	45.6
savanes	15.8	7.5	63.8	NO	16.9	NO	28.2	NO	NO	81.4	56.3	61.2	38.9	55.2	35.0	40.4	48.0	10.7	41.3




Source: Togo MICS 2006  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Source: Togo MICS 2006  
Coverage levels are shown for the poorest 20% (red circles) and the richest 20% (yellow circles).  
The longer the line between the two groups, the greater the inequality.

Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.



Source: Togo MICS 2006

Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.



Source: Togo MICS 2006

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Uganda (DHS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	36.9	23.7	94.1	47.2	42.6	3.1	42.2	2.9	47.1	90.5	64.1	68.1	36.4	39.4	73.3	9.6	67.2	11.4	58.5
Wealth quintiles																			
Q1	17.5	9.9	93.3	44.3	28.7	1.6	42.2	3.6	32.4	93.9	63.9	66.3	37.0	39.1	79.5	10.9	67.2	9.6	52.7
Q2	25.5	15.7	93.2	42.1	31.9	1.8	42.3	2.3	36.5	90.1	59.2	64.7	38.4	35.3	67.7	9.4	61.6	10.7	52.1
Q3	30.8	19.4	93.6	42.1	35.3	3.0	39.1	1.9	38.6	89.6	67.4	66.8	37.2	39.0	69.8	5.2	57.7	11.2	55.8
Q4	41.0	27.6	93.9	45.0	50.0	3.0	40.9	3.3	52.5	90.4	66.3	71.9	34.1	43.3	72.8	9.1	66.1	11.3	61.3
Q5	64.5	47.5	96.9	64.3	77.1	7.5	46.9	5.1	80.0	87.9	64.6	73.0	34.8	43.6	77.5	14.4	83.2	15.1	71.3
Equity indicators																			
Q5/Q1 ratio	3.7	4.8	1.0	1.5	2.7	4.8	1.1	1.4	2.5	0.9	1.0	1.1	0.9	1.1	1.0	1.3	1.2	1.6	1.4
Q5-Q1 difference	47.0	37.6	3.6	20.1	48.4	5.9	4.7	1.5	47.6	-6.0	0.6	6.7	-2.2	4.5	-1.9	3.5	16.0	5.6	18.6
Concentration index	25.7	30.6	0.7	7.2	21.0	32.3	1.2	0.3	19.5	-0.8	1.5	2.3	-2.0	2.1	-1.6	3.6	4.7	7.9	6.3
SII	53.9	42.9	3.9	20.0	50.4	6.3	3.4	0.1	51.5	-5.5	5.0	9.6	-4.1	6.6	-5.6	2.0	18.2	5.3	23.2
Maternal education																			
none	22.8	13.2	90.5	41.0	26.2	1.9	40.1	2.8	30.1	89.7	58.4	64.1	36.9	40.6	71.9	7.3	NA	7.6	51.4
primary	34.6	22.4	94.6	45.4	41.2	2.7	42.4	2.7	44.6	89.9	63.8	66.4	35.6	38.4	73.7	8.7	NA	11.2	57.6
secondary +	62.8	45.6	96.8	62.7	76.0	7.2	44.3	6.4	80.5	94.6	73.6	81.7	39.8	42.8	74.5	17.4	NA	18.7	72.1
Child's sex																			
male	NA	NA	94.1	47.3	44.3	3.3	41.4	2.6	49.7	89.9	62.8	67.1	36.6	40.6	75.7	9.3	NA	11.6	NA
female	NA	NA	94.1	47.1	40.8	2.9	43.0	3.2	44.5	91.1	65.4	69.1	36.3	38.2	70.9	9.9	NA	11.2	NA
Area of residence																			
urban	61.5	43.1	97.7	59.6	80.5	8.9	47.7	9.4	83.9	92.0	67.2	76.7	33.8	48.0	68.3	19.5	89.9	16.5	71.2
rural	32.8	20.8	93.6	45.3	37.7	2.4	41.4	2.6	41.5	90.4	63.8	67.1	36.8	38.6	73.7	8.4	63.8	10.7	56.6
Country region																			
central 1	48.8	33.9	90.4	54.3	52.1	3.5	37.1	1.9	57.1	76.8	52.1	59.9	23.2	42.6	85.1	3.9	46.5	8.1	61.3
central 2	50.4	36.0	94.3	51.3	52.0	2.3	40.1	1.4	56.3	88.4	63.0	67.2	28.8	35.2	85.4	5.6	62.7	11.7	63.8
east central	34.9	23.4	93.4	44.1	56.4	2.8	45.4	2.3	59.0	88.9	60.2	58.3	40.8	34.8	68.1	5.6	77.7	11.5	57.3
eastern	30.6	20.1	96.0	39.2	41.3	2.6	36.1	4.8	44.1	95.1	66.6	63.6	29.4	45.5	65.5	12.8	79.1	11.7	56.9
kampala	67.9	47.6	97.7	61.8	90.8	9.2	53.6	7.9	91.6	91.0	68.3	71.3	30.3	51.1	72.3	14.3	93.5	17.0	74.6
north	19.1	10.9	93.8	47.6	31.0	1.5	42.2	3.7	36.3	96.3	67.4	79.2	48.1	42.5	80.7	18.5	74.8	13.2	55.4
southwest	42.0	26.8	92.0	41.0	32.5	3.0	35.1	1.4	35.1	86.5	62.2	67.4	29.9	29.5	73.5	6.1	49.0	9.4	56.7
west Nile	22.4	13.7	98.9	60.5	34.6	3.1	48.9	2.0	40.6	96.4	61.1	64.9	30.6	33.7	71.9	14.1	73.0	12.3	53.6
western	33.7	20.6	94.0	44.2	31.5	4.1	49.4	2.9	37.7	91.7	70.7	75.3	49.4	39.9	66.3	4.9	60.5	10.2	56.7




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Uzbekistan (MICS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	89.3	64.9	99.0	NO	99.9	NO	67.1	NO	NO	99.9	92.8	94.8	72.0	28.1	67.7	NO	89.6	24.8	82.9
Wealth quintiles																			
Q1	88.7	66.7	98.0	NO	100.0	NO	67.8	NO	NO	99.7	92.5	93.7	74.8	17.2	52.4	NO	84.7	22.0	79.3
Q2	90.3	65.9	98.2	NO	99.9	NO	62.6	NO	NO	100.0	95.5	94.1	73.9	45.2	53.0	NO	85.3	25.0	83.7
Q3	90.5	65.7	99.7	NO	99.7	NO	73.4	NO	NO	99.6	94.1	98.2	76.0	18.4	70.7	NO	88.2	26.5	82.8
Q4	90.3	62.9	100.0	NO	100.0	NO	67.3	NO	NO	100.0	92.3	94.0	76.7	27.7	74.3	NO	92.3	25.6	84.0
Q5	86.5	63.4	99.2	NO	100.0	NO	63.8	NO	NO	100.0	89.1	93.8	56.2	34.5	86.4	NO	97.6	25.5	84.9
Equity indicators																			
Q5/Q1 ratio	1.0	1.0	1.0	NO	1.0	NO	0.9	NO	NO	1.0	1.0	1.0	0.8	2.0	1.6	NO	1.2	1.2	1.1
Q5-Q1 difference	-2.2	-3.3	1.1	NO	0.0	NO	-4.0	NO	NO	0.3	-3.4	0.1	-18.6	17.3	34.0	NO	12.9	3.4	5.6
Concentration index	-0.4	-1.2	0.3	NO	0.0	NO	-0.2	NO	NO	0.0	-0.8	0.0	-3.7	1.5	10.4	NO	3.0	2.5	1.1
SII	-2.1	-4.8	2.3	NO	0.1	NO	-1.2	NO	NO	0.3	-4.5	0.3	-15.1	6.0	44.6	NO	16.9	4.2	5.8
Maternal education																			
none	89.3	64.9	99.0	NO	99.9	NO	67.1	NO	NO	99.9	92.8	94.8	72.0	28.4	67.7	NO	NA	24.8	83.0
primary	NA	NA	ND	NO	ND	NO	ND	NO	NO	99.9	92.8	93.0	72.4	24.1	70.5	NO	NA	25.2	NA
secondary +	NA	NA	ND	NO	ND	NO	ND	NO	NO	99.9	92.8	96.7	71.7	33.7	63.2	NO	NA	24.4	NA
Child's sex																			
male	87.2	62.9	99.1	NO	100.0	NO	68.8	NO	NO	100.0	88.4	93.6	60.8	20.1	73.5	NO	99.9	25.0	81.5
female	90.2	65.8	99.0	NO	99.9	NO	66.4	NO	NO	99.8	94.6	95.3	76.4	31.0	64.5	NO	84.9	24.7	83.4
Area of residence																			
urban	89.7	64.7	98.6	NO	100.0	NO	49.7	NO	NO	100.0	94.1	96.9	65.4	16.3	100.0	NO	90.3	25.7	85.9
rural	89.1	64.8	99.1	NO	100.0	NO	75.9	NO	NO	99.5	85.5	93.6	75.4	36.9	76.2	NO	95.6	26.9	84.1
Country region																			
east	92.0	70.9	99.5	NO	100.0	NO	76.7	NO	NO	100.0	97.0	94.5	71.1	17.2	55.8	NO	95.2	22.5	81.4
southern	84.5	56.4	98.6	NO	100.0	NO	71.7	NO	NO	99.7	92.9	94.0	74.6	43.7	63.2	NO	67.4	24.2	83.0
tashkent	87.8	65.1	99.5	NO	100.0	NO	59.9	NO	NO	100.0	88.2	88.5	37.3	21.5	73.4	NO	99.7	25.1	81.6
western	88.8	63.3	99.0	NO	99.2	NO	61.8	NO	NO	100.0	93.1	97.0	94.7	26.9	78.4	NO	97.5	26.9	84.1




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Vietnam (MICS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	NO	75.7	90.8	NO	87.7	NO	25.1	NO	NO	94.4	79.4	86.5	53.1	40.8	82.7	NO	89.0	20.1	NO
Wealth quintiles																			
Q1	NO	75.8	68.5	NO	52.8	NO	36.4	NO	NO	86.6	55.5	69.9	43.9	44.4	87.3	NO	66.6	11.5	NO
Q2	NO	77.2	92.2	NO	86.9	NO	22.7	NO	NO	91.9	79.1	85.1	47.5	29.6	65.1	NO	83.8	17.1	NO
Q3	NO	75.1	94.2	NO	94.9	NO	27.8	NO	NO	95.3	80.4	89.5	55.2	50.9	81.7	NO	92.8	22.1	NO
Q4	NO	76.9	97.7	NO	100.0	NO	23.4	NO	NO	98.7	85.9	90.7	59.9	28.8	85.3	NO	95.7	26.0	NO
Q5	NO	74.0	98.8	NO	99.4	NO	15.3	NO	NO	98.6	95.3	96.3	57.6	50.8	100.0	NO	97.7	23.3	NO
Equity indicators																			
Q5/Q1 ratio	NO	1.0	1.4	NO	1.9	NO	0.4	NO	NO	1.1	1.7	1.4	1.3	1.1	1.1	NO	1.5	2.0	NO
Q5-Q1 difference	NO	-1.8	30.3	NO	46.5	NO	-21.1	NO	NO	12.0	39.8	26.4	13.7	6.4	12.7	NO	31.1	11.8	NO
Concentration index	NO	-0.5	6.0	NO	10.1	NO	-13.1	NO	NO	2.8	9.0	5.8	6.1	0.8	4.0	NO	6.2	13.1	NO
SII	NO	-2.2	38.9	NO	64.5	NO	-20.7	NO	NO	17.4	43.6	29.9	19.5	-1.3	19.2	NO	36.2	16.1	NO
Maternal education																			
none	NO	69.8	73.8	NO	59.7	NO	30.8	NO	NO	80.1	46.2	57.9	41.1	31.1	78.8	NO	NA	7.5	NO
primary	NO	75.8	90.4	NO	89.0	NO	21.3	NO	NO	94.5	79.9	86.4	48.8	37.4	72.3	NO	NA	18.4	NO
secondary +	NO	77.4	97.5	NO	96.6	NO	27.1	NO	NO	97.0	85.1	91.7	60.2	48.9	92.7	NO	NA	24.7	NO
Child's sex																			
male	NO	NA	ND	NO	ND	NO	ND	NO	NO	94.8	79.4	84.7	53.4	40.0	85.4	NO	NA	21.6	NO
female	NO	NA	ND	NO	ND	NO	ND	NO	NO	94.0	79.5	88.7	52.7	41.8	79.7	NO	NA	18.4	NO
Area of residence																			
urban	NO	72.0	98.0	NO	98.3	NO	17.7	NO	NO	98.5	95.2	93.3	54.6	38.5	98.8	NO	97.1	22.5	NO
rural	NO	77.0	88.6	NO	84.5	NO	27.3	NO	NO	93.3	75.0	84.6	52.6	41.2	79.7	NO	86.2	19.3	NO
Country region																			
central highlands	NO	67.8	78.1	NO	68.5	NO	24.2	NO	NO	96.5	63.7	80.5	44.0	20.0	83.9	NO	83.3	19.0	NO
mekong river delta	NO	73.1	94.7	NO	96.2	NO	20.3	NO	NO	92.8	81.2	85.5	48.3	31.6	86.7	NO	78.9	20.8	NO
north central coast	NO	78.9	94.4	NO	81.3	NO	42.1	NO	NO	96.0	66.0	94.0	59.3	52.9	53.8	NO	91.7	16.2	NO
north east	NO	80.2	69.7	NO	58.6	NO	38.4	NO	NO	94.8	67.2	77.6	52.7	33.3	91.7	NO	84.4	12.7	NO
north west	NO	77.7	71.0	NO	58.0	NO	44.2	NO	NO	59.0	47.5	52.5	38.0	40.6	66.7	NO	72.6	9.4	NO
red river delta	NO	80.7	99.2	NO	100.0	NO	29.2	NO	NO	95.9	94.5	93.2	61.3	42.9	90.3	NO	98.9	27.0	NO
south central coast	NO	71.4	86.2	NO	91.7	NO	5.5	NO	NO	94.6	80.4	83.9	56.1	38.9	82.4	NO	89.1	19.3	NO
south east	NO	69.1	98.4	NO	98.4	NO	8.5	NO	NO	98.6	86.5	90.5	49.5	57.1	100.0	NO	93.6	23.6	NO




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.

Composite coverage not available

Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Yemen (MICS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	54.0	27.7	47.0	NO	35.7	NO	29.6	NO	NO	69.0	53.5	65.1	NO	36.3	42.6	NO	58.9	3.9	48.8
Wealth quintiles																			
Q1	31.7	14.7	32.0	NO	17.1	NO	35.7	NO	NO	53.3	35.0	52.4	NO	31.6	39.7	NO	28.2	0.3	34.0
Q2	35.7	16.4	35.1	NO	19.8	NO	25.7	NO	NO	53.8	41.4	57.2	NO	37.3	38.4	NO	46.9	1.5	37.4
Q3	53.9	27.1	43.4	NO	32.0	NO	30.3	NO	NO	70.7	48.2	60.2	NO	35.8	43.1	NO	67.0	2.8	47.0
Q4	63.6	35.4	56.6	NO	50.1	NO	26.0	NO	NO	76.0	64.0	74.5	NO	38.6	50.9	NO	70.6	5.5	57.8
Q5	76.0	43.7	79.3	NO	73.6	NO	29.2	NO	NO	97.9	85.5	85.5	NO	40.7	46.8	NO	81.7	12.1	71.2
Equity indicators																			
Q5/Q1 ratio	2.4	3.0	2.5	NO	4.3	NO	0.8	NO	NO	1.8	2.4	1.6	NO	1.3	1.2	NO	2.9	39.5	2.1
Q5-Q1 difference	44.3	29.0	47.3	NO	56.5	NO	-6.5	NO	NO	44.6	50.5	33.1	NO	9.1	7.1	NO	53.5	11.8	37.2
Concentration index	17.9	23.2	19.0	NO	31.0	NO	-4.3	NO	NO	12.8	17.9	9.5	NO	3.6	6.8	NO	18.7	52.1	15.4
SII	55.7	38.2	51.5	NO	62.6	NO	-7.6	NO	NO	52.2	56.1	39.7	NO	9.5	13.1	NO	61.3	15.3	47.5
Maternal education																			
none	47.9	23.1	38.0	NO	27.2	NO	28.9	NO	NO	61.0	45.8	59.5	NO	34.8	40.9	NO	NA	2.3	42.8
primary	60.8	34.2	59.2	NO	47.2	NO	29.8	NO	NO	81.4	61.0	72.2	NO	37.0	44.7	NO	NA	5.7	55.9
secondary +	72.1	42.1	73.3	NO	61.4	NO	32.3	NO	NO	86.4	77.3	80.7	NO	45.4	58.2	NO	NA	12.9	67.9
Child's sex																			
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	68.8	54.6	65.7	NO	36.0	44.2	NO	NA	3.5	NA
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	69.1	52.5	64.5	NO	36.6	40.9	NO	NA	4.4	NA
Area of residence																			
urban	75.4	42.3	68.2	NO	61.7	NO	31.7	NO	NO	89.6	69.4	80.3	NO	37.3	55.2	NO	73.8	8.9	65.9
rural	43.0	21.1	39.3	NO	26.3	NO	28.8	NO	NO	60.5	47.1	58.8	NO	36.0	38.6	NO	52.2	2.1	41.6
Country region																			
abyan	66.9	26.3	62.8	NO	50.1	NO	38.4	NO	NO	41.8	34.9	22.2	NO	38.6	48.7	NO	30.6	ND	50.1
aden	88.2	46.5	78.7	NO	80.5	NO	31.4	NO	NO	94.2	66.5	78.1	NO	27.4	100.0	NO	97.5	17.9	77.0
al baidhah	59.4	34.3	33.3	NO	41.6	NO	27.0	NO	NO	24.8	33.5	51.4	NO	42.8	69.3	NO	76.0	1.5	47.2
al dala'a	77.9	39.6	57.6	NO	50.0	NO	11.8	NO	NO	66.6	74.3	76.3	NO	26.4	50.0	NO	80.9	3.2	60.7
al hodeidah	43.0	12.5	41.2	NO	50.1	NO	39.9	NO	NO	58.0	57.7	67.4	NO	33.7	54.3	NO	69.4	2.8	48.2
al jawf	42.0	20.2	54.4	NO	21.4	NO	28.2	NO	NO	60.7	34.0	49.4	NO	23.4	10.2	NO	47.5	ND	35.3
al maharah	23.5	14.3	69.2	NO	69.2	NO	69.2	NO	NO	83.3	83.3	100.0	NO	37.5	ND	NO	ND	6.3	49.8
al mahweet	59.6	22.2	19.7	NO	7.5	NO	44.1	NO	NO	62.4	28.9	36.1	NO	20.8	40.3	NO	42.3	ND	35.7
amran	37.0	16.9	48.4	NO	37.1	NO	40.9	NO	NO	62.1	35.6	40.6	NO	30.8	14.0	NO	55.6	3.7	36.4
dhamar	34.3	21.2	30.1	NO	16.4	NO	28.6	NO	NO	56.2	37.8	59.1	NO	36.8	30.8	NO	41.7	1.6	34.8
hadramout	58.7	22.7	61.2	NO	66.4	NO	10.6	NO	NO	83.7	77.2	75.1	NO	43.8	31.0	NO	89.6	14.4	59.5
hajjah	42.2	21.6	40.1	NO	13.9	NO	38.5	NO	NO	73.0	50.2	73.2	NO	39.2	39.9	NO	26.2	ND	42.6
ibb	44.0	28.6	44.5	NO	26.1	NO	35.7	NO	NO	73.1	42.1	76.4	NO	31.2	43.7	NO	52.6	3.3	43.8
lahej	66.8	36.6	67.8	NO	46.2	NO	10.9	NO	NO	84.7	80.4	75.2	NO	55.6	37.1	NO	74.5	4.6	62.6
mareb	75.0	25.9	49.9	NO	30.7	NO	12.7	NO	NO	100.0	75.0	87.5	NO	66.7	ND	NO	67.7	12.0	58.3
raimah	25.6	16.0	23.7	NO	8.0	NO	23.7	NO	NO	80.9	35.1	29.2	NO	25.1	31.7	NO	79.3	ND	28.8
sa'adah	58.2	24.0	26.0	NO	31.3	NO	34.0	NO	NO	56.5	42.5	44.5	NO	48.7	50.1	NO	65.1	2.7	45.7
sana'a	45.3	28.8	50.1	NO	33.8	NO	28.2	NO	NO	67.1	49.8	55.8	NO	42.6	58.7	NO	32.2	2.8	48.4
sana'a city	80.7	52.1	78.9	NO	69.4	NO	29.4	NO	NO	89.7	74.6	79.8	NO	35.0	56.8	NO	66.4	10.0	70.1
shabwah	52.2	23.0	49.3	NO	24.5	NO	9.6	NO	NO	59.4	49.3	41.2	NO	44.0	7.4	NO	71.9	1.6	41.2
taiz	64.5	26.9	46.1	NO	27.1	NO	26.6	NO	NO	70.1	61.7	66.5	NO	37.2	33.1	NO	61.0	3.2	50.3




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Zambia (DHS 2007)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	60.6	40.8	93.7	60.3	46.5	3.0	56.5	5.3	53.6	92.3	80.8	84.9	63.4	56.1	68.2	28.4	41.9	15.2	69.3
Wealth quintiles																			
Q1	60.5	40.5	89.9	59.3	26.9	1.2	55.9	5.4	33.5	94.8	78.3	87.6	65.5	53.2	77.9	19.7	10.3	11.8	67.2
Q2	52.1	34.2	89.6	61.0	27.7	1.2	55.5	4.2	33.7	88.5	74.5	79.6	62.1	56.9	64.1	31.6	16.3	12.0	62.5
Q3	51.3	31.3	93.0	62.2	36.5	1.4	56.6	4.2	41.1	88.9	78.1	81.6	63.6	51.1	64.3	32.4	26.2	14.1	63.8
Q4	63.5	44.3	99.0	57.8	71.4	4.6	57.5	8.4	76.2	94.9	85.6	85.2	59.2	56.7	78.4	28.9	63.9	17.4	76.0
Q5	74.1	54.2	98.7	61.6	91.3	9.0	57.1	14.2	94.2	96.4	94.6	94.1	67.0	65.2	56.1	31.3	92.7	24.9	81.1
Equity indicators																			
Q5/Q1 ratio	1.2	1.3	1.1	1.0	3.4	7.7	1.0	2.6	2.8	1.0	1.2	1.1	1.0	1.2	0.7	1.6	9.0	2.1	1.2
Q5-Q1 difference	13.6	13.8	8.8	2.3	64.4	7.9	1.2	8.8	60.7	1.6	16.3	6.5	1.6	12.0	-21.8	11.6	82.4	13.1	14.0
Concentration index	4.9	6.8	2.5	0.9	27.7	46.2	0.6	8.1	24.1	0.2	3.6	1.0	-0.2	2.4	-2.6	7.7	42.3	15.1	4.7
SII	19.4	18.1	14.4	0.5	70.8	9.2	2.3	2.3	70.8	2.4	17.9	5.3	-1.8	9.5	-12.9	11.8	88.9	13.7	20.7
Maternal education																			
none	55.9	35.0	88.0	56.1	23.4	0.8	57.0	3.5	29.8	89.6	70.3	82.4	56.8	50.5	65.9	21.8	NA	11.0	62.1
primary	57.1	37.8	93.3	60.0	41.8	2.0	55.3	5.0	47.8	92.1	80.1	83.7	62.8	57.5	66.6	27.9	NA	14.2	67.6
secondary +	70.3	50.6	97.5	63.2	72.8	6.8	59.1	9.3	79.0	94.6	89.6	90.2	68.8	55.5	75.7	33.4	NA	20.4	77.9
Child's sex																			
male	NA	NA	93.9	61.2	47.1	2.9	55.9	6.2	53.9	92.0	81.8	84.9	63.9	55.4	67.9	29.4	NA	15.1	NA
female	NA	NA	93.6	59.5	45.8	3.0	57.0	4.3	53.2	92.6	79.8	84.9	62.8	56.8	68.6	27.4	NA	15.3	NA
Area of residence																			
urban	67.5	48.4	99.0	58.6	83.0	6.2	58.7	9.1	86.7	94.7	89.8	88.5	62.2	59.0	67.0	29.2	82.2	21.2	78.0
rural	56.5	36.7	91.2	61.2	31.3	1.6	55.5	4.8	37.6	91.4	77.4	83.6	63.8	54.8	68.8	28.1	19.6	12.7	65.4
Country region																			
central	53.3	32.8	91.6	54.6	33.5	1.2	56.2	6.8	42.5	93.0	84.4	91.6	59.6	55.9	75.4	29.0	45.6	15.9	67.6
copperbelt	63.7	47.7	96.1	61.8	75.3	6.9	49.0	9.7	79.8	94.8	87.0	87.0	65.8	59.8	64.3	33.4	66.8	20.3	74.9
eastern	68.5	52.6	98.3	61.5	42.9	1.8	64.7	2.7	47.8	98.0	89.1	89.0	64.3	73.3	77.1	20.6	16.5	13.1	76.1
luapula	31.3	15.8	93.2	68.0	33.9	3.1	62.7	4.1	38.6	84.1	70.3	75.8	69.7	53.4	49.3	56.2	32.0	13.4	55.3
lusaka	68.2	46.1	99.7	54.4	77.5	6.4	59.8	10.3	83.0	94.1	93.2	91.9	60.2	59.0	66.7	22.1	83.8	18.8	78.3
northern	56.3	37.7	91.2	60.9	29.4	1.6	52.1	7.0	36.4	81.9	64.4	71.1	55.6	57.2	59.0	27.6	20.6	12.1	61.1
northwestern	56.0	32.0	84.9	62.5	40.5	0.8	42.6	1.4	46.2	93.7	61.3	78.0	65.0	62.0	66.1	28.8	16.9	11.5	64.0
southern	63.8	45.8	94.7	60.8	36.2	2.0	66.1	2.9	44.4	97.8	90.1	92.0	67.2	30.9	87.8	16.6	38.9	15.5	70.4
western	60.2	33.1	84.1	60.2	42.1	1.1	48.4	5.3	49.6	97.4	86.3	93.1	69.0	52.0	66.7	28.5	30.0	15.7	68.2




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

Zimbabwe (DHS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index
National	82.6	60.2	94.3	71.1	68.5	4.8	69.2	4.6	71.9	75.7	63.7	65.6	47.1	46.7	24.9	2.9	75.8	14.3	66.5
Wealth quintiles																			
Q1	71.0	48.0	92.7	64.9	46.1	1.9	63.7	2.3	48.2	73.2	58.1	54.2	45.3	38.9	9.0	1.6	53.1	9.6	55.9
Q2	79.5	57.1	92.0	68.4	56.0	3.1	67.3	4.6	59.1	72.0	59.9	66.1	39.9	45.0	33.5	1.7	61.2	12.2	64.0
Q3	81.8	56.1	94.5	72.3	70.5	4.0	67.2	7.3	74.1	76.9	62.6	67.1	48.4	51.1	31.0	2.7	71.1	14.1	68.1
Q4	87.7	66.5	95.3	71.7	85.3	6.6	72.3	8.2	86.8	78.5	69.5	70.4	49.8	48.4	22.7	3.8	94.1	19.9	71.2
Q5	90.5	72.1	97.1	80.3	95.1	9.9	76.9	9.1	96.1	79.5	70.1	74.0	54.2	60.7	51.3	5.3	99.8	16.5	79.4
Equity indicators																			
Q5/Q1 ratio	1.3	1.5	1.0	1.2	2.1	5.2	1.2	4.0	2.0	1.1	1.2	1.4	1.2	1.6	5.7	3.3	1.9	1.7	1.4
Q5-Q1 difference	19.5	24.1	4.4	15.4	49.0	8.0	13.2	6.8	48.0	6.3	12.0	19.8	8.9	21.7	42.3	3.7	46.7	6.9	23.5
Concentration index	4.7	7.6	1.0	3.9	15.7	32.7	3.6	28.6	14.6	2.1	4.1	5.8	4.1	8.4	22.1	26.3	13.9	13.8	6.4
SII	23.8	28.7	5.9	16.8	60.7	9.9	15.6	8.4	60.1	9.5	16.8	22.4	12.7	21.2	31.5	4.7	61.7	11.5	27.1
Maternal education																			
none	60.9	34.7	94.1	59.6	34.6	1.2	67.5	6.0	40.1	54.6	47.2	30.3	37.6	47.2	33.9	2.1	NA	3.6	52.8
primary	78.5	53.9	91.2	65.8	52.2	2.4	67.0	3.4	55.0	76.1	60.8	59.8	43.5	40.8	21.1	2.3	NA	10.5	61.0
secondary +	86.5	66.7	96.1	74.9	80.9	6.5	70.6	6.0	83.8	76.9	66.3	71.2	50.0	51.2	26.9	3.3	NA	17.4	70.9
Child's sex																			
male	NA	NA	94.0	70.5	67.9	5.1	70.3	5.1	71.8	72.6	63.1	63.3	46.1	47.7	19.8	2.8	NA	14.9	NA
female	NA	NA	94.5	71.8	69.1	4.4	68.1	4.0	72.0	79.2	64.2	68.2	48.2	45.5	30.6	3.0	NA	13.6	NA
Area of residence																			
urban	89.6	69.8	96.1	75.8	93.6	8.7	74.7	6.8	94.7	79.0	69.0	71.6	52.9	59.1	32.7	4.4	99.4	18.6	75.8
rural	78.7	55.3	93.4	68.9	58.2	3.2	66.7	4.5	61.5	74.3	61.3	63.1	44.7	43.3	23.6	2.3	64.9	12.4	62.9
Country region																			
bulawayo	85.8	67.0	95.3	71.6	95.1	8.7	80.7	16.4	96.3	83.1	77.2	76.5	61.3	39.4	54.1	1.7	98.9	22.9	76.4
harare	91.3	71.9	96.0	74.6	93.7	7.4	73.8	8.8	93.6	77.3	62.3	68.5	55.6	58.4	31.9	3.7	99.1	15.5	74.7
manicaland	74.1	52.4	88.3	70.7	61.3	4.0	65.2	2.9	66.4	61.4	51.4	54.5	29.2	52.0	32.4	1.6	76.5	11.3	61.5
mashonaland central	83.7	61.4	94.9	69.6	60.4	2.8	55.6	5.0	62.3	81.3	61.6	72.0	39.6	48.2	17.3	3.7	69.9	16.3	65.6
mashonaland east	85.2	64.0	96.7	78.5	68.6	4.5	88.5	2.9	69.9	94.6	84.5	87.3	44.8	55.1	21.8	2.7	80.2	20.1	73.2
mashonaland west	85.6	62.0	94.5	68.4	60.3	5.9	66.2	5.3	64.1	70.5	66.9	64.9	50.5	44.0	14.8	5.5	67.0	13.3	64.9
masvingo	78.0	54.1	95.8	76.7	66.9	3.7	75.2	1.4	70.6	72.4	63.6	63.6	54.8	46.5	46.0	1.4	52.2	12.5	67.4
matebeleland north	69.2	45.7	92.8	60.3	58.3	3.6	72.5	1.2	59.7	84.9	69.7	70.1	70.4	48.7	24.9	2.9	78.8	13.1	63.9
matebeleland south	70.3	47.2	95.1	64.5	63.2	3.1	61.1	5.0	67.3	75.0	60.5	63.2	66.6	54.2	28.0	0.5	71.2	14.7	63.9
midlands	86.6	63.4	94.1	68.1	63.9	5.0	61.5	9.2	69.0	74.7	58.9	55.9	31.6	29.4	18.0	3.6	70.5	11.3	62.4




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1–4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.

# Indicator Definitions

Health indicator	Dataset used	Definition	Numerator	Denominator
Family planning needs satisfied	Individual woman recode	Proportion of all women 15-49 using contraception among those who are fecund, in union and in need of contraception.	Number of women 15-49 that are fecund and are married / have a partner and need contraception who use any kind of contraceptive (modern or traditional).	Total number of women 15-49 that are fecund and are married / have a partner and need contraception.
Contraceptive prevalence rate	Individual woman recode	Proportion of women currently married or in union aged 15–49 that are using (or whose partner is using) a contraceptive method (either modern or traditional).	Number of women currently married or in union aged 15–49 years that are using (or whose partner is using ) a contraceptive method (either modern or traditional).	Total number of women aged 15–49 years that are currently married or in union.
Antenatal care (1+ visits, skilled provider)	Birth recode	Proportion of women attended at least once during pregnancy by skilled health personnel for reasons related to the pregnancy in the X years prior to the survey.	Number of women attended at least once during pregnancy by skilled health personnel for reasons related to the pregnancy in the X years prior to the survey.	Total number of women who had a live birth occurring in the same period - only the last live-born child is considered.
Antenatal care (4+ visits, any provider)	Birth recode	Proportion of women attended at least four times during pregnancy by any provider (skilled or unskilled) for reasons related to the pregnancy in the X years prior to the survey.	Number of women attended at least four times during pregnancy by any provider (skilled or unskilled) for reasons related to the pregnancy in the X years prior to the survey.	Total number of women who had a live birth occurring in the same period - only the last live-born child is considered.
Skilled attendant at delivery	Birth recode	Proportion of live births attended by skilled health personnel (doctor, nurse, midwife or auxiliary midwife).	Number of live births to women aged 15–49 years in the X years prior to the survey attended during delivery by skilled health personnel (doctor, nurse, midwife or auxiliary midwife).	Total number of live births to women aged 15–49 years occurring in the X years prior to the survey.
C-section rate	Birth recode	Percentage of live births delivered by cesarean section.	Live births delivered by caesarean section.	Number of live births in the last five years.
Early initiation of breastfeeding	Birth recode	Proportion of newborns put to the breast within one hour of birth.	Number of women with a live birth in the X years prior to the survey who put the newborn infant to the breast within 1 hour of birth.	Total number of women with a live birth in the X years prior to the survey.
Postnatal care for babies who were born at home	Birth recode	Proportion of babies born outside a facility who received postnatal care within two days of birth.	Number of babies born outside of a health facility who received a postnatal care visit within two days of birth.	Total number of last-born babies born outside of a health facility in the X years prior to the survey.
Postnatal care for all babies	Birth recode	Proportion of babies who received postnatal care within two days of birth.	Number of babies born outside of a health facility who received postnatal check-up within two days of birth plus all babies who were born in an institution.	Total number of last-born babies born outside of a health facility in the 3 years prior to the survey.
BCG vaccine	Birth recode	Proportion of children aged 12-23 months who received 1 dose of BCG vaccine.	Number of children aged 0–59 months with diarrhoea in the 2 weeks prior to the survey receiving oral rehydration therapy (oral rehydration solution and/or recommended homemade fluids or increased fluids) and continued feeding.	Total number of children aged 12–23 months surveyed.
DTP3 vaccine	Birth recode	Proportion of children aged 12-23 months who received 3 doses of DPT (diphtheria/pertussis/tetanus) vaccine.	Number of children aged 12–23 months receiving 3 doses of DPT vaccine.	Total number of children aged 12–23 months surveyed.
Measles vaccine	Birth recode	Percentage of children aged 12-23 months who are immunized against measles.	Number of children aged 12–23 months who are immunized against measles.	Total number of children aged 12–23 months surveyed.
Vitamin A in last 6 mos.	Birth recode	Proportion of children aged 6–59 months who received at least one high dose of vitamin A supplement in the last six months (and at least two doses in the last 12 months).	Number of children aged 6–59 months receiving at least one high dose of vitamin A supplement in the six months prior to the survey (and at least two doses in the last 12 months).	Total number of children aged 6–59 months.
ORT and continued feeding	Birth recode	Proportion of children aged 0–59 months with diarrhoea receiving oral rehydration and continued feeding.	Number of children aged 0–59 months with diarrhoea in the 2 weeks prior to the survey receiving oral rehydration therapy (oral rehydration solution and/or recommended homemade fluids or increased fluids) and continued feeding.	Total number of children aged 0–59 months with diarrhoea in the 2 weeks prior to the survey.
Care seeking for pneumonia	Birth recode	Proportion of children aged 0–59 months with suspected pneumonia taken to an appropriate health provider.	Number of children aged 0–59 months with suspected pneumonia in the two weeks prior to the survey who were taken to an appropriate health provider.	Total number of children aged 0–59 months with suspected pneumonia in the 2 weeks prior to the survey.
ITN use by children	Birth recode	Proportion of children aged 0–59 months sleeping under an insecticide-treated mosquito net.	Number of children aged 0–59 months sleeping under an insecticide-treated mosquito net the night before the survey.	Total number of children aged 0–59 months surveyed.
Improved drinking water source	Household recode	Proportion of the population using improved drinking water source.	Number of household members living in households using improved drinking water sources (including household connections, public standpipe, borehole, protected dug well, protected spring, rainwater collection).	Total number of household members in households surveyed.
Co-coverage (6 or more interventions)		Safe water, antenatal care (>= 4 visits), skilled birth attendance, tetanus vaccine (2 doses in pregnancy), BCG, DPT (3 doses), measles vaccine, vitamin A (1+ dose in the past 6 months), child slept under treated bednet	Number of children receiving, at least, six of these interventions	Total number of children.
Composite coverage index		<div>Weighted average of the coverage of eight interventions selected from four areas (family planning, maternity care, child immunization and case management). The Composite coverage index is calculated as:</div> <div><math display="block">CCI=1/4\ (FPS+(SBA+ANCS)/2+(2DPT3+MSL+BCG)/4+(ORT+CPNM)/2)</math></div> <div>where FPS is demand for family planning satisfied, SBA is skilled birth attendant, ANCS is at least one antenatal care visit with skilled provider, DTP3 is three doses of DTP, MSL is measles immunization, BCG is BCG immunization, ORT is oral rehydration therapy plus continued feeding for children with diarrhea and CPNM is careseeking for</div>		