


Ethiopia – Health Coverage Summary Chart 2022

December 2022




Composite Coverage Index

National CCI: 54%




Health coverage gap




Equity

Composite Coverage index




Continuum of care coverage

Percentage of those in need receiving coverage of key interventions across the continuum of care




Coverage of key interventions by wealth quintile and Residence, 2019




Maternal and newborn health



Pregnancy and delivery care



Adolescent reproductive and maternal health



Interventions: Percentage of skilled personnel providing ANC4+ visits and SBA




Women's and children's nutrition

Essential nutrition indicators

Prevalence of anemia in women aged 15-49	23.6%	2016
Women of reproductive age, short stature	2.4%	2016
Women (15-49) with: BMI <18.5 kg/m2 (thinness)	22.4%	2016
BMI 25-29.9 kg/m2 (overweight)	6.0%	2016
BMI > 30 kg/m2 (obese)	1.5%	2016
Iron/folic acid supplementation during pregnancy	12.1%	2019
Low birth weight prevalence	13.2%	2016
Coverage of vitamin A last 6 months	47%	2019

Child nutritional status


Percentage of children under-5 with moderate and severe stunting, wasting and under weight




Breastfeeding practices

Early initiation of breastfeeding:	72%
DHS 2019	
Exclusive breastfeeding:	3.7%
DHS 2019	
Predominant breastfeeding:	5.5%
DHS 2019	


Social determinants of health



Maternal mortality ratio




Neonatal, post-neonatal, infant, child and under-five mortality rate




Child health

Immunization

Percentage of children immunized



Immunization coverage by Regions, 2019




Policies, systems and financing

Legal status of abortion




Health Care Financing

Total expenditure on health, per capita **105.0** 2020
 Government expenditure on health, per capita **34.0** 2020
 Out-of-pocket expenditure as % of total expenditure on health **31.0%** 2020
 General government expenditure on health as % of total government expenditure **8.5%** 2020




Policy timeline




Childhood diseases (Diarrheal Pneumonia) treatment

Percentage of children under 5 years with diarrhea
 Percentage of children under 5 years with symptoms of pneumonia taken to appropriate health provider



Causes of neonatal mortality



Reproductive health

- Female condom
 - Contraceptive implants
 - Emergency contraception
- Mean availabilities of new born signal functions 38.0% 2018
 Mean availabilities of obstetric signal function 48.0% 2018
- Mean availabilities of tracer items:
- Family planning 63.0% 2018
 - ANC 32.0% 2018
 - Child health services 49.0% 2018
 - Adolescent health 32.0% 2018
 - Essential medicines 28.0% 2018

Maternal health

- Oxytocin
- Misoprostol
- Magnesium sulphate


Newborn health:

- Injectable Antibiotics
- Antenatal Corticosteroids
- Chlorhexidine
- Resuscitation equipment: Self-inflating bag


Child health:

- Amoxicillin
- Oral Rehydration Salts
- Zinc

Environmental





Service delivery




Health infrastructure

Number of hospitals per 100,000 people
 Number of health centers per 100,000 people
 Number of health posts per 100,000 people




	SPA 2014	SARA 2016	SARA 2018
Number of facilities	1,165	698	764
Antenatal care offered (%)	87	80	78
At least one ANC trained staff (%)	54	44	31
BP apparatus present (%)	71	69	54
Hemoglobin test available (%)	26	8	6
Urine dipstick, protein (%)	52	15	15
Iron tablets (single or with folic acid, %)	52	66	38
Tetanus toxoid vaccine (%)	42	60	39
TB detection rate	71.0%	2020	
TB treatment and success rate	95.0%	2020	
TB Cure rate	80.0%	2020	
OPD Per capita	1.02	2020	



Midwives authorized for specific tasks
 Parenteral antibiotics

Parenteral oxytocin	Parenteral anticonvulsants	Manual removal of placenta	Removal of retained products of contraception	Assisted vaginal delivery	Newborn resuscitation
---------------------	----------------------------	----------------------------	---	---------------------------	-----------------------



Gulele Arbegnoch Street, Gulele Sub-city, Addis Ababa, Ethiopia

Telephone +251.11.275.4647; Fax +251.11.275.4744;

Web site: <https://ephi.gov.et>