# **Ethiopia – Health Coverage Summary Chart 2022**

### **December 2022**














# **Composite Coverage Index**

National CCI: 54%







# **Equity**



#### Continuum of care coverage


Percentage of those in need receiving coverage of key interventions across the continuum of care





#### Maternal and newborn health


Pregnancy and delivery care






■ CPR ■ CPRm ■ Demand Satisfied ■ Unmet need FP

#### **Interventions: Percentage** of skilled personnel providing ANC4+ visits and SBA






#### Women's and children's nutrition

Essential nutrition indicators				
Prevalence of anemia in women aged 15-49	23.6%	2016		
Women of reproductive age, short stature	2.4%	2016		
Women (15-49) with: BMI <18.5 kg/m2 (thinness)	22.4%	2016		
BMI 25-29.9 kg/m2 (overweight)	6.0%	2016		
BMI > 30 kg/m2 (obese)	1.5%	2016		
Iron/folic acid supplementation during pregnancy	12.1%	2019		
Low birth weight prevalence	13.2%	2016		
Coverage of vitamin A last 6 months)	47%	2019		

# Percentage of children under-5 with moderate and severe stunting, wasting

**Child nutritional status** 

and under weight



#### **Breastfeeding practices**


Early initiation of breastfeeding: 72% DHS 2019


Exclusive breastfeeding: 3.7%


DHS 2019

Predominant breastfeeding: 5.5% DHS 2019

#### Social determinants of health









#### Maternal mortality ratio




#### Maternal Health by Regions, 2019



#### Neonatal, post-neonatal, infant, child and under-five mortality rate







#### Child health

#### **Immunization**

Percentage of children immunized



# Immunization coverage by Regions, 2019



#### Policies, systems and financing


#### Legal status of abortion




#### **Health Care Financing**

Total expenditure on health, per capita 105.0 2020 Government expenditure on health, per capita 34.0 2020

Out-of-pocket expenditure as % of total expenditure on health **31.0%** 2020 General government expenditure on health as % of total government expenditure **8.5%** 2020




#### **Policy timeline**




#### Childhood diseases (Diarrheal Pneumonia) treatment

Percentage of children under 5 years with diarrhea Percentage of children under 5 years with symptoms of pneumonia taken to appropriate health provider



#### Causes of neonatal mortality



#### Neonatal deaths per 1000 live births by causes of death

## Reproductive health

#### Female condom

#### Contraceptive implants 3. Emergency contraception

Mean availabilities of new born signal functions 2018 38.0% Mean availabilities of obstetric signal function 48.0% 2018

Mean availabilities of tracer items:

Family planning 63.0% 2018 **ANC** 32.0% 2018 Child health services 49.0% 2018 Adolescent health 32.0% 2018 Essential medicines 28.0% 2018

#### Maternal health

1. Oxytocin 2. Misoprostol 3. Magnesium sulphate

#### Newborn health:

- 1. Injectable Antibiotics 2. Antenatal Corticosteroids
- 3. Chlorhexidine 4. Resuscitation equipment: Self-inflating bag


#### Child health:

1. Amoxicillin 2. Oral Rehydration Salts 3. Zinc

#### **Environmental** Water, sanitation and hygiene (WASH) + Electricity 81.9 100 68.7 75 50 25.3 27.1 19.5 25 0 Improved water Improved Sanitation Open defication

**2016** 

2019




#### Health infrastructure


2000

Number of hospitals per 100,000 people Number of health centers per 100,000 people Number of health posts per 100,000 people

**2005** 




**2011** 



	SPA 2014	SARA 2016	SARA 2018
Number of facilities	1,165	698	764
Antenatal care offered (%) At least one ANC trained staff	87	80	78
(%)	54	44	31
BP apparatus present (%)	71	69	54
Hemoglobin test available (%)	26	8	6
Urine dipstick, protein (%) Iron tablets (single or with	52	15	15
folic acid, %)	52	66	38
Tetanus toxoid vaccine (%)	42	60	39

TB detection rate	<b>71.0</b> 9	6 2020
TB treatment and success rat	e <b>95.</b> 0	2020
TB Cure rate	80.0%	2020
OPD Per capita	1.02	2020

GP+specialist, Health officers and Midwives (per 10,000 population)



# Midwives authorized for specific tasks Parenteral antibiotics

Parenteral oxytocin

Parenteral Manual remanticonvulsants of placenta

Manual removal Removal of of placenta retained

Removal of retained products of contraception

Assisted vaginal delivery

Newborn resuscitation



Gulele Arbegnoch Street, Gulele Sub-city, Addis Ababa, Ethiopia

Telephone +251.11.275.4647; Fax +251.11.275.4744;

Web site: https://ephi.gov.et